Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.







Forest Service

North Central Forest Experiment Station

Resource Bulletin NC-87



Timber Resource of Wisconsin's Southwest Survey Unit, 1983



LIBRARY
FORESTRY SCIENCES LABORATORY
P.O. BOX 909
JUNEAU, ALASKA 99802

Information contained in this report includes the most commonly used Forest Inventory and Analysis statistics. However, additional forest resource data can be provided to interested users. Persons requesting additional information that can be provided from the raw inventory data are expected to pay for the retrieval costs. These costs will vary depending on the complexity of the request, from less than \$100 for a relatively simple request to \$2,000 for a complex retrieval involving the services of a Forest Inventory and Analysis computer programmer. If requests for data conflict with ongoing Forest Inventory and Analysis work, they will be scheduled so as to minimize the impact on the work unit.

Requests for unpublished information may be directed to:

Burton L. Essex Forest Inventory and Analysis Project North Central Forest Experiment Station 1992 Folwell Avenue St. Paul, Minnesota 55108 Phone: (612) 642-5275

Area served: Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, South Dakota, Wisconsin.

North Central Forest Experiment Station
Forest Service--U.S. Department of Agriculture
1992 Folwell Avenue
St. Paul, Minnesota 55108
Manuscript approved for publication March 11, 1985
1985

FOREWORD

Forest Inventory and Analysis (FIA) is a continuing endeavor as mandated by the Renewable Forest and Rangeland Resources Planning Act of 1974. Prior inventories were mandated by the McSweeney-McNary Forest Research Act of 1928. The objective of FIA is to periodically inventory the Nation's forest land to determine its extent, condition, and volume of timber, growth, and depletions. Up-to-date resource information is essential to frame intelligent forest policies and programs. USDA Forest Service regional experiment stations are responsible for conducting these inventories and publishing summary reports for individual States. The North Central Forest Experiment Station is responsible for forest resource evaluation in Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, South Dakota, and Wisconsin.

Fieldwork for the Wisconsin Statewide forest inventory was begun in the summer of 1981 and completed in late 1983. Reports on the three previous inventories of Wisconsin's timber resource are dated 1936, 1956, and 1968.

More accurate survey information was obtained during the 1983 survey than otherwise would have been feasible because of intensified field sampling. Such sampling was made possible by additional funding and field personnel provided the North Central Station by the Wisconsin State Legislature through the Department of Natural Resources. Data from the Department's canvass of all primary wood-using plants in the State were used to help estimate the quantity of timber products harvested in Wisconsin.

Aerial photos used in the Southwest Unit Forest Inventory were furnished by the Wisconsin Department of Natural Resources and the USDA Agricultural Stabilization and Conservation Service.

CONTENTS

	Page
Highlights	1
Appendix	2
Accuracy of Survey	
Survey Procedures	
Comparing Wisconsin's Fourth Inventory	
with the Third Inventory	3
Checking for Consistency	4
Log Grade	
Tree Species Groups in Wisconsin	
Metric Equivalents of Units Used in this Report	
Definition of Terms	
Tables	

TIMBER RESOURCE OF WISCONSIN'S SOUTHWEST SURVEY UNIT, 1983

Gerhard K. Raile, Mensurationist

HIGHLIGHTS

Forest Area

- Forest land accounted for 2.0 million acres (32 percent of the Unit's land area) in 1983; this constitutes a 30-percent increase since 1968.
- Commercial forest land occupied 1.9 million acres in 1983--an increase of 29 percent from the 1.5 million acres in 1968.
- Productive-reserved forest land totaled 38,800 acres in 1983, compared to 12,300 acres in 1968.
- Vernon County contained the largest area of commercial forest in 1983 (200,300 acres), a 44-percent increase from 139,300 acres in 1968. Land changing from wooded pasture to commercial forest caused this increase.
- Farmers and miscellaneous private individuals hold
 91 percent of the commercial forest.
- State and Federal agencies owned 3 percent of commercial forest in 1983.
- The oak-hickory forest type continued to dominate the commercial forest land base in 1983, comprising 55 percent of the commercial forest area.
- Sapling and seedling stands, which increased 152,300 acres between surveys, occupied 20 percent of the commercial forest in 1983 as compared to 16 percent in 1968.
- Sawtimber stands, which increased by 271,100 acres between surveys, amounted to 56 percent of the commercial forest in 1983, compared to 54 percent in 1968.
- Sixty-two percent (34,800 acres) of the commercial plantation area is in the red pine type.
- Only 6 percent of all commercial forest area has a prominent conifer understory.
- Less than 2 percent of all forest land is reserved.
- The average site index for commercial forest land in the Unit is 66 feet at age 50.

Timber Volume

 The volume of growing stock in 1983 was 1.9 billion cubic feet, 56 percent greater than the 1.2 billion in 1968.

- Sawtimber volume amounted to 6.0 billion board feet in 1983, 77 percent greater than the 1968 volume.
- The 1.8 billion cubic feet of hardwoods make up 95 percent of the growing-stock volume.
- Red pine growing-stock volume increased 812 percent since 1968. Ingrowth of plantations to merchantable size was the dominant factor in this dramatic increase.
- Sixty-two percent of the growing-stock volume is accounted for by the oaks (857 million cubic feet), maples (208 million cubic feet), and basswood (125 million cubic feet).
- Average growing-stock volume per acre in 1983 was 1,008 cubic feet, compared to 831 cubic feet in 1968.
- Nearly 60 percent of the sawtimber volume is in trees with grade 3 butt logs. Tree diameter is generally the limiting criteria.
- The volume in cull trees (rough, rotten, and shortlog cull) is 508 million cubic feet; salvable dead tree volume is 35 million cubic feet.

Stand Conditions

- Net annual growth on growing-stock trees was 50 million cubic feet in 1982.
- The net annual growth rate of growing stock was 2.6 percent of inventory in 1982.
- Net growth averaged 26.2 cubic feet per acre in 1982.
- Annual mortality of growing stock amounted to 17 million cubic feet (0.9 percent of inventory) in 1982.
- Disease accounted for 34 percent of the mortality in 1982; chiefly diseases of elm.

Timber Use

- Timber removals from growing stock in 1981 totaled nearly 30.6 million cubic feet (1.6 percent of inventory), compared to 29.9 million cubic feet (2.4 percent of inventory) in 1967.
- The oaks made up 64 percent of the 1981 removals volume and account for 44 percent of the growingstock volume.
- Output of roundwood products totaled 49.9 million cubic feet in 1981; 51 percent was fuelwood, 39 percent was saw logs, 4 percent was pulpwood, and 6

percent was other.

• Wood residue from primary plants totaled 9.2 million cubic feet in 1981, 99 percent of which was used.

Biomass

· Highest yields per acre of live tree biomass are in

the oak-hickory (84 green tons) the red pine (79 tons), and the birch (75 tons) forest types.

• Live tree biomass totaled 143 million green tons (74 tons per acre) in 1983, with just under half in the boles of growing-stock trees.

APPENDIX

ACCURACY OF SURVEY

Forest Inventory and Analysis information is based on a sampling procedure designed to provide reliable statistics at the State and Unit levels. Consequently, the reported figures are estimates only. A measure of reliability of these figures is given by sampling errors. These sampling errors mean that the chances are two out of three that the true inventory value is within the limits indicated. For example, the estimated growing-stock volume in the Southwest Unit in 1983, 1,935.7 million cubic feet, has a sampling error of \pm 3.7 percent (71.6 million cubic feet). Therefore, the growing-stock volume from a 100-percent inventory would have a two in three chance of falling between 1,864.1 and 2,007.3 million cubic feet.

The following tabulation shows the sampling errors for the 1983 Southwest Unit Forest Inventory:

Item	Unit totals	Sampling error
Growing stock	(Million cubic feet)	(Percent)
Volume	1,936	3.7
Growth	50	5.7
Removals	31	39.4
Sawtimber	(Million board feet1)	
Volume	6,039	4.2
Growth	183	5.3
Removals	124	30.4
Commercial	(Thousand acres)	
forest land	1,920.0	0.39

As survey data are broken down into sections smaller than Survey Unit totals, the sampling error increases. For example, the sampling error for growing-stock volume in a particular county is higher than that for total growing-stock volume in the Unit (table 66 shows the sampling errors for estimates smaller than Unit totals).

SURVEY PROCEDURES

We used a two-phase sampling design for the 1983 Wisconsin survey. This sampling scheme and associated estimators are similar to sampling with partial

replacement (SPR) in that a set of randomly located plots was available for remeasurement and a set of new randomly located plots was established and measured. Major enhancements in the new Wisconsin design were stratification for disturbance on the old sample and use of a growth model to improve regression estimates made on the old undisturbed forest plots. The growth model used was the Stand and Tree Evaluation and Modeling System (STEMS).²

The major steps in the new survey design were as follows:

1. The first phase of the survey was to interpret aerial photos. In this phase two sets of random points were located on current aerial photographs. The first was a set of new photo points and the second was a set of relocated old photo points (ground plot locations from the previous inventory). In all, 35,628 1-acre points, including old ground sample locations, were systematically distributed across aerial photos of the entire Unit. These points were classified into land classes as shown below to make a preliminary estimate of forest area. Next, 12,802 of these points were stereoclassified as to stand-size class and density. Finally, 2,455 points were examined on the ground to correct the preliminary area estimate for errors in classification and for actual changes in land use since the photos were taken.

Land class	Photo points classified	Photo points stereo- classified	Inventory plots checked
Forest land	11,675	11,675	722
Unproductive/reserved			
forest land	216	216	26
Nonforest land	22,974	911	1,656
Water	763	0	51
Total	35,628	12,802	2,455

²For more information on STEMS, see: Belcher, D. L.; Holdaway, M. R.; Brand, G. J. A description of STEMS: The stand and tree evaluation and modeling system. Gen. Tech. Rep. NC-79. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981, 18 p.

International 1/4-inch rule.




Figure 1.--Logic structure for the 1983 Wisconsin sample design.

2. The second phase of the survey was to sample ground plots. The plot selection and measurement procedures of phase two of the new Wisconsin survey design are outlined in figure 1.

From the new photo points, a random sample of ground plots was established; and land use, volume, mortality, and cutting were recorded. At each forest ground plot location, variable-radius plots (basal area factor 37.5) were established at 10 points uniformly placed over the sample acre. These locations were monumented for future remeasurement.

On the old inventory photo points (old plot locations), we used a somewhat different procedure. Old plots were either remeasurable (monumented) or nonremeasurable (not monumented and thus difficult to relocate). Within both of these groups, old plots were additionally identified as undisturbed or disturbed. The remeasurable old inventory photo points which are classified as forest undisturbed were remeasured on the ground to obtain current land use, volume, growth, and removals data. Additionally, all forest undisturbed remeasurable plots were projected to the current time using STEMS to provide estimates of current volume and growth. The comparison of the projected and observed values on these plots provided regression estimators to adjust the projected values of the undisturbed nonremeasurable plots. All disturbed remeasurable plots were remeasured on the ground to assess changes since the last inventory.

Disturbance as used here refers to any change on a plot that can be detected on aerial photos and that the STEMS growth processor cannot predict, such as catastrophic mortality, cutting, seedling stands, and land use change.

The nonremeasurable forest points are those that were measured but not monumented during the 1968 inventory. STEMS updated these old undisturbed plots, producing an estimate of current data. Thus these points became ground plots even though the information was obtained without actually visiting the plot. For points classified as disturbed, a new ground plot was established as close to the old location as possible. This allowed information about land use trends to be recorded even though the old plot could not be exactly relocated for remeasurement.

The estimation procedure for computing statistics from this sampling design was more complicated than the simple two-phase estimation procedure used in the past. In fact, this procedure yielded two independent samples, one coming from the new photo points and the other coming from the old photo points that were remeasured or projected. A more detailed description of the sampling design is available in a separate publication.³

- 3. Statistics on timber utilization during 1981 were obtained from mill surveys. The Wisconsin Department of Natural Resources canvassed resident sawmills, veneer mills, and other primary wood-using plants. The North Central Forest Experiment Station canvassed out-of-State sawmills, pulpmills, and veneer mills to determine their use of Wisconsin timber. Fuelwood and fencepost output was based on a sample of public and private landowners to determine their production of fuelwood and fenceposts. Estimates of primary mill residue used for fuelwood were obtained from the canvass of Wisconsin primary wood-using plants.
- 4. We measured a total of 2,568 felled trees on 133 active logging operations throughout the State during 1981-1982 to develop wood utilization factors for converting timber products output to timber removals for saw logs and pulpwood. Factors for all other products were obtained during the 1966-1967 Wisconsin utilization study.
- 5. Field data were sent to St. Paul, Minnesota, to be processed and analyzed.

³Hahn, J. T.; Hansen, M. H.; Fairweather, S. E. A Sampling procedure incorporating a growth simulator. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; (Manuscript in process).

COMPARING WISCONSIN'S FOURTH INVENTORY WITH THE THIRD INVENTORY

Data from new forest inventories are often compared with data from earlier inventories to determine trends in forest resources. However, changes in procedures and definitions between surveys often make it necessary to adjust earlier survey data so that they are comparable to data from the new survey. A consistency check was made for the Unit to ensure that the changes observed between inventories reflect actual changes in the resource and not changes in definitions or procedures.

Between the 1968 and 1983 inventories of Southwest Wisconsin, a procedural change was made in the method of deriving annual growth and mortality estimates. Growth and mortality figures for the 1968 inventory were based on field estimates from nonremeasurement plots. Information gathered on remeasurement plots during the current inventory was used to adjust the STEMS estimate of growth and mortality.

Checking for Consistency

A test was made to ensure that it was possible to move from the 1968 resource statistics to the 1983 values by means of Timber Resource Analysis System (TRAS), a USDA Forest Service computer program for updating, backdating, and projecting timber volume, growth, mortality, and removals. Using growth rates, mortality rates, and removals rates for the period between the two surveys, TRAS projected the inventory from 1968 to 1983. The program prints out volumes by diameter class for softwoods and hardwoods for selected years in the period. Thus, any inconsistencies in volume, growth, mortality, and removals could be identified. No adjustment of the 1968 inventory was needed.

TRAS generates an estimate of what total removals had to be for the inventory to have changed as it did between surveys, given the volume, growth, and mortality data. Estimates of removals for products and for logging residues, two of the three components of total timber removals, were available from an independent utilization study. An estimate of "other" removals (see Definition of Terms in Appendix), the third component of total removals, was made by subtracting the first two removals components from the TRAS-generated total removals estimate. This estimate of "other" removals was compared with findings from remeasurement plots and new plots (stump counts and land use change) to check its validity. Total removals were average annual removals because the estimate of "other" removals was based on a removals trend line from 1968 to 1983.

Log Grade

In Wisconsin's Southwest Unit the butt log of every sawtimber tree on every full permanent sample plot was graded for quality.

Butt logs were graded on the basis of external characteristics as indicators of quality. Hardwood species were graded according to "Hardwood Log Grades for Standard Lumber." The best 12-foot section of the lowest 16-foot hardwood log, or the best 12-foot upper section if the butt log did not meet minimum log-grade standards, was graded as follows:

⁴Vaughn, C. L.; Wollin, C. A.; McDonald, K. A.; Bulgrin, E. H. Hardwood log grades for standard lumber. Res. Pap. FPL-63. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1966. 52 p.

Forest Service standard grades for hardwood factory saw logs

						Specif	ications		
Grading factors		ī	Log grade 1			Log	grade 2		Log grade 3
Position in tree		Butts only	Butts upp			Butts a	nd uppers		Butts and uppers
Scaling diameter, inc	ches	113-15	16-19	20 +	² 11+		12+		8+
Length without trim,	feet		10+		10+	8-9	10-11	12+	8 +
	Min. length, feet	7	5	3	3	3	3	3	2
Required clear	Max. number	2	2	2	2	2	2	3	No Limit
cuttings³ of each of three best faces⁴	Min. proportion of log length required in clear cutting	5/6	5/6	5/6	2/3	3/4	2/3	2/3	1/2
Maximum	For logs with less than one-fourth of end in sound defects		15 percent			30 p	ercent		50 percent
sweep and crook allowance	For logs with more than one-fourth of end in sound defects		10 percent			20 p	ercent		35 percent
Maximum scaling de	eduction	4	I0 percent⁵			50 p	ercent ⁶		50 percent

¹Ash and basswood butts can be 12 inches if they otherwise meet requirements for small #1's. ²Ten-inch logs of all species can be #2 if they otherwise meet requirements for small #1's. ³A clear cutting is a portion of a face, extending the width of the face, that is free of defects. ⁴A face is one-fourth of the surface of the log as divided lengthwise. ⁵Otherwise #1 logs with 41-60 percent deductions can be #2. ⁵Otherwise #2 logs with 51-60 percent deductions can be #3.

Forest Service standard specifications for hardwood construction logs (tie and timber logs)¹

Position in tree		Butt and upper
Min. diameter, small end		8 inches +
Min. length, without trim		8 feet
Clear cuttings		No requirements.
Sweep allowance, absolute		One-fourth of the diameter at the small end for each 8 feet of length.
	Single knots	Any number, if no one knot has an average diameter above the callus in excess of one-third of the log diameter at point of occurrence.
Sound surface defects	Whorled knots	Any number if sum of knot diameters above the callus does not exceed one-third of the log diameter at point of occurrence.
	Holes	Any number provided none has a diameter over one-third of the log diameter at point of occurrence, and none extends more than 3 inches into included timber. ²
Unsound surface defects		Same requirements as for sound defects if they extend into included timber. ² No limit if they do not.
	Sound	No requirements.
End defects	Unsound	None allowed; log must be sound internally, but will admit one shake not to exceed one-fourth the scaling diameter and will admit a longitudinal split not extending more than 5 inches into the contained timber.

¹These specifications are minimum for the class. If, from a group of logs, factory logs are selected first, thus leaving only nonfactory logs from which to select construction logs, then the quality range of the construction logs so selected is limited, and the class may be considered a grade. If selection for construction logs is given first priority, it may be necessary to subdivide the class into grades.

²Included timber is always square, and dimension is judged from small end.

Softwood species were graded according to the following specifications on the following page.

Log Grades for Eastern White Pine

Log grade	Minimu Diameter	m size Length¹	Sweep or crook allowance	Total cull allowance including sweep	Maximum weevil injury	Allowable knot size (inches) ² on three best faces or minimum clearness of four faces
1	<i>Inches</i> 12 & 13	<i>Feet</i> 8-16	Pero 20	<i>cent</i> 50	Number 0	Inches Four faces clear full length
	14+	10-16	20	50	0	Two faces clear full length, or four faces clear 50 percent length (6 feet min. length) ³
2	6+	8-16	30	50	0	Sound knots I.e. 4 D/6 and less than 3 inches 5 Unsound knots: I.e. 1½ inches and for: butt, lots I.e. D/12 upper logs I.e. D/10 or four faces clear 50 percent of length
3	6+	8-16	40	50	8-foot logs 1 weevil 10-foot + logs: 2 weevil	Sound knots I.e. D/3 and less than 5 inches. Unsound knots I.e. D/6 and less than 2½ inches.
4	6+	8-16	50	50	No limit	No limit

¹Plus trim.

²Disregard all knots less than ½-inch diameter in all grades.

³The sum of the diameter of sound knots plus twice the sum of the diameter of unsound knots (in inches) is less than or equal to ½ of the diameter of the log (inches).

4l.e. means less than or equal to.

⁵D means d.i.b. of log at location of knot.

LOG GRADES FOR JACK PINE AND RED PINE

Grade 1: logs with three or four clear faces.5

Grade 2: logs with one or two clear faces.

Grade 3: logs with no clear faces.

After the tentative log grade is established from above, the log will be degraded one grade for each of the following, except that no log can be degraded below grade 3. Net scale after deduction for defect must be at least 50 percent of the gross contents of the log.

- 1. Sweep. Degrade any tentative 1 or 2 log one grade if sweep amounts to 3 or more inches and equals or exceeds one-third the diameter inside bark at small end.
- 2. Heart rot. Degrade any tentative 1 or 2 log grade if conk, massed hyphae, or other evidence of advance heart rot is found anywhere in it.

LOG GRADES FOR ALL OTHER SOFTWOOD LOGS

Grade 1

- 1. Logs must be 16 inches in diameter or larger, 10 feet or longer, and with deduction for defect not more than 30 percent of gross scale.
- 2. Logs must be at least 75 percent clear on each of three faces.
- 3. All knots outside clear cutting must be sound and not over 2½-inches in size.

Grade 2

- 1. Logs must be 12 inches in diameter or larger, 10 feet or longer, and with a net scale after deduction for defect of at least 50 percent of the gross contents of the log.
- 2. Logs must be at least 50 percent clear on each of three faces or 75 percent clear on two faces.

Grade 3

1. Lots must be 6 inches in diameter or larger, 8 feet or longer, and with a net scale after deduction for defect or at least 50 percent of the gross contents of the log.

⁵A face is one-fourth of the circumference in width extending full length of the log. Clear faces are those free of: knots measuring more than ½ inches in diameter, overgrown knots of any size, and holes more than ¼ inches in diameter. Faces may be rotated to obtain the maximum number of clear ones.

- Note: (A) Diameters are diameter inside bark (d.o.b.) at small end of log.
 - (B) Percent clear refers to percent clear in one continuous section.

TREE SPECIES GROUPS IN WISCONSIN⁶

SOFTWOODS
Jack pine Pinus banksiana
Red pine Pinus resinosa
Eastern white pine Pinus strobus
White spruce
Black spruce
Balsam fir
Eastern hemlock
Tamarack Larix laricina
Eastern redcedar Juniperus virginiana
Northern white-cedar
Other softwoods
Norway spruce
Scotch pine Pinus sylvestris
HARDWOODS
White oaks
White oak
Swamp white oak
Bur oak
Chinkapin oak
Select red oak
Northern red oak
· · · · · · · · · · · · · · · · · · ·
Other red oaks
Northern pin oak Quercus ellipsoidalis
Black oak
Select hickory
Shagbark hickory Carya ovata
Other hickory
Bitternut hickory
Yellow birch Betula alleghaniensis
Hard maple
Sugar maple Acer saccharum
Black maple Acer nigrum
Soft maples
Red maple
Silver maple Acer saccharinum
Ashes
White ash Fraxinus americana
Black ash Fraxinus nigra
Green ash Fraxinus pennsylvanica
Balsam poplar Populus balsamifera
Eastern cottonwood Populus deltoides

⁶The common and scientific names are based on: Little, Elbert L. Check list of native and naturalized trees of the United States. Agric. Handb. 541. Washington, DC: U.S. Department of Agriculture, Forest Service; 1979. 375 p.

Sycamore Platanus occidentalis
Aspens
Bigtooth aspen Populus grandidentata
Quaking aspen Populus tremuloides
American basswood Tilia americana
Beech Fagus grandifolia
Black walnut Juglans nigra
Black cherry Prunus serotina
Butternut Juglans cinerea
Elms
American elm Ulmus americana
Slippery elm Ulmus rubra
Rock elm
Hackberry Celtis occidentalis
Paper birch Betula papyrifera
Black willow
Other hardwoods
0 02202 2202 011 0 0 000
Boyelder Acer negundo
Boxelder
Black locust Robinia pseudoacacia
Black locust

METRIC EQUIVALENTS OF UNITS USED IN THIS REPORT

1 acre = 4,046.86 square meters or 0.405 hectare.

1,000 acres = 405 hectares.

1 cubic foot = 0.0283 cubic meter.

1 foot = 30.48 centimeters or 0.3048 meter.

1 inch = 25.4 millimeters, 2.54 centimeters, or 0.0254 meter.

1 pound = 0.454 kilogram.

1 ton = 0.907 metric ton.

DEFINITION OF TERMS

Acceptable trees.--*Growing-stock trees* of commercial species that meet specified standards of size and quality. These trees would be favored by forest managers.

Basal area.--The area in square feet of the cross section at breast height of a single tree. When the basal area of all trees in a stand are summed, the result

is usually expressed as square feet of basal area per acre.

Biomass.--The above-ground volume of all live trees (including bark and foliage). Biomass is made up of 5 components:

Growing-stock bole.--Biomass of a growing-stock tree from a 1-foot stump to a variable 4-inch top.

Growing-stock tops and limbs.--Biomass of a growing-stock tree from a 1-foot stump minus the growing-stock bole.

Cull bole.--Biomass of a cull tree from a 1-foot stump to a variable 4-inch top.

Cull tops and limbs.--Biomass of a cull tree from a 1-foot stump minus the cull hole.

1- to 5-inch trees.--Biomass of all live trees from 1 to 5 inches in diameter at breast height.

Commercial forest land.--Forest land producing or capable of producing crops of industrial wood and not withdrawn from timber utilization. (Note: Areas qualifying as commercial forest land are capable of producing more than 20 cubic feet per acre per year of annual growth when managed. Currently inaccessible and inoperable areas are included except when the areas involved are small and unlikely to become suitable for producing industrial wood in the foreseeable future.)

Commercial species.--Trees species presently or prospectively suitable for industrial wood products. (Note: Excludes species of typically small size, poor form, or inferior quality such as hophornbeam and hawthorn.)

County and municipal land.--Land owned by counties and local public agencies or municipalities, or land leased to these governmental units for 50 years or more.

Cull.--Portions of a tree that are unusable for industrial wood products because of rot, form, or other defect.

Diameter classes.--A classification of trees based on diameter outside bark, measured at breast height (4-1/2 feet above the ground). (Note: D.b.h. is the common abbreviation for diameter at breast height. Two-inch diameter classes are commonly used in Forest Survey, with the even inch the approximate midpoint for a class. For example, the 6-inch class includes trees 5.0 through 6.9 inches d.b.h.)

Farm.--Any land from which \$1,000 or more of agricultural products were produced and sold during the year.

Farmer-owned land.--Land owned by farm operators. (Note: Excludes land leased by farm operators from nonfarm owners, such as railroad companies and States.)

Forest land.--Land at least 16.7 percent stocked by forest trees of any size, or formerly having had such tree cover, and not currently developed for nonforest

use. (Note: Stocking is measured by comparing specified standards with basal area and/or number of trees, age or size, and spacing.) The minimum area for classification of forest land is 1 acre. Roadside, streamside, and shelterbelt strips of timber must have a crown width of at least 120 feet to qualify as forest land. Unimproved roads and trails, streams, or other bodies of water or clearings in forest areas shall be classed as forest if less than 120 feet wide. Also see definitions for land area, commercial forest land, noncommercial forest land, productive-reserved forest land, stocking, unproductive forest land, and water.

Forest industry land.--Land owned by companies or individuals operating primary wood-using plants.

Forest trees.--Woody plants having a well-developed stem and usually more than 12 feet tall at maturity.

Forest type.--A classification of forest land based on the species forming a plurality of live tree stocking. Major forest types in the State are:

Jack pine.--Forests in which jack pine comprises a plurality of the stocking. (Common associates include eastern white pine, red pine, aspen, birch, and oak.)

Red pine.--Forests in which red pine comprises a plurality of the stocking. (Common associates include eastern white pine, jack pine, aspen, birch, and oak.)

White pine.--Forests in which eastern white pine comprises a plurality of the stocking. (Common associates include red pine, aspen, birch, and maple.)

Balsam fir.--Forests in which balsam fir and white spruce comprise a plurality of stocking with balsam fir the most common. (Common associates include white spruce, aspen, maple, birch, northern whitecedar, and spruce.)

White spruce.--Forests in which white spruce and balsam fir comprise a plurality of the stocking with white spruce the most common. (Common associates include balsam fir, aspen, maple, birch, and northern white-cedar.)

Black spruce,--Forests in which swamp conifers comprise a plurality of the stocking with black spruce the most common. (Common associates include tamarack, northern white-cedar, and balsam fir.)

Northern white-cedar.--Forests in which swamp conifers comprise a plurality of the stocking with northern white-cedar the most common. (Common associates include balsam fir, black ash, spruce, and black spruce.)

Tamarack.--Forests in which swamp conifers comprise a plurality of the stocking with tamarack the most common. (Common associates include black spruce, balsam fir, and aspen.)

Oak-hickory.--Forests in which northern red oak,

bur oak, or hickories, singly or in combination, comprise a plurality of the stocking. (Common associates include jack pine, aspen, birch, and maple.)

Elm-ash-soft maple.--Forests in which lowland elm, ash, cottonwood, and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include aspen, birch, and balsam fir.)

Maple-birch.--Forests in which sugar maple, basswood, yellow birch, elm, and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include white pine, elm, hemlock, and basswood.)

Aspen.--Forests in which quaking aspen or bigtooth aspen, singly or in combination, comprise a plurality of the stocking. (Common associates include oak, pine, balsam fir, and paper birch.)

Paper birch.--Forests in which paper birch comprises a plurality of the stocking. (Common associates include maple, aspen, and balsam fir.)

Exotic.--Forests in which species not native to the State comprise a plurality of the stocking. (Mostly Scotch pine plantations.)

Gross area.--The entire area of land and water as determined by the Bureau of the Census, 1970.

Growing-stock trees.--Live trees of commercial species, excluding rough and rotten trees.

Growing-stock volume.--Net volume in cubic feet of growing-stock trees 5 inches d.b.h. and over, from a 1-foot stump to a minimum 4 inch top diameter outside bark of the central stem or to the point where the central stem breaks into limbs. Cubic feet can be converted to standard cords by dividing by 79. One standard cord is 128 cubic feet of stacked wood, including bark and air.

Hardwoods.--Dicotyledonous trees, usually broadleaved and deciduous.

Idle farmland.--Includes former cropland, orchards, improved pastures, and farm sites not tended within the past 2 years and presently less than 16.7 percent stocked with trees.

Improved pasture.--Land currently improved for grazing by cultivating, seeding, irrigating, or clearing of trees or brush and less than 16.7 percent stocked with live trees.

Land area.--A. Bureau of the Census. The area of dry land and land temporarily or partly covered by water such as marshes, swamps, and river flood plains (omitting tidal flats below mean high tide); streams, sloughs, estuaries, and canals less than one-eighth of a statute mile wide; and lakes, reservoirs, and ponds less than 40 acres in area.

B. Forest Inventory and Analysis. The same as the Bureau of the Census, except minimum width of streams, etc., is 120 feet and minimum size of lakes, etc., is 1 acre.

Live trees.--Growing-stock, rough, and rotten trees 1 inch d.b.h. and larger.

Log grades.--A classification of logs based on external characteristics as indicators of quality or value. (See Appendix for specific grading factors used.)

Logging residues.--The unused growing stock portions of trees cut or killed by logging.

Maintained road.--Any road, hard-topped or other surfaces, that is plowed or graded at least once a year. Includes right-of-way that are cut or treated to limit herbaceous growth.

Marsh.--Nonforest land that characteristically supports low, generally herbaceous or shrubby vegetation and that is intermittently covered with water.

Merchantable.--Refers to a pulpwood or saw log section that meets pulpwood or saw log specifications, respectively.

Miscellaneous federal land.--Federal land other than National Forest, land administered by the Bureau of Land Management, and Indian land.

Miscellaneous private land.--Privately owned land other than forest-industry and farmer-owned land.

Mortality.--The volume of sound wood in growingstock and sawtimber trees that die annually.

National Forest land.--Federal land that has been legally designated as National Forest or purchase units, and other land administered by the USDA Forest Service.

Net annual growth of growing stock.--The annual change in volume of sound wood in live sawtimber and poletimber trees and the total volume of trees entering these classes through ingrowth, less volume losses resulting from natural causes.

Net annual growth of sawtimber.--The annual change in the volume of live sawtimber trees and the total volume of trees reaching sawtimber size, less volume losses resulting from natural causes.

Net volume.--Gross volume less deductions for rot, sweep, or other defect affecting use for timber products.

Noncommercial forest land.--(a) Unproductive forest land and (b) productive-reserved forest land.

Noncommercial species.--Tree species of typically small size, poor form, or inferior quality that normally do not develop into trees suitable for industrial wood products.

Nonforest land.--Land that has never supported forests, and land formerly forested where use for timber management is precluded by development for other uses. (Note: Includes areas used for crops, improved pasture, residential areas, city parks, improved roads of any width and adjoining clearings, power-line clearings of any width, and 1- to 40-acre areas of water classified by the Bureau of the Census as land. If intermingled in forest areas, unimproved roads and nonforest strips must be more than 120

feet wide and more than 1 acre in area to quality as nonforest land.)

a. Nonforest land without trees.--Nonforest land with no live trees present.

b. Nonforest land with trees.--Nonforest land with one or more trees per acre at least 5 inches d.b.h.

Nonstocked land.--Commercial forest land less than 16.7 percent stocked with growing-stock trees.

Other removals.-Growing-stock trees removed but not utilized for products, or trees left standing but "removed" from the commercial forest land classification by land use change. Examples are removals from cultural operations such as timber stand improvement work, land clearing, and changes in land use.

Ownership.--Property owned by one owner, regardless of the number of parcels in a specified area.

Ownership size class.--The amount of commercial forest land owned by one owner, regardless of the number of parcels.

Owner tenure.--The length of time a property has been held by the owner.

Physiographic class.--A measure of soil and water conditions that affect tree growth on a site. The physiographic classes are:

Xeric sites.--Very dry soils where excessive drainage seriously limits both growth and species occurrence. Example: sandy jack pine plains.

Xeromesic sites.--Moderately dry soils where excessive drainage limits growth and species occurrence to some extent. Example: dry oak ridge.

Mesic sites.--Deep, well-drained soils. Growth and species occurrence are limited only by climate.

Hydromesic sites.--Moderately wet soils where insufficient drainage or infrequent flooding limits growth and species occurrence to some extent. Example: better drained bottomland hardwood sites.

Hydric sites.--Very wet sites where excess water seriously limits both growth and species occurrence. Example: frequently flooded river bottoms and spruce bogs.

Plant byproducts.--Plant residues used for products such as mulch, pulp chips, and fuelwood.

Plant residues.--Wood and bark materials generated at manufacturing plants during production of other products.

Poletimber stands.--(See stand-size class.)

Poletimber trees.--Growing-stock trees of commercial species at least 5 inches d.b.h. but smaller than sawtimber size.

Productive-reserved forest land.--Forest land sufficiently productive to qualify as commercial forest land but withdrawn from timber utilization through statute, administration regulation, designation, or exclusive use for Christmas tree production, as in-

dicated by annual shearing.

Productive-deferred.--Forest land sufficiently productive to quality as commercial forest land but presently withdrawn from timber utilization because it is being considered for possible inclusion into the Wilderness system.

Rotten trees.--Live trees of commercial species that do not contain at least one 12-foot saw log or two saw logs 8 feet or longer, now or prospectively, because they do not meet regional specifications for freedom from defect primarily because of rot; that is, when more than 50 percent of extra cull volume in a tree is rotten.

Rough trees.--(a) Live trees of commercial species that do not contain at least one merchantable 12-foot saw log or two saw logs 8 feet or longer, now or prospectively, because they do not meet regional specifications for freedom from defect primarily because of roughness or poor form, and (b) all live trees of noncommercial species.

Roundwood products.--Logs, bolts, or other round sections (including chips from roundwood) cut from trees for industrial or consumer uses. (Note: Includes saw logs, veneer logs and bolts; cooperage logs and bolts; pulpwood; fuelwood; piling; poles; posts; hewn ties; mine timbers; and various other round, split, or hewn products.)

Salvable dead trees.--Standing or down dead trees considered merchantable by regional standards.

Saplings.--Live trees 1 to 5 inches d.b.h.

Sapling-seeding stands.--(See stand-size class.)

Saw log.--A log meeting minimum standards of diameter, length, and defect, including logs at least 8 feet long, sound and straight and with a minimum diameter outside bark (d.o.b.) for softwoods of 7 inches (9 inches for hardwoods) or other combinations of size and defect specified by regional standards

Saw log portion.--That part of the bole of sawtimber trees between the stump and the saw log top.

Saw log top.--The point on the bole of sawtimber trees above which a saw log cannot be produced. The minimum saw log top is 7 inches d.o.b. for softwoods and 9 inches d.o.b. for hardwoods.

Sawtimber stands.--(See stand-size class.)

Sawtimber trees.--Growing-stock trees of commercial species containing at least a 12-foot saw log or two noncontiguous saw logs 8 feet or longer, and meeting regional specifications for freedom from defect. Softwoods must be at least 9 inches d.b.h. Hardwoods must be at least 11 inches d.b.h.

Sawtimber volume.--Net volume of the saw log portion of live sawtimber in board feet, International ¼-inch rule, from stump to a minimum 7 inches top diameter outside bark (d.o.b.) for softwoods and a minimum 9 inches top d.o.b. for hardwoods.

- Seedlings.--Live trees less than 1 inch d.b.h. that are expected to survive. Only softwood seedlings more than 6 inches tall and hardwood seedlings more than 1 foot tall are counted.
- **Short-log (rough tree).**--Sawtimber-size trees of commercial species that contain at least one merchantable 8- to 11-foot saw log but not a 12-foot saw log.
- **Site class.**—A classification of forest land in terms of inherent capacity to grow crops of industrial wood based on fully stocked natural stands.
- **Site index.**--An expression of forest site quality based on the height of a free-growing dominant or codominant tree of a representative species in the forest type at age 50.
- **Softwoods**.--Coniferous trees, usually evergreen, having needles or scale-like leaves.
- **Stand.**--A growth of trees on a minimum of 1 acre of forest land that is stocked by forest trees of any size.
- Stand-age class.--Age of the main stand. Main stand refers to trees of the dominant forest type and stand-size class.
- **Stand-area class.**--The extent of a continuous forested area of the same forest type, stand-size class, and stand-density class.
- **Stand-size class**.--A classification of forest land based on the size class of growing-stock trees on the area; that is, sawtimber, poletimber, or seedlings and saplings.
 - a. Sawtimber stands.--Stands at least 16.7 percent stocked with growing-stock trees, with half or more of total stocking in sawtimber or poletimber trees, and with sawtimber stocking at least equal to poletimber stocking.
 - b. Poletimber stands.--Stands at least 16.7 percent stocked with growing-stock trees of which half or more of this stocking is in poletimber and/or saw-timber trees, and with poletimber stocking exceeding that of sawtimber.
 - c. Sapling-seedling stands.--Stands at least 16.7 percent stocked with growing-stock trees of which more than half of the stocking is saplings and/or seedlings.
 - d. *Nonstocked stands*.--Stands in which stocking of growing-stock trees is less than 16.7 percent.
- State land.--Land owned either by States or leased to them, for 50 years or more.
- Stocking.--The degree of occupancy of land by trees, measured by basal area and/or the number of trees in a stand by size or age and spacing, compared to the basal area and/or number of trees required to fully utilize the growth potential of the land; that is, the stocking standard.

A stocking percent of 100 indicates full utilization of the site and is equivalent to 80 square feet of basal area per acre in trees 5 inches d.b.h. and larger. In

a stand of trees less than 5 inches d.b.h., a stocking percent of 100 would indicate that the present number of trees is sufficient to produce 80 square feet of basal area per acre when the trees reach 5 inches d.b.h.

Stands are grouped into the following stocking classes:

Overstocked stands.--Stands in which stocking of trees is 134.0 percent or more.

Fully stocked stands.--Stands in which stocking of trees is from 101.0 to 133.9 percent.

Medium stocked stands.--Stands in which stocking of trees is from 61.0 to 100.9 percent.

Poorly stocked stands.--Stands in which stocking of trees is from 16.7 to 60.9 percent.

Nonstocked areas.--Commercial forest land on which stocking of trees is less than 16.7 percent.

- Timber removals from growing stock.--The volume of sound wood in growing-stock trees removed annually for forest products (including roundwood products and logging residues) and for other removals.
- Timber removals from sawtimber.--The net board-foot volume of live sawtimber trees removed for forest products annually (including roundwood products and logging residues) and for other removals.
- Timber products output.--All timber products cut from roundwood and byproducts of wood manufacturing plants. Roundwood products include logs, bolts, or other round sections cut from growing-stock trees, cull trees, salvable dead trees, trees on nonforest land, noncommercial species, sapling-size trees, and limbwood. Byproducts from primary manufacturing plants include slabs, edging, trimmings, miscuts, sawdust, shavings, veneer cores and clippings, and screenings of pulpmills that are used as pulpwood chips or other products.
- Tree biomass.--The total aboveground weight (including the bark) of all trees from 1 to 5 inches d.b.h., and the total aboveground weight (including the bark) from a 1-foot stump for trees more than 5 inches in diameter.
- Tree size class.--A classification of trees based on diameter at breast height, including sawtimber trees, poletimber trees, saplings, and seedlings.
- Unproductive forest land.--Forest land incapable of producing 20 cubic feet per acre of annual growth or of yielding crops of industrial wood under natural conditions because of adverse site conditions. (Note: Adverse conditions include shallow soil, dry climate, poor drainage, high elevation, steepness, and rockiness).
- Upper stem portion.--That part of the bole of sawtimber trees above the saw log top to a minimum top diameter of 4 inches outside bark or to the point

where the central stem breaks into limbs.

Urban and other areas.--Areas within the legal boundaries of cities and towns; suburban areas developed for residential, industrial, or recreational purposes; schoolyards; cemeteries, roads; railroads; airports; beaches; powerlines; and other rights-ofway; or other nonforest land not included in any other specified land use class.

Water.--(a) Bureau of the Census.--Permanent inland water surfaces, such as lakes, reservoirs, and ponds at least 40 acres in area; and streams, sloughs, estuaries, and canals at least one-eighth of a statute mile wide.

(b) Noncensus.--Permanent inland water sur-

faces, such as lakes, reservoirs, and ponds from 1 to 39.9 acres in area; and streams, sloughs, estuaries, and canals from 120 feet to one-eighth of a statute mile wide.

Wooded pasture.--Improved pasture with more than 16.7 percent stocking in live trees but less than 25 percent stocking in growing-stock trees. Area is currently improved for grazing or there is other evidence of grazing.

Wooded strip.--An acre or more of natural continuous forest land that would otherwise meet survey standards for commercial forest land except that it is less than 120 feet wide.

TABLES

AREA

- Table 1. -- Area of land by land class, 1968 and 1983
- Table 2. -- Area of land by land use class and county
- Table 3. -- Area of commercial forest land by ownership class and county
- Table 4. -- Area of commercial forest land by ownership class and site class
- Table 5. -- Area of commercial forest land by ownership class and stand-volume class
- Table 6. -- Area of privately owned commercial forest land by ownership class, owner tenure, and size of holding
- Table 7. -- Area of commercial forest land by forest type, stand-size class, and ownership class
- Table 8. -- Area of commercial forest land by forest type and county
- Table 9. -- Area of commercial forest land by county and stand-size class
- Table 10.--Area of commercial forest land by forest type, stand-size class, and site class
- Table 11.--Area of commercial forest land by forest type and stand-age class
- Table 12.--Area of commercial forest land by forest type and site-index class
- Table 13.--Area of commercial forest land by forest type, stand-size class, and basal-area class
- Table 14.--Area of commercial forest land by stocking class of growing-stock trees and stand-size
- Table 15.--Area of commercial forest land in plantations by forest type and stand-age class
- Table 16.--Area of commercial forest land by forest type and conifer understory species
- Table 17.--Area of noncommercial forest land by ownership class

Table 18.--Area of noncommercial forest land by forest type

NUMBER OF TREES

- Table 19.--Number of all live trees on commercial forest land by species group and diameter class
- Table 20.--Number of growing-stock trees on commercial forest land by species group and diameter class

VOLUME

- Table 21.--Net volume of growing stock on commercial forest land by species group, 1968 and 1983
- Table 22.--Net volume of all live trees on commercial forest land by species group and diameter class
- Table 23.--Net volume of timber on commercial forest land by class of timber and softwoods and hardwoods
- Table 24.--Net volume of growing stock, sawtimber, short-log, and rough and rotten trees on commercial forest land by individual species
- Table 25.--Net volume of noncommercial species on commercial forest land by individual species
- Table 26.--Net volume of growing stock on commercial forest land by species group and county
- Table 27.--Net volume of sawtimber on commercial forest land by species group and county
- Table 28.--Net volume of growing stock on commercial forest land by species group and diameter class
- Table 29.--Net volume of sawtimber on commercial forest land by species group and diameter

class

- Table 30.--Net volume of growing stock on commercial forest land by species group and forest type
- Table 31.--Net volume of sawtimber on commercial forest land by species group and forest type
- Table 32.--Net volume of growing stock on commercial forest land by species group and ownership class
- Table 33.--Net volume of sawtimber on commercial forest land by species group and ownership class
- Table 34.--Net volume of growing stock on commercial forest land by forest type and stand-age class
- Table 35.--Net volume of sawtimber on commercial forest land by forest type and stand-age class
- Table 36.--Net volume of growing stock on commercial forest land by forest type, stand-size class, and basal-area class
- Table 37.--Net volume of sawtimber on commercial forest land by forest type, stand-size class, and basal area-class
- Table 38.--Net volume of sawtimber on commercial forest land by species group and butt log grade
- Table 39.--Net volume of short-log trees on commercial forest land by species group and diameter class (cubic feet)
- Table 40.--Net volume of short-log trees on commercial forest land by species group and diameter class (board feet)

GROWTH AND REMOVALS

- Table 41.--Net annual growth of growing stock on commercial forest land by softwoods and hardwoods, 1967 and 1982
- Table 42.--Net annual growth of growing stock on commercial forest land by species group and county
- Table 43.--Net annual growth of sawtimber on commercial forest land by species group and county
- Table 44.--Net annual growth of growing stock on commercial forest land by ownership class and softwoods and hardwoods
- Table 45.--Net annual growth of growing stock on commercial forest land by species group and type
- Table 46.--Net annual growth of sawtimber on commercial forest land by species group and type

- Table 47.--Net annual growth of growing stock on commercial forest land by forest type, stand-size class, and basal-area class
- Table 48.--Net annual growth of sawtimber on commercial forest land by forest type, standsize class, and basal-area class
- Table 49.--Current annual growing stock removals on commercial forest land by species group and county
- Table 50.--Current annual sawtimber removals on commercial forest land by species group and county
- Table 51.--Average annual growing-stock removals on commercial forest land by species group and county
- Table 52.--Average annual sawtimber removals on commercial forest land by species group and county
- Table 53.--Current annual growing-stock and sawtimber removals on commercial forest land by species group
- Table 54.--Current annual growing-stock and sawtimber removals on commercial forest land by item and species category

MORTALITY

- Table 55.--Annual mortality of growing stock on commercial forest land by softwoods and hardwoods, 1967 and 1982
- Table 56.--Annual mortality of growing stock on commercial forest land by species group and cause
- Table 57.--Annual mortality of sawtimber on commercial forest land by species group and cause
- Table 58.--Annual mortality of growing stock and sawtimber on commercial forest land by county and softwoods and hardwoods
- Table 59.--Annual mortality of growing stock and sawtimber on commercial forest land by ownership class and softwoods and hardwoods

TIMBER PRODUCTS OUTPUT

- Table 60.--Output of timber products by product, softwoods and hardwoods, and source of material
- Table 61.--Output of roundwood products by product, softwoods and hardwoods, and source of material
- Table 62.--Timber products from roundwood by species group and product
- Table 63.--Volume of primary plant residue by use and type of residue

BIOMASS

Table 64.--All live tree biomass on commercial forest land by species group and forest type

Table 65.--All live tree biomass by species group and tree biomass component

SAMPLING ERRORS

Table 66.--Sampling errors for estimates smaller than the Unit totals of growing-stock volume, net growth, removals, and area of commercial forest land

Table 67.--Sampling errors for county totals of growing-stock volume, net growth, removals, and area of commercial forest land.

Table 1.--Area of land by land class, Southwest Unit, Wisconsin, 1968 and 1983

Land class	1968	1983
Forest land		-
Commercial forest land		
Jack pine	21.8	11.2
Red pine	23.4	40.1
White pine	2.6	13.7
Balsam fir		
White spruce		2.5
Black spruce		
Northern white-cedar		
Tamarack		
Oak-hickory	867.9	1,063.4
Elm-ash-soft maple	93.7	117.8
Maple-birch	324.9	497.9
Aspen	75.0	85.7
Paper birch	34.7	54.4
Nonstocked	49.1	33.3
Subtotal	1,493.1	1,920.0
Noncommercial forest land		
Unproductive	7.0	
Productive-reserved	12.3	38.8
Subtotal	19.3	38.8
Total	1,512.4	1,958.8
Nonforest land		
Cropland	2,935.5	2,902.6
Pasture and range	743.3	712.5
Other	987.9	576.6
Total	4,666.7	4,191.7
Total land	6,179.1	6,150.5
Water (Bureau of the Census)	123.6 ¹ /	136.62/
Total land and water	6,302.7 1 /	6,287.12/

 $[\]frac{1}{2}$ U.S. Department of Commerce, Bureau of Census, 1960.

 $[\]frac{2}{U.S.}$ Department of Commerce, Bureau of Census, 1980.

Table 2.--Area of land by land use class and county; Southwest Unit, Wisconsin, 1983
(In thousand acres)

All counties					ounty			
Countries	Buffalo	Crawford	Dunn	Grant	Iowa	La Crosse	Lafayette	Pepin
1,920.0	187.9	167.8	170.0	184.5	136.0	121.6	37.6	53.4
38.8	5.5	1.0	1.1	1.9	4.7		0.6	0.5
1,958.8	193.4	168.8	171.1	186.4	140.7	121.6	38.2	53.9
7.4							2.6	
115.9			2.4	9.1	31.2		26.0	
10.2	2.7				2.6		2.3	
12.5			2.4		2.7		2.4	
12.7	2.8		5.0					
8.7			2.6			1.2		
12.2								
47.4		2.8	2.6	21.2	10.6		4.7	
227.0	5.5	2.8	15.0	30.3	47.1	1.2	38.0	
2,895.2	225.7	148.0	265.4	415.8	235.1	113.9	226.7	62.7
549.2	5.2	7.5	41.3	72.3	43.2		95.3	19.2
20.5					7.7			
55.1	2.5	5.0	9.9			13.3		4.8
66.0	2.5	2.5	2.4	7.5				2.4
372.1	12.8	27.5	41.1	19.9	12.7	42.6	5.1	4.8
6.6								
3,964.7	248.7	190.5	360.1	515.5	298.7	169.8	329.7	93.9
4,191.7	254.2	193.3	375.1	545.8	345.8	171.0	367.7	93.9
6,150.5	447.6	362.1	546.2	732.2	486.5	292.6	405.9	147.8
136.6	6.6	20.7	6.5	23.8	4.1	14.8	11.1	11.1
6,287.1	454.2	382.8	552.7	756.0	490.6	307.4	417.0	158.9
	38.8 1,958.8 7.4 115.9 10.2 12.5 12.7 8.7 12.2 47.4 227.0 2,895.2 20.5 55.1 66.0 372.1 6.6 3,964.7 4,191.7 6,150.5	38.8 5.5 1,958.8 193.4 7.4 115.9 10.2 2.7 12.5 12.7 2.8 8.7 12.2 47.4 227.0 5.5 2,895.2 225.7 549.2 5.2 20.5 55.1 2.5 66.0 2.5 372.1 12.8 6.6 3,964.7 248.7 4,191.7 254.2 6,150.5 447.6 136.6 6.6	38.8 5.5 1.0 1,958.8 193.4 168.8 7.4 115.9 12.5 12.7 2.8 12.2 47.4 2.8 227.0 5.5 2.8 2,895.2 225.7 148.0 549.2 5.2 7.5 20.5 55.1 2.5 5.0 66.0 2.5 372.1 12.8 27.5 6.6 3,964.7 248.7 190.5 4,191.7 254.2 193.3 6,150.5 447.6 362.1	38.8 5.5 1.0 1.1 1,958.8 193.4 168.8 171.1 7.4 115.9 2.4 10.2 2.7 12.5 2.4 12.7 2.8 5.0 8.7 2.6 12.2 47.4 2.8 2.6 227.0 5.5 2.8 15.0 2,895.2 225.7 148.0 265.4 549.2 5.2 7.5 41.3 20.5 55.1 2.5 5.0 9.9 66.0 2.5 2.5 2.4 372.1 12.8 27.5 41.1 6.6 3,964.7 248.7 190.5 360.1 4,191.7 254.2	38.8 5.5 1.0 1.1 1.9 1,958.8 193.4 168.8 171.1 186.4 7.4 115.9 2.4 9.1 10.2 2.7 12.7 2.8 5.0 8.7 2.6 12.2 47.4 2.8 2.6 21.2 227.0 5.5 2.8 15.0 30.3 2,895.2 225.7 148.0 265.4 415.8 549.2 5.2 7.5 41.3 72.3 20.5 55.1 2.5 5.0 9.9 66.0 2.5 2.5 2.4 7.5 372.1 12.8 27.5 41.1 19.9 6.6	38.8 5.5 1.0 1.1 1.9 4.7 1,958.8 193.4 168.8 171.1 186.4 140.7 7.4 115.9 2.4 9.1 31.2 10.2 2.7 2.6 12.5 2.4 2.7 12.7 2.8 5.0 8.7 2.6 12.2 2.6 47.4 2.8 2.6 21.2 10.6 227.0 5.5 2.8 15.0 30.3 47.1 2,895.2 225.7 148.0 265.4 415.8 235.1 549.2 5.2 7.5 41.3 72.3 43.2 20.5	38.8 5.5 1.0 1.1 1.9 4.7 1,958.8 193.4 168.8 171.1 186.4 140.7 121.6 7.4 115.9 2.4 9.1 31.2 10.2 2.7 2.6 12.6 12.5 2.4 2.7 12.7 12.2 12.7 12.2 12.7 12.2 12.2 12.2 12.2 14.2 12.2 10.6 12.2 12.2 10.6 12.2 12.2 10.6 12.2 12.2 10.6 12.2 10.6 12.2 10.6 12.2 10.6 12.2 10.	38.8 5.5 1.0 1.1 1.9 4.7 0.6 1,958.8 193.4 168.8 171.1 186.4 140.7 121.6 38.2 7.4 2.6 115.9 26.0 10.2 2.7 2.4 9.1 31.2 26.0 10.2 2.7 2.6 2.3 12.5 2.6 2.3 12.5 2.4 2.6 2.3 12.5 2.4 2.7 2.4 12.7 2.8 2.0 2.4 12.7 2.8 5.0 1.2 2.4 12.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2

 $\frac{1}{2}$ /U.S. Department of Commerce, Bureau of Census, 1980.

(Table 2 continued)

			Co	unty		
Land use class	Pierce	Richland	St. Croix	Sauk	Trempealeau	Vernor
Forest land						
Commercial forest	100.6	158.7	72.9	181.7	147.0	200.3
Unproductive forest						
Productive reserved	1.5	0.7	4.8	10.3	4.1	2.1
Total	102.1	159.4	77.7	192.0	151.1	202.4
Nonforest land						
Nonforest with trees						
Cropland with trees				4.8		
Improved pasture with trees	9.7	2.2	4.9	7.3	18.1	5.0
Wooded strips					2.6	
Idle farmland with trees				2.5		2.5
Marsh with trees	2.4					2.
Urban and other windbreaks	4.9					
Windbreaks	4.9			4.8	2.5	
Wooded pasture		2.8			2.7	
Subtotal	21.9	5.0	4.9	19.4	25.9	10.0
Nonforest without trees						
Cropland without trees	181.8	149.3	285.7	219.0	184.1	182.0
Improved pasture without trees	24.4	38.2	27.3	34.0	61.3	80.0
Idle farm without trees	2.4		7.9	2.5		
Marsh without trees	2.4	2.2	2.5	4.9	7.6	
Other farm-farmstead	9.7	6.8	7.4	14.5	5.2	2.5
Urban and other	24.3	13.2	46.7	48.3	33.1	40.0
Noncensus water			2.4	1.6	2.6	
Subtotal	245.0	209.7	379.9	324.8	293.9	304.5
Total	266.9	214.7	384.8	344.2	319.8	314.
Total land	369.0	374.1	462.5	536.2	470.9	516.9
Water (Bureau of the Census) $\frac{1}{}$	9.7	3.8	8.5	6.7	3.9	5.3
Total land and water $^{1/}$	378.7	377.9	471.0	542.9	474.8	522.2

all and and water $\frac{2}{1}$ 378.7 377.9 47 $\frac{1}{1}$ U.S. Department of Commerce, Bureau of Census, 1980.

Table 3.--Area of commercial forest land by ownership class and county, Southwest Unit, Wisconsin, 1983

(In thousand acres)

					ď	Ownership class	ass			
									Misc.	Misc.
	A11	National	Misc.		County &		Forest		priv	priv
Species group	owners	Forest	federal	State	municipal	Indian	industry	Farmer	corp.	indiv.
Buffalo	187.9	1	1	5.6		1	1	149.4	8.3	24.6
Crawford	167.8	;	8.4	P	*	;	1	81,1	8.4	6°69
Dunn	170.0	1	. 1	1	2.6	1	1 1	91.9	13.1	62.4
Grant	184.5	1	6.2	0.9	3.1	1	;	127.0	6.1	36.1
Iowa	136.0	;	;	8.2	1	l t	;	84.4	16.2	27.2
La Crosse	121.6	;	సి	9.9	1	1	;	69.5	6°6	32.3
Lafayette	37.6	:	1	1	1	;	;	28.2	-	9.4
Pepin	53.4	;	1	2.8	1	;	;	42.1	1	8.5
Pierce	100.6	!	1 1	1	2.7	Į,	;	89.7	1	8.2
Richland	158.7	ŀ	1	1	1	į	l I	103.0	13.9	41.8
St. Croix	72.9	!	!	5.6	1	i i	!	31.0	5.7	30.6
Sauk	181.7	:	*	1	2.5	;	1	111.9	5.0	62.3
Trempealeau	147.0	1	1	1 1	;	!	1	118.2	-	28.8
Vernon	200.3	1	11.9	1	-	-	1	128.5	6.2	53.7
All counties	1,920.0	ľ	29.8	34.8	10.9	1		1,255.9	95.8	495.8

Table 4.--Area of commercial forest land by ownership class and site class, Southwest Unit, Wisconsin, 1983

	A11	Site	class (c)	ubic feet o	f growth per	r acre per	year)
Ownership class	classes	225+	165-224	120-164	225+ 165-224 120-164 85-119 50-84 20-4	50-84	20-49
National Forest	1	1	1	1 1	1	1 1	-
Miscellaneous federal	29.8		!	;	14.4	0.6	6.4
State	34.8	ŀ	;	1	80 80	11.6	14.4
County and municipal	10.9	1	į	1	1	į į	10.9
Indian	1	1	;	;	;	ş	;
Forest industry	1	1	1	1	;	Į t	;
Farmer	1,255,9	;	i i	42.8	299.8	534.2	379.1
Misc. private-corporation	92.8	i i	ţ	!	24.0	40,3	28.5
Misc. private-individual	495.8	;	1	26.1	109.7	211.3	148.7
All owners	1.920.0	1	I i	68.89	456.7	806,4	588.0

Table 5.--Area of commercial forest land by ownership class and stand-volume class, Southwest Unit, Wisconsin, 1983

		nu four bac +2	me class (bo	and fact 1/)
				aru reet—)
	All	Less than	1,500 to	
Ownership class	classes	1,500	5,000	5,000+
National Forest				
Miscellaneous federal	29.8	14.9	9.0	5.9
State	34.8	17.3	11.7	5.8
County and municipal	10.9	10.9		
Indian				
Forest industry	~-			
Farmer	1,255.9	407.4	586.8	261.7
Misc. private-corporation	92.8	32.4	57.3	3.1
Misc. private-individual	495.8	215.6	199.6	80.6
All owners	1,920.0	698.5	864.4	357.1

 $[\]frac{1}{I}$ International $\frac{1}{4}$ -inch rule.

Table 6.--Area of privately owned commercial forest land by ownership class, owner tenure, and size of holding, Southwest Unit, Wisconsin, 1983

					Size of	nolding (a	cres)			
Ownership class	A11						101-	501-	2,501-	
and owner tenure class	sizes	1-4	5-10	11-20	21-50	51-100	500	2,500	5,000	5001+
Forest industry										
1-4 years										
5-9 years										
10-19 years										
20+ years										
All classes										
Farmer										
1-4 years	225.1			16.3	60.2	53.7	91.7		3.2	
5-9 years	298.1	5.6		11.0	82.9	84.0	108.5	6.1		~-
10-19 years	383.3	2.7	5.5	15.8	111.6	100.6	141.7	5.4		
20+ years	349.4	5.4	14.1	7.4	79.0	123.4	120.1			
All classes	1,255.9	13.7	19.6	50.5	333.7	361.7	462.0	11.5	3.2	
Misc. privcorporation										
1-4 years	25.1				5.6	5.5	11.2	2.8		
5-9 years	25.6				5.4	5.6	11.9	2.7		
10-19 years	28.2				3.3	8.9	13.2	2.8		
20+ years	13.9				2.7		8.5	2.7		
All classes	92.8				17.0	20.0	44.8	11.0		
Misc. privindividual										
1-4 years	132.8		6.0	17.1	49.2	29.3	28.2	3.0		
5-9 years	136.9		12.8	2.6	48.6	33.5	39.4			
10-19 years	160.8	2.4	5.3	16.9	41.2	36.7	49.6	8.7		
20+ years	65.3			4.9	17.0	11.0	27.0	5.4		
All classes	495.8	2.4	24.1	41.5	156.0	110.5	144.2	17.1		
All private owners										
1-4 years	383.0		6.0	33.4	115.0	88.5	131.1	5.8	3.2	
5-9 years	460.6	5.6	12.8	13.6	136.9	123.1	159.8	8.8		
10-19 years	572.3	5.1	10.8	32.7	156.1	146.2	204.5	16.9		
20+ years	428.6	5.4	14.1	12.3	98.7	134.4	155.6	8.1		
All classes	1,844.5	16.1	43.7	92.0	506.7	492.2	651.0	39.6	3.2	

Table 7.--Area of commercial forest land by forest type, stand-size class, and ownership class, Southwest Unit, Wisconsin, 1983

(In thousand acres)

Forest type and stand-size class										
Forest type and stand-size class Jack pine									Misc.	Misc.
Jack pine	All owners	National Forest	Misc. federal	State	County & municipal	Indian	Forest	Farmer	priv corp.	priv indiv.
Sawtimber	5.9	1	}	1	;	:	;	5.9	:	;
Poletimber	2.5	İ	}	-	2.5	!	;	1	1	!
Sapling & seedling	2.8	3	į	;	;	1	-	2.8	1	!
All stands	11.2	1	1	1	2.5	1	1	8.7	1	1
Red pine	2,2				1	1				
Poletimber	26.2				1	1) c	2.6	15.5
Sapling & seedling	10.6	!	;	1	1	1	1	1 1	5.3	5.3
All stands	40.1	1	1	:	-	1	1	11.4	7.9	20.8
White pine										c
Sawt IIIDer Doletimber	5° C	1 1	1 1		; ;	1 1	: 1	- 0	E	7.0
Sapling & seedling	7.7		2.5	; ;			1 1	2.6	1	2.6
All stands	13.7	-	2.5	:	3 8	1 8		5.2		0.9
Balsam fir										
Sawt imber Poletimber	: :	: :	i i	! !	! !	1 1	1 1	! !	1 1	!!!
Sapling & seedling	!	;	;	;	1	1	;	1	ļ	1
All stands	1		1	:		8	1 1	1	1	
White spruce Sawtimber		1	;	:	}		I P		1	1
Poletimber	1	:	;	;	;	1	1	ŧ	I I	;
Sapling & seedling	2.5		1	!	1	1	;	1	1	2.5
All stands	2.5	1	;	-	-	1	1	1	1	2.5
Black spruce Sawtimber	1	!	1	;	1	1	1	1	1	;
Poletimber	1	!	1	;	!	:	;	!	1	
Sapling & seedling	1	8	-	;	-	1	1	1	}	-
All stands		1	1	-	the day	2 1	1	1	1	1
Northern white-cedar										
Sawtimber	1	ł	!	;	;	;	;	;	1	
Poletimber	-	1	;	1	!	1	1	!	!	!
Sapling & seedling	1		1	1	1	-		1	1	1
All stands	1	;	1	;	1	;	1	1	1	1

(Table 7 continued)

					ð	Ownership class	ass			
Forest type and	All	National	Misc.		County &		Forest		Misc. priv	Misc. priv
stand-size class	owners	Forest	federal	State	municipal	Indian	industry	Farmer	corp.	indiv.
Tamarack										
Sawtimber	!	;	;	;	1	1	1	1	;	;
Foletimber Sanlang & coodland	1	;	;	!	!	;	;	;	1	:
מוון משפר הווא מיים										
All stands		:		1	1	1			:	:
Oak-hickory	0			(1	ľ	4
Sawtimber	/32.6	1	;	0.6	:	!	1	527.0	31./	164.9
Poletimber	18/*/	:	;	15	!	1	;	118.3	13./	55.7
sapiing & seediing	143.1			1.0	1	:	:	6,70	7.8	01.3
All stands	1,063.4	:	-	15.1	1	-	-	712.8	53.6	281.9
Elm-ash-soft maple										
Sawtimber	64.9	1	14.9	5.8	1	1	1	29.8	8.3	6.1
Poletimber	17.5	;	3°3	2.7	!	!	;	2.6	3.0	5.9
Sapling & seedling	35.4		2.8	2.6	5.6	1	1	16.0	1	8.4
All stands	117.8	;	21.0	14.1	2.6	1	1	51.4	11.3	17.4
Maple-birch										
Sawtimber	223.3	!	3.1	1	:	}	1	162.5	12.0	45.7
Poletimber	119.0	:	1	ŀ	•	!	;	80.8	;	38.2
Sapling & seedling	155.6	:	8 8	2.8	5.8	1	;	104.3	2.8	39.9
All stands	497.9	1	3.1	2.8	5.8	1	;	347.6	14.8	123.8
Aspen										
Sawtimber	22.1	1	1	;	1	1	1	22.1	!	;
Poletimber	39.1	;	1	2.8	;	;	;	25.3	!	11.0
Sapling & seedling	24.5	1	:	;	-	:	;	11.4	2.5	10.6
All stands	85.7		:	2.8	1		1	58.8	2.5	21.6
Paper birch										
Sawtimber	18.9	!	;	1	1	1	;	16.3	1	2.6
Poletimber	27.3	1	;	;	;	;	!	19.4	2.7	5.2
Sapling & seedling	8.2	1			:	1	1	5.4	-	2.8
All stands	54.4	-	1	1	1	1	1	41.1	2.7	10.6
Exotic										
Sawtimber	!	1	1	;	1	1	8	E E	1	;
Poletimber	1	1	;	!	1	1	!	1	;	;
Sapling & seedling		:		;	1	1	1	1	:	:
All stands	-	3	-		1	;	1	1	;	I
Nonstocked	33.3	;	3.2	1	1	1	;	18.9	:	11.2
All types										
Sawtimber	1,074.4	1	18.0	14.8	!	;	;	6.997	52.0	222.7
Poletimber	421.9	:	e .	5.5	2.5	1	1	260.1	22.0	128.5
Sapinng & seedinng Nonstocked	390.4	: :	3°5°	14.5	8.4	: :	1 1	210.0	18.8	133.4
All stands	1 920 0		20.8	34 B	10.0	1		1 255 0	8 CO	405 g
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			>	> 4			70000	3	2

Table 8.--Area of commercial forest land by forest type and county, Southwest Unit, Wisconsin, 1983

(In thousand acres)

	A11				C	ounty			
Forest type	counties	Buffalo	Crawford	Dunn	Grant	Iowa	La Crosse	Lafayette	Pepin
Jack pine	11.2			2.6			3.3		2.8
Red pine	40.1			13.1		2.7	3.3		
White pine	13.7						3.4		
Balsam fir									
White spruce	2.5			No +10					
Black spruce		** **		~ ~				~	
Northern white-cedar									
Tamarack									
Oak-hickory -	1,063.4	121.8	103.5	78.6	124.0	100.9	79.3	21.2	25.3
Elm-ash-soft maple	117.8	13.8	19.6	10.4	12.2	8.3	6.6		8.4
Maple-birch	497.9	13.8	33.5	52.3	42.2	16.0	13.2	16.4	11.3
Aspen	85.7	16.6		7.8	6.1	2.7	9.2		2.8
Paper birch	54.4	19.1	5.6	5.2		2.7	3.3		2.8
Exotic				~ ~					
Nonstocked	33.3	2.8	5.6			2.7			
All types	1,920.0	187.9	167.8	170.0	184.5	136.0	121.6	37.6	53.4

(Table 8 continued)

(Table 8 continued)

			Co	ounty		
Forest type	Pierce	Richland	St.Croix	Sauk	Trempealeau	Vernon
Jack pine				2.5		
Red pine			8.1	5.0	7.9	
White pine					7.8	2.5
Balsam fir			~ ~			
White spruce			2.5		~ ~	
Black spruce					-01.40	
Northern white-cedar						
Tamarack						
Oak-hickory	24.8	61.4	19.9	104.5	78.8	119.4
Elm-ash-soft maple	5.5	5.5	11.3	2.5	10.6	3.1
Maple-birch	56.9	89.0	5.7	57.2	18.3	72.1
Aspen	8.2	2.8	16.8	7.5	5.2	
Paper birch					15.7	
Exotic					40 40	
Nonstocked	5.2		8.6	2.5	2.7	3.2
All types	100.6	158.7	72.9	181.7	147.0	200.3

Table 9.--Area of commercial forest land by county and stand-size class, Southwest Unit, Wisconsin, 1983

(In thousand acres)

			Stan	d-size class	
County	All stands	Sawtimber stands	Poletimber stands	Sapling and seedling stands	Nonstocked areas
Buffalo	187.9	127.1	38.5	19.5	2.8
Crawford	167.8	98.0	30.7	33.5	5.6
Dunn	170.0	75.9	57.6	36.5	
Grant	184.5	133.2	30.1	21.2	
Iowa	136.0	65.5	38.1	29.7	2.7
La Crosse	121.6	86.0	19.9	15.7	
Lafayette	37.6	23.5	2.4	11.7	
Pepin	53.4	30.9	11.2	11.3	
Pierce	100.6	46.7	21.8	26.9	5.2
Richland	158.7	75.1	36.2	47.4	
St. Croix	72.9	11.2	31.4	21.7	8.6
Sauk	181.7	74.5	42.4	62.3	2.5
Trempealeau	147.0	76.2	36.6	31.5	2.7
Vernon	200.3	150.6	25.0	21.5	3.2
All counties	1,920.0	1,074.4	421.9	390.4	33.3

Table 10.--Area of commercial forest land by forest type, stand-size class, and site class, Southwest Unit, Wisconsin, 1983

Forest type and	A11	Site	class (c	ubic feet o	f growth	per acre per	year)
stand-size class	classes	225+	165-224	120-164	85-119	50-84	20-49
Jack pine							
Sawtimber	5.9						5.9
Poletimber	2.5						2.5
Sapling & seedling	2.8					2.8	
All stands	11.2					2.8	8.4
Red pine							
Sawtimber	3.3			3.3			
Poletimber	26.2			18.4	7.8		
Sapling & seedling	10.6			2.9	5.3	2.4	
All stands	40.1			24.6	13.1	2.4	
White pine							
Sawtimber	3.4			~-	3.4		
Poletimber	2.6			2.6			
Sapling & seedling	7.7				5.1	2.6	
All stands	13.7			2.6	8.5	2.6	
Balsam fir							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
White spruce							
Sawtimber							
Poletimber							
Sapling & seedling	2.5					2.5	
All stands	2.5					2.5	
Black spruce							
Sawtimber				***	~-		
Poletimber					MD 440		
Sapling & seedling							
All stands							
Northern white-cedar							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							

(Table 10 continued on next page)

(Table 10 continued)

Forest type and	A11	Site	class (c	ubic feet o	f growth	per acre per	year)
stand-size class	classes	225+	165-224	120-164	85-119	50-84	20-49
Tamarack							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands	*-						
Oak-hickory							
Sawtimber	732.6			5.6	147.2	365.8	214.0
Poletimber	187.7				53.2	86.8	47.7
Sapling & seedling	143.1			2.5	29.8	69.8	41.0
All stands	1,063.4			8.1	230.2	522.4	302.7
Elm-ash-soft maple							
Sawtimber	64.9				14.0	28.3	22.6
Poletimber	17.5				2.8	2.9	11.8
Sapling & seedling	35.4				5.1	8.4	21.9
All stands	117.8				21.9	39.6	56.3
Maple-birch							
Sawtimber	223.3			5.2	31.1	102.1	84.9
Poletimber	119.0			5.3	59.7	29.1	24.9
Sapling & seedling	155.6			9.0	26.1	56.5	64.0
All stands	497.9			19.5	116.9	187.7	173.8
Aspen							
Sawtimber	22.1			2.8	16.5		2.8
Poletimber	39.1			2.7	16.4	13.8	6.2
Sapling & seedling	24.5			2.5	14.0	2.8	5.2
All stands	85.7			8.0	46.9	16.6	14.2
Paper birch							
Sawtimber	18.9			2.8	2.7	10.7	2.7
Poletimber	27.3			3.3	5.2	8.0	10.8
Sapling & seedling	8.2				2.6		5.6
All stands	54.4			6.1	10.5	18.7	19.1
Exotic							
Sawtimber							
Poletimber		~ ~					
Sapling & seedling							
All stands							
Nonstocked	33.3				8.7	11.1	13.5
All types							
Sawtimber	1,074.4			19.7	214.9	506.9	332.9
Poletimber	421.9			32.3	145.1	140.6	103.9
Sapling & seedling	390.4			16.9	88.0	147.8	137.7
	33.3				8.7	11.1	13.5
Nonstocked	33.3						10.0

Table 11.--Area of commercial forest land by forest type and stand-age class, Southwest Unit, Wisconsin, 1983

							Stand-a	Stand-age class (years)	(years)					
	All											101-	120-	
Forest type	ages	1-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	120	140	141+
Jack pine	11.2	2.8	1 8	1	2.6	5.8	ł	;	1	;	:	:	;	:
Red pine	40.1	2.6	15.8	15.8	5.9	1	;	;	1	;	;	;	;	!
White pine	13.7	2.6	7.7	1	;	;	;	;	3.4	1	;	;	1	;
Balsam fir	1	1	!	;	;	1	1	;	;	1	;	1	:	;
White spruce	2.5	2.5	!	;	;	;	!	1	1	1	;	1	1	;
Black spruce	1	1	!	;	;	;	1	ŧ	ļ	;	;	!	1	;
Northern white-cedar	1	1	1	;	1	;	1	1	;	;	1	;	;	;
Tamarack	1	;	1	;	1	;	!	1	;	;	;	:	;	;
Oak-hickory	1,063,4	94.2	43.1	32.0	36.3	115.9	95.6	97.0	85.7	123.0	114.2	116.5	79.0	33.9
Elm-ash-soft maple	117.8	24.2	8.4	5.6	5.7	8.8	17.1	8.3	11.4	11.8	5.5	11.0	1	: 1
Maple-birch	497.9	77.6	52.6	47.4	43.7	29.5	46.9	18.9	17.7	31.1	50.5	53.7	17.3	11.3
Aspen	85.7	7.7	16.0	17.4	11.0	14.3	10.9	5.6	l l	-	2.8	1	; ;	
Paper birch	54.4	5.4	2.8	3,3	7.8	13.5	16.3	5.3	1	;		ŀ	;	;
Exotic	3	1	!	!	1	;	;	!	1	;	;	ŧ	1	;
Nonstocked	33°3	33.3	1	:	:	1	!	;	;	1	1	1	1	!
All types	1,920.0	252.9	146.4	121.5	113.0	187.5	183.8	135.1	118.2	165.9	173.0	181.2	96.3	45.2

Table 12.--Area of commercial forest land by forest type and site-index class, Southwest Unit, Wisconsin, 1983

	A11				Site-in	Site-index class (feet)	(feet)			
Forest type	classes	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91+
Jack pine	11.2	;	1	:	2.5	8.7	:	:	:	1
Red pine	40.1	!	1	!	1	1	12.9	13.4	13.8	1
White pine	13.7	;	;	1	;	2.6	5.9	2.6	1	5.6
Balsam fir	1	!	;	;	;	;	1	: 1	;	
White spruce	2.5	;	;	1	2.5	;	;	!	;	;
Black spruce	;	;	;	;	:	;	;	;	!	!
Northern white-cedar	1	;	;	1	1	;	;	;	;	1
Tamarack	;	;	;	1	;	;	į	;	;	;
Oak-hickory	1,063.4	;	!	35.6	148.7	272.0	257.9	217.5	89.9	41.8
Elm-ash-soft maple	117.8	;	;	5,3	5.6	25.1	37.1	22.8	13.2	8.7
Maple-birch	497.9	;	;	8,9	51,4	113.5	104.1	116.6	8,11	22,3
Aspen	85.7	;	;	2.7	11.5	2.8	8.2	33.1	19.4	8.0
Paper birch	54.4	;	1	ı	i	13.8	10.5	13.5	10.5	6.1
Exotic	!	ļ	;	1	1	:	;	;	i	!
Nonstocked	33.3	-	5	5.5	2.5	5.5	5.7	8.6	2.8	2.7
All types	1,920.0	1		58.0	224.7	444.0	442.3	428.1	230.7	92.2

Table 13.--Area of commercial forest land by forest type, stand-size class, and basal-area class, Southwest Unit, Wisconsin, 1983

_
_
S
a
۷.
C
D
D
Ē
ø
S
3
0
Ē
4
_

					National Control of the last o		המפחח	מוכמ כומשם	(20,000)	(square reer pe	מרוב/				
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine															
Sawtimber	5.9	1	!	;	;	!	t j	!	1	2.6	!	1	3,3	!	;
Poletimber	2.5	;	;	!	!	;	;	ł	!	!	;	1	2.5	-	•
Sapling & seedling	2.8	2.8	!	;	;	!	1	!	!	!	1	!	1	1	;
All stands	11.2	2.8	:	:	;	;	:	:	;	2.6	:	1	5.8		:
Red pine															
Sawtimber	3°3	1	1	1	1	!	!	!	!	ŧ	,	;	;	3,3	1
Poletimber	26.2	;	;	1	1	1	;	1	2.6	7.7	;	-	5.4	2.7	7.8
Sapling & seedling	10.6	2.6	2.4	!	1	;	2.6	1	1	1	!	-	-	1	-
All stands	40.1	2.6	2.4	1	1	1	9°9	ţ	2.6	7.7	;	;	5.4	0.9	7.8
White pine															
Sawtimber	3.4	1	1	1	3.4	;	;	;	1	1	ł	ŧ	1	1	!
Poletimber	2.6	;	;	1		l l	l	ľ	1 1	1	1	2.6	ł	1	1
Sapling & seedling	7.7	5.6	5.1	1	1	1	1	1	;	1	1	f	1	1	1
All stands	13.7	2.6	5.1	;	3.4	1	1	;	1	:	;	2.6	1	:	:
Balsam fir															
Sawtimber	1	:	1		;	1	;	;	}	1	;	;	;	;	;
Poletimber	1	1	1	1	1	;	;	;	!	1	;	;	;	;	;
Sapling & seedling	:	1	1	:	1	1	1	me op	;	1	1	!	1	!	;
All stands	-	1 1	;	1	;	!	;	;	1		1	1	;	;	;
White spruce															
Sawtimber	1	1	;	;	ļ	;	;	;	1	;	;	;	;	;	1
Poletimber	;	1	1	;	;	;	;	;	;	;	;	;	;	;	1
Sapling & seedling	2.5	2.5	;	1	ř	;	;	;	1 9	;	;	!	!	;	;
All stands	2.5	2.5	:	ł	!	;	;	;	1	:	1	1		:	;
Black spruce															
Sawtimber	8	;	1	1	!	;	1	1	1	1	!	;	;	1	1
Poletimber	8	;	1	1	ŀ	;	1	1	;	1	;	!	1	!	ţ
Sapling & seedling	1	ļ	;	;	!	;	;	1	1	!	!	;	;	-1	1
All stands	1	1	:	1	1	1	:	:	1	•		:	1	1	:
Northern white-cedar															
Sawtimber	;	1	;	1	1	!	1	1	3 2	!	1	;	!	1	1
Poletimber	;	!	ŀ	;	1	1	1	;	1	1	!	į	!		!
Sapling & seedling	:	1	-	!	1	1	Î	1	ŀ	!	;	!	!	1	!
All stands	-	;	1	;	i	1	1	;	;	;	:	;	1		;

(Table 13 continued)

Forest type and	A11						Basal	area cla	area class (square feet per acre)	e feet pe	r acre)				
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack															
Sawtimber	!	1	;	!	!	!	!	1	1	1	1	I I	!	!	;
Poletimber	1	!	!	1	1	1	1	1	1	!	:	1		1	!
Sapling & seedling	1	-	:	:	1	-	1	1	:	:	:		-	:	:
All stands	1		:	-	-	1	1	1	1	1			1	-	1
Oak-hickory	, c			(1	L				(0 0	,		
Sawtimber	/32.6	i	1	ဆိ	10./	25.8	44.8	48°C	89.1	112.5	83.8	1/3.8	101./	30.2	5.6
Poletimber	18/./	1 0	100	21 2	ا. د در	2.6	8. 17	19.9	4.0	2/.6	25.3	50.2	19.6	5.4	2.8
משלים ווע	1 063 //	2 4	10.0	20 1	37 6	20 3	0.00	70.7	111 2	140 0	117 6	921 0	126 7	36.6	
All Stands	1,000,1	200	10.0	300.1	04.0	39.3	000	13.4	0.111	140.0	11/00	60107	150.7	33.0	7.0
Elm-ash-soft maple Sawtimbor	64 9	i			7 6	7.	α	ļ	2	13.6	1 9	1/1 /	α	0	1
Poletimber	17.5	;	;	;) I	1 1	7 C	;) I	• 1	5.7		0 1	1
Sapling & seedling	35.4	1	8.3	10.9	5.2	5.5	2.7	1	1 .	;	;		2.8	1	;
All stands	117.8		8.3	10.9	7.9	11.1	19.9	-	6.9	13.6	6.1	20.1	11.2	2.8	t I
Maple-birch															
Sawtimber	223.3	1 1	1	3,1	2.8	11.3	24.2	19.7	34.9	19.7	19,3	9.09	25.2	2.5	!
Poletimber	119.0	;	ŧ	1	3.1	11.1	19.1	10.7	14.0	16.0	2.5	23.7	15.7	3.1	;
Sapling & seedling	155.6	10.0	37.8	29.8	19.0	31.3	17.4	7.5	2.8	1	1	1	1	-	
All stands	497.9	10.0	37.8	32.9	24.9	53.7	60.7	37.9	51.7	35.7	21.8	84.3	40.9	5.6	-
Aspen							c		,	ι		,	1		
Sdwt Imber	20.1	1	1 0	ļ	1	e Li	2.4	- 0	/ · Z	2.0	10	3.I	۰, د	1	1
Sanling & seedling	24.5		2 1	1 1	ر ا د	10.6	n α	0.2	D 1	1	0	0 • 0	6.3	; ;	; ;
All et a 1000	DE 7	2 2	0 %		0	16 1	100	2 6	0 1	9 3	0 0	0 7	10.01		
ALL SCANOS	1.00	0.0	3.0	1	0.0	1007	10.3	0.7	0.1	0.0	0.0	0.0	10.8		:
Paper birch Sawtimber	18,9	1	ł	ļ	ı	ı	9,0	7.	α.	5.4		i	1	1	œ
Poletimber	27.3	1	1	t I	;	6.1	1 0	3 1	ى ئى ئى	2.6	2.7	5.6	8.0	;	2 !
Sapling & seedling	8.2	E L	1	1	2.6	1	•	5.6	-	:	;	1	1	!	:
All stands	54.4		-	-	5.6	6.1	2.6	10.9	8.1	8.0	2.7	2.6	8.0	1	2.8
Exotic															
Sawtimber	1	;	i t	ŀ	;	;	1 1	1	1	ł	1	1	:	;	!
Poletimber Sapling & condling	1 1		: :	1 1	1	!	1	:	1	1	:	:	1	1	:
All stands															
Nonstocked	33.3	11.3	:	2.6	1	:	2.6	2.5	5.6		-	2.7	1	:	1
All types	1 074 4	ļ	1	11 0	10.6	7 61	82	73.0	130 6	140 /	100 2	251 0	116 6	90	Ä
Poletimber	421.9	;	3.0	- 1	2.9	25.3	45.2	33.2	40.5	53.0	30.3	90.4	54.1	11.2	10.5
Sapling & seedling	390.4	31.1	64.4	62.0	53.4	58.3	58.5	23.8	900	8.7	8.5	7.9	8.2	2 1	2
Δ11 0+ 0 TO	1 020 0	V CV	67 0	20.07	207	106 2	0.0	100 0	0.00	0 000	157.0	10000	0000	: 0	
Scalids	1,920.0	4.74	4.	0.67	73.6/	140.3	191.9	133.3	193.3	0.222	0./61	356.9	2.802	0.00	10.0

Table 14.--Area of commercial forest land by stocking class of growing-stock trees and stand-size class, Southwest Unit, Wisconsin, 1983

(In thousand acres)

Stocking			Stand-	Stand-size class	
class (All	Sawtimber	Poletimber	Sapling and	Nonstocked
(hercent)	Scarios	Scalias	300103	מטעתו הוא מכתותם	232
Less than 16.7	33.3		;	1 1	33.3
16.7 to 60.9	592.9		101.4	144.4	!
61.0 to 100.9	920.4		218.5	187.3	:
101.0 to 133.9	342.6		9.88	56.2	;
134.0+	30.8	14.9	13.4	2.5	1
All classes	1,920.0	1	421.9	390.4	33.3

Table 15.--Area of commercial forest land in plantations by forest type and stand-age class, Southwest Unit, Wisconsin, 1983

141+ 1111 1 121-140 1 1.1 1 1 1 101-120 11111 1 91 - 1001111 1 81-90 11111 1 Stand-age class (years) 71-80 1 1 1 1 61-70 11111 51-60 11111 41-50 2.5 2.5 31-40 2.6 111 8.5 15.8 15.8 21-30 11-20 10.5 18.2 1-10 2.6 10.9 5.1 34.8 10.3 2.5 3.2 55.9 All Red pine White pine White spruce Nonstocked Jack pine Forest type All types

Table 16.--Area of commercial forest land with conifer understory by forest type and conifer understory species,
Southwest Unit, Wisconsin, 1983

						Conife	r underst	ory specie	ς		
Forest type	All species	White pine	Red pine	Jack pine	Balsam fir	White spruce	Black spruce	Hemlock	Northern white-cedar	Eastern redcedar	Other softwoods
Jack pine	5.3	2.5		2.8							
Red pine	7.7	2.5	2.6	2.6					~ ~		
White pine	7.7	7.7									40.40
Balsam fir											
White spruce	2.5					2.5					
Black spruce											
Northern white-cedar											
Tamarack									~ -		
Oak-hickory	48.9	11.5	2.6						~-	34.8	
Elm-ash-soft maple											
Maple-birch	26.7	5.9		2.6						18.2	
Aspen	5.0	2.5								2.5	
Paper birch	2.8									2.8	
Exotic											
Nonstocked	5.7	3.2								2.5	
All types	112.3	35.8	5.2	8.0		2.5				60.8	

Table 17.--Area of noncommercial forest land by ownership class, Southwest Unit, Wisconsin, 1983

(In thousand acres)

	A11	Productive-	Unproductive
Wnership class	areas	reserved areas	areas
National Forest			
Miscellaneous federal	7.6	7.6	
State	21.9	21.9	
County and municipal	2.6	2.6	
Indian			
Forest industry			
Farmer	2.3	2.3	
Misc. private-corp.	4.4	4.4	
Misc. private-indiv.			
otal	38.8	38.8	

Table 18.--Area of noncommercial forest land by forest type, Southwest Unit, Wisconsin, 1983

	A11	Productive-	Unproductive
Forest type	areas	reserved areas	areas
Jack pine			
Red pine			~-
White pine			
Balsam fir			
White spruce		~-	
Black spruce			
Northern white-cedar			
Tamarack			
Oak-hickory	14.9	14.9	
Elm-ash-soft maple	13.2	13.2	
Maple-birch	6.2	6.2	
Aspen	1.8	1.8	
Paper birch			
Exotic	2.7	2.7	
Nonstocked			
All types	38.8	38.8	

Table 19.--Number of all live trees on commercial forest land by species group and diameter class, Southwest Unit, Wisconsin, 1983

(In thousand trees)

Societies group	Species group Softwoods Jack pine Red pine White pine White spruce Balack spruce	A11							0.16.0							
roup classes 2.9 4.9 6.9 8.9 10.9 12.9 14.9 16. The 13,482 1,026 998 568 483 239 88 59 16.9 16.5 16.5 16.5 16.5 16.5 17.3 2.94 3.5 17.3 2.9 4.5 17.3 2.9 5.9 2.9 17.3 2.9 5.9 17.3 2.9 5.9 2.9 5.9 2.9 17.3 2.9 5.9 2.9 5.	pecies group oftwoods Jack pine Red pine White pine White spruce Black spruce		T.U-	3.0-	5°0-	7.0-	-0°6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Provee 19,444 4,065 2,317 7,482 4,668 773 204 35 prine 19,444 4,065 2,317 7,482 961 1615 104 210 23 prine 1,656 5,633 2,912 961 1615 104 210 23 prine 1,656 1,076 2,912 961 1615 104 210 22	oftwoods Jack pine Red pine White pine White spruce Black spruce	classes	2.9	4.9	6.9	8,9	10.9	12.9	14.9	16.9	18.9	20.9	22.9		- 1	39.0+
The brack of the color of the c	Jack pine Red pine White pine White spruce Black spruce															
rececedar 1,655	Red pine White pine White spruce Black spruce Balsam fir	3,482	1,026	866	268	483	239	88	26	21	8	1	1	1	1	ŧ
rice 10,556 5,633 2,912 961 615 104 210 23 prouce 1,682 1,076 538 2,912 961 615 104 210 23 prouce 1,682 1,076 538 2,912 28 28	White pine White spruce Black spruce Balsam fir	19,474	4,065	2,317		4.568	773	204	35	00	9	11	Ŋ	1	;	1
prince 1,682 1,076 538 42 26	White spruce Black spruce Balsam fir	10,556	5,633	2,912		615	104	210	23	24	16	- 3	13	32	;	,
redcedar 5,344 4,132 301 747 115 57 21 11	Balsam fir	1,600	1,076	147,41		90	9	1	3	j	2	2	9	7		
Figure 27143 287 227 287 287 287 287 287 287 287 287 297 297 297 297 297 297 297 29 20 20 20 20 20 20 20 20 20 20 20 20 20	Black spruce Balsam fir	1,002	T 2010	000	740	07	8	P R	1	1	ľ	j	ł	?	9	1
Treededar 5,384 4,132 3.0	Balsam fir	7/7	!	ţ	243	87	1	!	1	;	1	;	ļ	1	1	!
redcedar 5,384 4,132 301 747 115 57 21 11 11 white-cedar	11. 7	22	9 6	1	!	22	;	1	-	1	1	;	1	1	-	ļ
redecedar 5,384 4,132 301 747 115 57 21 11 11 11 11 11 11 11 11 11 11 11 11	Hemlock	1	!	!	1	;	;	1	1	1	1	;	1	1	;	!
redecedar 5,384 4,132 301 747 115 57 21 11 mwhite-cedar	Tamarack	1	1	!	;	;	1	1	1	1	1 6	1	1	1	:	ļ
ak 66,813 18,689 11,310 9,561 7,475 6,232 5,213 3,260 ed oak 66,813 18,689 11,310 9,561 7,475 6,232 5,213 3,260 ed oak 66,813 18,689 11,310 9,561 7,475 6,232 5,213 3,260 ed oak 29,898 6,540 4,830 4,298 3,246 2,913 3,490 3,272 ed oak 29,898 6,540 4,830 4,208 3,246 1,954 1,162 5,164 ickory 38,522 22,336 4,830 4,208 3,246 1,954 1,162 5,164 ickory 45,240 28,345 8,134 6,243 1,650 4,91 271 61 b) e	Fastern redoedar	5.384	4.132	301	747	115	57	21	11	1	1	1	;	1	1	1
Advoods 40,871 15,932 7,066 10,043 5,857 1,173 523 128 ak 66,813 18,689 11,310 9,561 7,475 6,232 5,213 3,260	Northern white-redar	- 1	1 1	1 1	- 1	1 1) (4 J (4 1	1					1	ļ
Action of the state of the stat	Other coftwoods			1 1			; I		; ;		; ;			1 1		
ak 66,813 18,689 11,310 9,561 7,475 6,232 5,213 3,260 and 29,888 6,540 7,339 4,819 3,042 3,913 3,490 3,272 and 29,888 6,540 28,346 4,564 3,303 4,208 3,246 1,954 1,162 5,16 5,293 2,060 and 28,240 28,345 8,134 6,243 1,660 2,446 1,391 916 and 47,453 22,327 6,48 1,129 3,376 2,446 1,391 916 and 47,453 22,073 6,367 4,078 2,044 1,432 1,103 919 and 47,453 22,073 6,367 4,078 2,044 1,432 1,103 919 and 47,453 22,372 6,382 4,833 2,359 1,350 955 538 and 5,963 3,584 1,406 829 6,387 1,273 762 4,49 321 and 2,864 1,373 609 86 59 1,390 22,601 4,49 321 and 47,741 4,373 609 86 59,292 1,792 1,744 415 and 1,064 4,989 5,248 2,631 1,021 4,74 and 2,199 2,18,108 4,839 6,388 2,992 1,792 1,744 415 and 42,114 16,440 11,064 4,989 5,248 2,631 1,021 4,74 and 2,199	To+01	10 071	15 032	7 066	10 042	E 057	1 173	E03	130	53	200	70	10	33		
ak 66,813 18,689 11,310 9,561 7,475 6,232 5,213 3,200 red oak 46,968 14,21 7,339 4,819 3,042 3,913 3,490 3,226 ed oak 29,898 6,540 4,564 3,333 4,291 2,615 2,993 2,060 rickory 45,240 28,345 8,134 6,243 1,66 4,91 271 61 d 4,524 28,345 8,134 6,243 3,246 1,954 1,62 516 birch 47,453 29,730 4,283 3,244 1,462 3,21 2,446 1,391 2,16 pile 47,453 29,730 6,887 4,873 2,344 1,432 1,103 3,11 pile 44,929 7,415 8,861 5,64 3,591 2,752 1,561 804 sh 6,969 3,844 1,406 882 5,544 1,407 2,544 1,449 <	local	40,01	10,702	000,	10,043	10000	C/16T	25.5	170	33	77	47	07	35	:	:
66,813 18,689 11,310 9,561 7,475 6,232 5,213 3,260 46,968 14,251 7,339 4,819 3,042 3,913 2,005 3,222 29,888 6,540 4,564 4,564 4,208 3,246 1,964 1,162 516 29,933 2,060 35,310 16,664 7,996 3,129 3,376 2,446 1,391 916 131 2	lrdwoods	((1	1	(,	i	;	;		
46,968 14,251 7,339 4,819 3,042 3,913 3,490 3,272 29,898 6,540 4,564 3,303 4,291 2,615 2,993 2,060 38,582 22,336 4,834 6,243 1,656 1,954 1,162 516 45,240 28,345 8,134 6,243 1,650 1,391 916 137,310 16,664 7,996 3,129 3,376 2,446 1,391 916 137,310 16,664 7,996 3,129 3,376 2,446 1,391 916 131	White oak	66,813	18,689	11,310	9,561	7,475	6,232	5,213	3,260	2,304	1,127	711	411	419	92	9
29,898 6,540 4,564 3,303 4,291 2,615 2,993 2,060 38,582 22,336 4,830 4,208 3,246 1,954 1,162 516 37,310 16,664 7,996 3,129 3,376 2,446 1,391 916 131	Select red oak	46,968	14,251	7,339	4,819	3,042	3,913	3,490	3,272	2,539	1,686	1,054	640	773	148	2
38,582	Other red oak	29,898	6.540	4,564	3,303	4,291	2,615	2,993	2,060	1,586	922	387	201	366	29	c
45,240	Select hickory	38,582	22,336	4,830	4,208	3,246	1,954	1,162	516	236	50	28	4	~	:	1
37,310 16,664 7,996 3,129 3,376 2,446 1,511 911 131	Other hickory	AF 240 ·	28 345	ο 137	6 20 3	1,650	100	271	610	000	600	2	+ ;	,		
ash 29,317 21,240 2,954 1,833 2,359 2,440 1,931 910 44,929 27,021 6,882 4,833 2,359 1,350 955 538 44,929 27,021 6,882 4,833 2,359 1,350 955 538 6,964 30 72,415 8,861 5,564 3,591 2,752 1,561 804 6,969 3,584 1,406 29,317 21,240 2,954 1,883 1,273 762 449 321 1,677 522 609 86 59 139 65 13	Darring of	27,210	16,664	7000	0,00	2,000	700	1 201	016	610	727	170	115	100	21	1 0
131	Dasswood	010,10	10,004	0886/	3,129	3,3/0	7,440	1,391	910	676	42T	1/0	CTT	771	3	Ø
47,453 29,730 6,387 4,078 2,044 1,432 1,103 919 47,453 29,721 6,882 4,833 2,359 1,350 955 538 96,430 72,415 8,861 5,564 3,591 2,752 1,561 804 6,969 3,584 1,406 829 508 305 201 44 29,317 21,240 2,954 1,883 1,273 762 449 321 1,677 25,24 1,883 1,273 762 449 321 2,864 1,320 609 86 59 139 65 4,741 4,373 187 123 38 863 8,07 187 1,792 1,174 415 42,114 16,440 11,064 4,989 5,248 2,631 1,021 474 2,237 516 817 4,989 5,248 2,031 1,021 474 2,237 516 817 4,989 1,109 368 472 354 2,199 58 7,624 1,206 1,295 658 428 83,05 26,798 17,035 5,043 1,109 368 428 248 858 50,043 77,82 1,104 4,990 1,295 658 428 248 83,05 26,798 17,035 5,043 1,109 368 428 248 83,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	Beech	1 1	1	1	!	1 3	1	t i	1	1	I	!	ļ	ŀ	1	ļ
47,4453 29,730 6,367 4,078 2,044 1,432 1,103 919 44,929 27,021 6,882 4,833 2,359 1,350 955 538 96,430 72,412 6,882 4,833 2,359 1,350 955 538 ash 29,317 21,240 2,954 1,883 1,273 762 449 321 1,677 522	Yellow birch	131	1	1 1	1	27	62	1 2	31	11	1	!	;	1	1	;
ash 25,021 6,882 4,833 2,359 1,350 955 538 6,440 26,969 3,584 1,406 829 6,882 1,273 762 1,561 804 ash 29,317 21,240 2,954 1,883 1,273 762 449 321 2,584 1,320 813 12,273 762 449 321 2,864 1,320 813 12,4 175 165 123 64 44 4,741 4,373 187 123 38 20 88	Hard maple	47,453	29,730	6,367	4,078	2,044	1,432	1,103	919	612	473	271	130	232	61	7
ash 29,430 72,415 8,861 5,564 3,591 2,752 1,561 804 ash 29,317 21,240 2,954 1,883 1,273 762 449 321 1,677 252 1,504 1,883 1,273 762 449 321 2,864 1,322 187 123 65 2,864 1,373 187 123 38 20 863 893 18,108 4,839 5,248 2,631 1,792 1,174 415 42,114 16,440 11,064 4,989 5,248 2,631 1,021 444 2,237 26,412 4,636 3,654 1,998 2,063 472 354 2,199 26,309 27,609 7,524 1,425 121 52 species 136,065 99,309 27,609 7,524 1,425 121 52 15,503 10,	Soft maple	44,929	27,021	6,882	4,833	2,359	1,350	955	538	369	257	123	90	93	53	9
ash 29,317 21,240 2,954 1,883 1,273 762 449 321 1,1677 21,240 2,954 1,883 1,273 762 449 321 1,1677 25,864 1,320 12 124 175 165 123 64 4,741 4,373 187 124 1,320 1,314 1,346	Elm .	96,430	72,415	8,861	5,564	3,591	2,752	1,561	804	491	179	64	41	75	30	2
ash 29,317 21,240 2,954 1,883 1,273 762 449 321 1,677 522 609 86 59 139 65 52 2 609 86 59 139 65 52 2 864 1,320 813 124 175 165 123 64 4,741 4,373 187 123 38 20 83 803 807 2,924 2,354 1,761 1,346 1,458 581 35,893 18,108 4,839 6,388 2,992 1,792 1,174 415 42,114 16,440 11,064 4,989 5,248 2,631 1,021 474 42,27 516 81,732 26,412 4,636 3,654 1,998 2,063 472 354 39,732 26,412 4,636 3,654 1,998 2,063 472 168 8,305 3,558 17,035 5,043 2,339 1,109 368 457 258 species 136,065 99,309 27,609 7,524 1,425 121 52 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	Black ash	6,969	3,584	1,406	829	508	305	201	44	53	17	20	1	4	;	ì
1,677 522 609 86 59 139 65 52 2,864 1,320 813 124 175 165 123 64 4,741 4,373 187 123 38 20 813 124 175 165 123 64 123 64 4,741 8,373 187 123 34 1 19,616 8,650 2,924 2,354 1,761 1,346 1,458 581 47,914 415 42,114 16,440 11,064 4,989 5,248 2,631 1,021 4,74 415 2,237 516 817 489 168 74 64 48 39,732 26,412 4,636 3,654 1,998 2,063 4,72 354 2,199 25,199 27,798 17,035 5,043 1,109 368 4,28 26,798 17,035 5,043 2,339 1,109 368 4,28 26,798 17,035 5,043 2,339 1,109 368 4,28 25 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	White & areen ash	29,317	21,240	2,954	1,883	1.273	762	449	321	260	110	: =	16	32	i	;
2,864 1,320 813 124 175 165 123 64 4,774 4,373 187 123 124 175 165 123 64 4,774 4,373 187 123 124 175 165 123 64 1 19,616 8,650 2,924 2,354 1,761 1,346 1,458 581 475 1,1792 1,174 415 42,114 16,440 11,064 4,989 5,248 2,631 1,021 474 42,114 16,440 11,064 4,989 5,248 2,631 1,021 474 48 2,237 26,412 4,636 3,654 1,998 2,063 472 354 2,199 25 1,035 26,798 17,035 5,043 2,339 1,109 368 457 258 species 136,065 99,309 27,609 7,524 1,425 121 5,22 15,503 10,	Cottonwood	1,677	522		609	98	0 4	130	1 4	24	0	45	17	200	70	٣
4,741 4,373	Hillow	7 864	1 320	013	100	175	1,65	100	50	21	0 0	ř	ì	3 -	,)
4,741 4,377 187 123 38 20 863 80,510 2,924 2,354 1,761 1,346 1,458 581 18,108 4,839 6,388 2,992 1,792 1,174 415 42,114 16,440 11,064 4,989 5,248 2,631 1,021 474 415 2,237 516 817 4,636 3,654 1,998 2,063 472 354 39,732 26,412 4,636 3,654 1,998 2,063 472 354 2,199 558 277 378 367 17,108 8,305 3,654 1,200 1,295 658 428 26,798 17,035 5,043 2,339 1,109 368 457 258 species 136,065 99,309 27,609 7,524 1,425 121 52 25 10,313,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,		7.004	1,350	010	101	17.0	COT	677	50	70	/7	i i	n	01	2	I
863 893 18,108 4,839 6,388 2,992 1,792 1,744 415 415 42,114 16,440 11,064 4,989 5,248 2,963 1,704 474 415 2,237 516 11,064 4,989 5,248 2,963 1,174 415 415 42,114 16,440 11,064 4,989 5,248 2,631 1,021 474 48 39,732 26,412 4,636 3,654 1,998 2,063 472 354 2,199 2,199 2,58 1,200 1,295 658 428 248 26,798 17,035 5,043 2,339 1,109 368 457 258 species 136,065 99,309 27,609 7,524 19,425 121 52 25 10,313,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	nackberry	4,741	4,5/3	1	16/	123	!	38	02	1 1	1	l	!	I Î	į	I
19,616 8,650 2,924 2,354 1,761 1,346 1,458 581 35,893 18,108 4,839 6,388 2,992 1,792 1,174 415 42,114 15,440 11,064 4,989 5,248 2,631 1,021 474 2,237 516 817 489 168 74 64 48 2,139 26,412 4,636 3,654 1,998 2,063 472 354 2,199 558 277 378 367 317 168 8,305 3,657 554 1,200 1,295 658 428 248 8,305 3,657 554 1,200 1,295 658 428 248 8,306 99,309 27,609 7,524 1,425 121 52 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	balsam poplar	803	90/	1	1	1	1	1	T †	CT	i i	1	1	ļ	1	!
35,893 18,108 4,839 6,388 2,992 1,792 1,174 415 42,114 16,440 11,064 4,989 5,248 2,631 1,021 474 2,237 516 817 489 168 74 64 48 48 2,199 5.26,412 4,636 3,654 1,998 2,063 472 354 2,199 5.58 5-4 1,200 1,295 658 428 248 8,305 3,657 554 1,200 1,295 658 428 248 species 136,065 99,309 27,609 7,524 1,425 121 52 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	Bigtooth aspen	19,616	8,650	2,924	2,354	1,761	1,346	1,458	581	338	171	13	14	ļ	1	;
42,114 16,440 11,064 4,989 5,248 2,631 1,021 474 2,237 516 817 4,836 1,684 1,998 2,063 472 354 39,732 26,412 4,636 3,654 1,998 2,063 472 354 2,199 558 277 378 367 1,88 248 8,305 3,657 554 1,200 1,295 658 428 248 species 136,065 99,309 27,609 7,524 1,425 121 52 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	Quaking aspen	35,893	18,108	4,839	6,388	2,992	1,792	1,174	415	126	45	14	1		į	ŧ
2,237 516 817 489 168 74 64 48 48 29,732 26,412 4,636 3,654 1,998 2,063 472 354 2,199 2,199 2,199 2,063 472 354 2,199 2,199 2,199 2,063 472 354 354 2,199 2,199 2,095 3,658 2,199 2,	Paper birch	42,114	16,440	11,064	4,989	5,248	2,631	1,021	474	180	36	58	1	m	1	1
199,732 26,412 4,636 3,654 1,998 2,063 472 354 2,199 2,199 2,199 558 277 378 367 317 168 8,305 3,657 554 1,200 1,295 658 428 248 248 26,798 17,035 5,043 2,339 1,109 368 457 258 31 species 136,065 99,309 27,609 7,524 1,425 121 52 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	River birch	2,237	516	817	489	168	74	, 64	48	39	1	17	15	1		į
2,199 558 - 277 378 367 377 168 8,305 3,657 554 1,200 1,295 658 428 248 26,798 17,035 5,043 2,339 1,109 368 457 258 136,065 99,309 27,609 7,524 1,425 121 52 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	Black cherry	39,732	26.412	4.636	3.654	1.998	2,063	472	354	47	41	: !	י רכ	٠. إ	. ;	. !
8,305 3,657 554 1,200 1,295 658 428 248 26,798 17,035 5,043 2,339 1,109 368 457 258 136,065 99,309 27,609 7,524 1,425 121 52 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	Black walnut	2,199	, , , ,) 1) 1	776	378	367	317	168	0.00	44	13	16	~		1
26, 98 17,035 5,043 2,339 1,109 368 457 258 136,065 99,309 27,609 7,524 1,425 121 52 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	Butternut	8,305	3.657	554	1 200	1 295	, cc	428	248	200	33	12	10	0	0	1
136,065 99,309 27,809 7,524 1,425 121 52 25 813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	Other hardwoods	26, 798	17,035	5 043	2 330	1 109	368	457	25.0	107	3 %	25	ν.	. 00	J	-
813,144 458,522 128,942 78,584 49,640 33,958 24,532 15,503 10,	Noncommercial species	136,065	99,309	27,609	7,524	1,425	121	52	25	2 !	3 1	1 1	;) i	1	:
001 00000 0000 0000 0000	Total	813,144	458.522	128,942	78.584	49.640		24 532	ري		5 762	3 012	1 728 2	2 195	514	3
All ages of the		7 7 0 7 10	1 0 0 0 V	100000	10000	0000		700617	5 1			1	1	2000	1	3

Table 20.--Number of growing-stock trees on commercial forest land by species group and diameter class, Southwest Unit, Wisconsin, 1983

(In thousand trees)

						Diameter class (inches at breast height	lass (inc	hes at br	east hei	ght)					
	All	1.0-	3.0-	5.0-	7.0-	9.0-	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	10 00
Species group	CIGSSES	6.5	4.4	6.0	0.9	10.9	16.9	14.3	10.9	10.9	60.03	6.77	6007	-	39.0+
Softwoods		;	;	1			:	;							
Jack pine	3,082	1,026	866	322	449	203	40	44	!	1	1	;	;	;	;
Red pine	19,316	4,065	2,317	7,408	4,484	773	204	35	φ	9	11	2	;		;
White pine	10,108	5,373	2,912	892	496	104	210	23	24	16	13	13	32	;	;
White spruce	1,682	1,076	538	42	56	!	:	1	1	1	;	ľ	;	;	;
Black spruce	271	1	;	243	28	;	1	;	;	1	!	1	;	;	;
Balsam fir	22	;	;	;	22	1 8	1	1	!	!	;	;	;	;	;
Hemlock	1	;	1	ţ	1	;	!	;	!	!	ļ	1	;	;	;
Tamarack	;	1	;	;	!	1	!	;	1	1	-	;	;	!	;
Eastern redcedar	3,611	2,992	;	593	;	15	1	11	!	;	;	¦	;	1	1
Northern white-cedar	!	:	1	!	!	1	1	:	;	1	;	1	;	ţ	;
Other softwoods	1	1	ļ	-	:	;	1	1	1	1	;	!	8	;	;
Total	38,092	14,532	6,765	9,500	5,505	1,095	454	113	32	22	24	18	32	1	;
Hardwoods															
White oak	52,588	18,162	8,086	7,262	5,263	4,340	3,917	2,238	1,590	772	449	252	219	34	4
Select red oak	41,227	13,681	6,536	4,122	2,673	2,943	2,923	2,808	2,076	1,496	847	479	569	72	2
Other red oak	22,978	6,540	3,660	2,221	3,446	1,573	1,950	1,360	1,088	542	259	119	191	59	;
Select hickory	35,669	22,090	4,235	3,400	2,778	1,486	988	437	169	51	28	4	က	1	;
Other hickory	43,844	28,345	7,261	6,105	1,344	470	221	61	11	20	9	;	į	į	;
Basswood	33,678	16,383	6,868	2,355	3,079	2,095	1,246	718	400	252	131	89	61	19	e
Beech	1	-	1	1	1	1	1	!	î	1	;	;	!	1	;
Yellow birch	121	1	ţ	1	27	62	1	21	11	;	;	1	!	;	;
Hard maple	44,299	28,893	5,845	3,947	1,777	1,095	895	629	474	298	169	82	130	34	
Soft maple	42,332	27,021	6,059	4,376	2,048	1,049	710	426	215	181	94	59	19	59	4
Elm	90,540	70,825	8,288	3,960	2,851	2,326	1,196	534	304	133	24	19	28	21	1
Black ash	6,785	3,584	1,406	829	451	221	182	28	53	17	10	1	4	;	;
White & green ash	27,996	20,682	2,678	1,830	1,095	683	435	566	202	80	9	16	23	;	;
Cottonwood	1,385	522	ı	329	98	29	139	9	24	59	45	17	14	24	2
Willow	2,214	1,059	552	124	127	165	109	32	11	27	1	2	က	1 8	;
Hackberry	4,682	4,373	!	187	64	}	38	20	1	1	î	;	!	;	;
Balsam poplar	863	807	1	-	\$ }	!	1	41	15	1	;	-	;	ŧ	!
Bigtooth aspen	19,261	8,650	2,924	2,247	1,731	1,331	1,378	552	307	113	19	6	!	1	;
Quaking aspen	33,324	17,807	4,570	5,330	2,572	1,551	1,052	303	96	29	14	!	!	1	;
Paper birch	39,934	16,180	10,804	4,947	4,598	2,104	825	334	109	28	2	!	!	;	:
River birch	2,178	516	817	489	168	74	46	31	27	;	5	5	ŀ	1	1
Black cherry	34,916	25,092	3,579	2,421	1,453	1,739	365	186	40	41	ţ	9	I	;	* 1
Black walnut	1,841	558	;	161	319	283	274	168	23	29	12	11	ო	i i	1
Butternut	5,752	3,049	554	583	869	371	240	140	101	80	1	;	9	2	1
Other hardwoods	21,473	14,580	4,451	1,186	845	163	124	93	1	6	22	!	ŀ	1	;
Total	088,609	349,399	89,173	58,411	39,493	26,183	19,253	11,521	7,346	4,185	2,145	1,145	1,345	264	17
All species	647,972	363,931	95,938	67,911	44,998	27,278	19,707	11,634	7,378	4.207	1	1,163	1.377	264	17
						,									

Table 21.--Net volume of growing stock on commercial forest land by species group, Southwest Unit, Wisconsin, 1968 and 1983

Species group	1968	1983
Softwoods		
Jack pine	5,000	7,060
Red pine	7,400	67,514
White pine	8,800	14,305
White spruce		310
Black spruce		914
Balsam fir		194
Hemlock		
Tamarack	100	
Eastern redcedar		1,479
Northern white-cedar		
Other softwoods	200	
Total	21,500	91,776
Hardwoods		
White oak	161,500	278,311
Select red oak	308,000	403,571
Other red oak	122,200	175,245
Select hickory	46,300	74,011
Other hickory	17,300	40,083
Basswood	62,200	124,839
Beech		
Yellow birch	1,000	1,263
Hard maple	65,400	116,869
Soft maple	65,800	91,605
Elm	112,500	88,963
Black ash	8,900	14,133
White and green ash	22,900	44,283
Cottonwood	9,800	18,288
Willow	4,700	6,822
Hackberry	700	1,635
Balsam poplar	300	1,466
-Bigtooth aspen	70,000	87,754
Quaking aspen	66,100	79,237
Paper birch	38,800	91,251
River birch	5,100	5,940
Black cherry	13,100	47,829
Black walnut	4,900	16,233
Butternut	7,900	21,628
Other hardwoods	3,200	12,636
Total	1,218,600	1,843,895
All species	1,240,100	1,935,671

Table 22.--Net volume of all live trees on commercial forest land by species group and diameter class, Southwest Unit, Wisconsin, 1983

(In thousand cubic feet)

					Diar	Diameter class	(inches	at breast height)	height)				
	All	-0°5	7.0-	-0"6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Species group	classes	6.9	8.9	10.9	12.9	14.9	16.9	18.9	20.9			38.9	39.0+
Softwoods													
Jack pine	9,448	1,470	2,677	2,287	1,338	1,193	483	;	1	ř	;	!	1
Red pine	68,175	27,766	27,585	7,553	2,907	853	294	296	909	315	;	!	;
White pine	14,713	1,563	2,111	963	2,865	546	917	704	830	881	3,333	1	;
White spruce	310	135	175	1	!	!	!	;	1	1	1	!	;
Black spruce	914	722	192	1	!	!	!	ş	7	!	;	!	;
Balsam fir	194	!	194	;	;	!	;	ł	1	!	1	1	!
Hemlock	;	ŧ	1	;	;	;	!	ţ	1	;	1	1	;
Tamarack	:	;	;	;	1	ţ	;	!	1	1	1	1	;
Eastern redcedar	2,668	1,419	455	438	196	160	î	;	!	1	1	ţ	,
Northern white-cedar	1	1	ŧ	;	!	1	1	1	!	;	;	į	;
Other softwoods	1	!	1	;	!	t i	1	1	1	1	-	1	1
Total	96,422	33,075	33,389	11,241	7,306	2,752	1,694	1,000	1,436	1,196	3,333	-	-
Hardwoods													
White oak	389,068	19,880	33,161	48,343	63,789	56,246	52,962	34,223	26,691	18,702	25,190	8,815	1,066
Select red oak	474,928	15,595	18,012	36,907	50,911	68,558	70,196	61,257	47,689	34,246	54,864	16,151	542
Other red oak	257,885	7,367	21,463	23,117	40,199	37,943	40,787	29,885	16,701	10,022	24,000	6,110	291
Select hickory	87,606	15,039	19,041	17,745	16,031	10,010	6,227	1,920	1,184	212	197	:	;
Other hickory	42,929	22,301	9,676	4,637	3,709	1,269	379	705	253	!	;	1	:
Basswood	150,465	8,304	19,328	24,376	21,527	19,833	15,438	13,998	7,671	6,147	7,930	3,750	2,163
Beech	1	;	;	,	1	1	1	;	1	-	1	1	;
Yellow birch	1,468	1	113	442	5 0	632	281	!	1	!	1	1	•
Hard maple	149,877	11,723	12,157	13,907	16,266	19,117	17,804	16,742	11,877	7,165	16,035	6,792	292
Soft maple	114,508	15,470	14,276	13,572	14,064	11,487	9,805	9,555	6,129	4,929	7,106	6,730	1,385
Elm	118,225	7,651	15,168	22,490	21,359	16,124	13,183	6,604	2,801	2,225	5,891	4,316	413
Black ash	15,835	3,225	3,040	2,996	2,800	823	1,420	614	718	1	199	}	;
White & green ash	50,255	5,563	7,269	8,357	996°9	6,767	7,404	3,933	909	924	2,466	;	;
Cottonwood	19,526	809	476	554	2,309	1,515	738	2,612	2,562	1,084	2,037	3,844	1,187
Willow	9,828	133	770	1,520	1,828	1,259	813	1,173	}	405	1,108	819	!
Hackberry	1,844	569	465	;	581	529	;	;	!	;	;	;	;
Balsam poplar	1,466	:	:	:	1	1,047	419	1	•	!	;	;	;
Bigtooth aspen	91,861	6,601	11,656	15,099	25,115	14,093	10,962	6,279	1,101	922		;	!
Quaking aspen	88,871	21,600	18,096	17,708	17,622	7,970	3,497	1,627	751	;	;	1	!
Paper birch	106,429	19,672	32,179	24,835	14,155	8,839	4,434	1,239	1,004	;	72	1	!
	7,088	1,191	930	800	1,105	786	1,257	1	9/9	343	!	;	ŧ
Black cherry	63,769	13,627	12,415	20,217	6,809	299,9	2,363	1,456	;	215	;	!	!
Black walnut	19,420	944	2,382	4,008	4,287	3,510	1,317	1,472	527	732	241	1	;
Butternut	35,561	3,690	7,494	6,278	5,933	4,534	5,060	1,040	372	333	578	249	;
Other hardwoods		5,856	5,402	2,511	4,429	3,937	2,031	937	657	138	266	•	;
Noncommercial species		14,281	5,194	839	919	365	-	1	1		:	:	!
Total	2,346,902	220,590	270,163	311,258	342,410	303,860	268,777	197,271	129,970	88,777	148,911	57,576	7,339
All species	2,443,324	253,665	303,552	322,499	349,716	306,612	270,471	198,271	131,406	89,973	152,244	57,576	7,339

Table 23.--Net volume of timber on commercial forest land by class of timber and softwoods and hardwoods, Southwest Unit, Wisconsin, 1983

Class of timber	All species	Softwoods	Hardwoods
Live trees	эрсстез	301 040003	nar dwoods
Growing-stock trees Poletimber	717,804	63,898	652 006
Sawtimber	717,004	03,090	653,906
Saw log portion	819,296	21,419	797,877
Upper stem portion	398,571	6,459	392,112
Subtotal			
	1,217,867	27,878	1,189,989
Total growing stock	1,935,671	91,776	1,843,895
Cull trees			
Rough and rotten cull trees			
Poletimber	151,498	2,566	148,932
Sawtimber	232,722	1,910	230,812
Subtotal	384,220	4,476	379,744
Short-log trees	123,433	170	123,263
Total cull	507,653	4,646	503,007
All live trees	2,443,324	96,422	2,346,902
Salvable dead trees			
Growing-stock trees	32,932	593	32,339
Cull trees	2,269		2,269
All salvable dead trees	35,201	593	34,608
All classes	2,478,525	97,015	2,381,510

Table 24.--Net volume of all live trees by individual species, Southwest Unit, Wisconsin, 1983

			All live tree	es	_		
	Total	Growing	Short-log		Total		size trees
Species	all live	stock	cull	rotten cull		Sawtimber	Short-log
		Thousand cu	bic feet		T	housand board	feet <u>-</u> 1/
Softwoods							
Jack pine	9,448	7,060	170	2,218	19,614	19,028	586
Red pine	68,175	67,514		661	73,260	73,260	
White pine	14,713	14,305		408	57,982	57,982	
White spruce	310	310					
Black spruce	914	914					
Balsam fir	194	194			~ ~		
Eastern redcedar	2,668	1,479		1,189	1,837	1,837	
Total	96,422	91,776	170	4,476	152,693	152,107	586
Hardwoods							
White oak	295,360	217,978	25,563	51,819	892,790	825,634	67,156
Swamp white oak	9,343	8,125	410	808	29,938	28,902	1,036
Bur oak	84,365	52,208	6,671	25,486	201,068	183,119	17,949
Northern red oak	474,928	403,571	24,646	46,711	1,754,830	1,698,953	55,877
Northern pin oak	114,828	68,526	8,803	37,499	255,117	235,070	20,047
Black oak	143,057	106,719	12,131	24,207	449,917	422,350	27,567
Shagbark hickory	87,606	74,011	1,724	11,871	166,277	161,696	4,581
Bitternut hickory	42,851	40.083	246	2,522	30,583	29,895	688
Pignut hickory	78	40,000	2-10	78	30,303	25,055	
American basswood	150,465	124,839	5,076	20,550	398,246	387,042	11,204
Yellow birch	1,468	1.263	5,070	20,330	3,262	3,262	11,204
Black maple	1,502	1,309	193	203	7,129	6,619	510
Sugar maple	148,375	115,560	9,745	23,070	442,700	418,442	24,258
Red maple	50,702	39,969	2,761	7,972	98,548	91,082	7,466
			2,888	9,282	182,164	174,720	7,444
Silver maple	63,806	51,636 58,366	7,491	15,933	165,302	146,220	19.082
American elm	81,790 35,376	29,538	1,077	4,761	81,456	78,721	2,735
Slippery elm				4,701			,
Rock elm	1,059	1,059	0.57		3,937	3,937	720
Black ash	15,835	14,133	257	1,445	31,624	30,886	738
White ash	40,499	35,583	1,789	3,127	104,998	100,899	4,099
Green ash	9,756	8,700	231	825	30,599	30,101	498
Eastern cottonwood	19,526	18,288	734	504	76,434	73,983	2,451
Black willow	9,828	6,822	788	2,218	21,673	19,288	2,385
Hackberry	1,844	1,635		209	4,632	4,632	
Balsam poplar	1,466	1,466	1 710	0.000	6,428	6,428	
Bigtooth aspen	91,861	87,754	1,719	2,388	253,397	250,507	2,890
Quaking aspen	88,871	79,237		9,634	136,605	136,605	
Paper birch	106,429	91,251	2,161	13,017	121,007	115,121	5,886
River birch	7,088	5,940	645	503	16,050	13,929	2,121
Black cherry	63,769	47,829	1,647	14,293	70,654	66,409	4,245
Black walnut	19,420	16,233	478	2,709	60,946	59,651	1,295
Butternut	35,561	21,628	1,990	11,943	66,191	60,829	5,362
Boxelder	21,619	8,343	1,399	11,877	18,574	13,546	5,028
Honeylocust	1,193	1,128		65	2,535	2,535	
Black locust	4,083	3,165		918	5,993	5,993	
Total	2,325,607	1,843,895	123,263	358,449	6,191,604	5,887,006	304,598
All species ^{2/}	2,422,029	1,935,671	123,433	362,925	6,344,297	6,039,113	305,184

 $[\]frac{1}{}$ International ¼4-inch rule.

 $[\]frac{2}{1}$ These totals do not include volume for noncommercial species. Volumes for individual noncommercial species are found in Table 25.

Table 25.--Net volume of noncommercial species on commercial forest land by individual species, Southwest Unit, Wisconsin, 1983

Species	Cull volume
Apple Eastern hophornbeam	1,104 19,145
Pincherry	1,046
All species	21,295

Table 26.--Net volume of growing stock on commercial forest land by species group and county, Southwest Unit, Wisconsin, 1983

(In thousand cubic feet)

	A11				Co	unty			
Species group	counties	Buffalo	Crawford	Dunn	Grant	Iowa	La Crosse	Lafayette	Pepin
Softwoods									
Jack pine	7,060			2,578			3,596		
Red pine	67,514	5,415		24,472		191	6,281		
White pine	14,305	´		1,634	1,082	2,663			168
White spruce	310						-		
Black spruce	914								
Balsam fir	194								
Hemlock									
Tamarack									
Eastern redcedar	1,479				259				
Northern white-cedar							~~		
Other softwoods									
Total	91,776	5,415		28,684	1,341	2,854	12,373		168
Hardwoods	323,770	0,710		20,001	1,011	2,001	12,070		
White oak	278,311	22,624	24,513	25,775	41,746	23,203	15,884	11,487	3,382
Select red oak	403,571	54,034	40,838	36,716	36,821	14,001			10,063
Other red oak	175,245	31,029	14,009	10,999	21,539	9,940			279
Select hickory	74,011	10,044	11,023	10,999	4,794	6,322			
	40,083	235	5,627	902	2,335	2,589			
Other hickory									4,227
Basswood	124,839	5,186	10,993	9,075	12,071	6,308	,	-	-
Beech	1 062			040					
Yellow birch	1,263		11 060	842	10 005	2 556			0.504
Hard maple	116,869	664	11,069	11,473	10,995	3,556			2,524
Soft maple	91,605	4,938	14,914	15,442	9,385	2,573			5,640
Elm	88,963	7,385	9,674	5,147	12,540	6,839			2,134
Black ash	14,133		1,835	3,016	1,129	2,171			1,421
White & green ash	44,283	2,928	6,309	5,274	2,843	2,200		1,075	1,800
Sycamore	18,288	2,377	279	320	759	1,204			1,357
Cottonwood	6,822		1,485	499		430			1,558
Willow	1,635	78			130				
Hackberry	1,466	419							
Balsam poplar	87,754	17,395	7,610	14,380	2,592	3,036			3,813
Bigtooth aspen	79,237	17,908	1,629	9,036	6,163	4,948		1,131	1,800
Quaking aspen	91,251	24,350	5,405	8,389	3,534	3,208			2,774
Paper birch	5,940	514	600		2,352	1,084			422
Black cherry	47,829	9,598	1,244	1,540	1,326	3,781		2,730	368
Black walnut	16,233		3,533	262	5,813	3,207		635	
Butternut	21,628	1,110	1,628	1,357	2,094	948			513
Other hardwoods	12,636	3,839	470		458	1,727	761		454
Total	1,843,895	216,655	174,687	160,444	181,419	103,275	124,659	28,891	44,529
All species	1,935,671	222,070	174,687	189,128	182,760	106,129	137,032	28,891	44,697

(Table 26 continued on next page)

Erratum-- Please insert this corrected Table 26 on page 36 of Resource Bulletin NC-87

Table 26.--Net volume of growing stock on commercial forest land by species group and county, Southwest Unit, Wisconsin, 1983

(In thousand cubic feet)

	A11				Co	unty			
Species group	counties	Buffalo	Crawford	Dunn	Grant	Iowa	a Crosse	Lafayette	Pepin
Softwoods									
Jack pine	7,060		~ •	2,578			3,596		
Red pine	67,514	5,415		24,472		191	6,281		
White pine	14,305			1,634	1,082	2,663	2,496		168
White spruce	310								
Black spruce	914								
Balsam fir	194		40						
Hemlock		~~							
Tamarack					~-				
Eastern redcedar	1,479				259				
Northern white-cedar			400 440						
Other softwoods					~ -		~-		
Total	91,776	5,415		28,684	1,341	2,854	12,373		168
Hardwoods									
White oak	278,311	22,624	24,513	25,775	41,746	23,203	15,884	11,487	3,382
Select red oak	403,571	54,034	40,838	36,716	36,821	14,001	37,183	1.896	10.063
Other red oak	175,245	31,029	14,009	10,999	21,539	9,940	13,929	4,126	279
Select hickory	74,011	10,044	11,023		4,794	6,322	10,160	355	
Other hickory	40,083	235	5,627	902	2,335	2,589	992	182	
Basswood	124,839	5,186	10,993	9.075	12,071	6,308	5,500	3,071	4,227
Beech									
Yellow birch	1,263			842					
Hard maple	116,869	664	11,069	11,473	10,995	3,556			2,524
Soft maple	91,605	4,938	14,914	15,442	9,385	2,573	4,597		5,640
Elm	88,963	7,385	9,674	5,147	12,540	6,839	4,913	2,203	2,134
Black ash	14,133	-,	1.835	3,016	1,129	2,171	775		1,421
White & green ash	44,283	2,928	6,309	5,274	2,843	2,200		1.075	1,800
Cottonwood	18,288	2,377	279	320	759	1,204	3,237		1,357
Willow	6,822	-,-	1,485	499		430	618		1,558
Hackberry	1,635	78			130		110		
Balsam poplar	1,466	419							
Bigtooth aspen	87,754	17,395	7,610	14,380	2,592	3,036	6,159		3,813
Quaking aspen	79,237	17,908	1,629	9,036	6,163	4,948	4,989	1,131	1,800
Paper birch	91,251	24,350	5,405	8,389	3,534	3,208	8,463	-,	2,774
River birch	5,940	514	600		2,352	1.084	968		422
Black cherry	47,829	9,598	1,244	1,540	1,326	3,781	3,558	2,730	368
Black walnut	16,233		3,533	262	5,813	3,207		635	
Butternut	21,628	1,110	1,628	1,357	2,094	948	1,863		513
Other hardwoods	12,636	3,839	470	1,557	458	1,727	761		454
_	1,843,895	216,655	174,687	160,444	181,419	103,275	124,659	28,891	44,529
IUCQ!	1,040,070	210,000	1/T,00/	100,779	101,717	100,410	167,000	20,031	77,563

(Table 26 continued on next page)



(Table 26 continued)

				unty		
Species group	Pierce	Richland	St. Croix	Sauk	Trempealeau	Vernon
Softwoods						
Jack pine			~~	886		
Red pine	3,331		7,475	7,442	12,907	
White pine				2,690	2,247	1,325
White spruce			310			
Black spruce				914		
Balsam fir				194		
Hemlock						
Tamarack						
Eastern redcedar				160	1,060	
Northern white-cedar						
Other softwoods						
Total	3,331		7,785	12,286	16,214	1,325
Hardwoods						
White oak	5,356	18,557	3,920	26,652	16,599	38,613
Select red oak	11,476	18,431	5,889	51,839	26,656	57,728
Other red oak	3,217	6,403	3,305	14,126	28,272	14,072
Select hickory		8,027		7,582	3,739	11,965
Other hickory	2,475	12,855	151	5,253	1,348	5,139
Basswood	9,698	14,916	2.734	12,260		25,893
Beech						
Yellow birch				421		
Hard maple	22,926	27,209		4,770		21,683
Soft maple		7,317		19,834	4,556	2,409
Elm	5,002	12,118	1,033	6,457	2,255	11,263
Black ash		548	2,555	162	´	521
White & green ash	3,104	6,648	2,732	2,974	193	6,203
Cottonwood	2,131	2,088	188		1,946	2,402
Willow		184			2,048	
Hackberry		1,110		126		81
Balsam poplar		-,			1,047	
Bigtooth aspen	1,885	7,187	3,174	14,002	5,357	1,164
Quaking aspen	3,490	1,499	13,651	7,980	2,399	2,614
Paper birch	3,111	4,096	6,070	1,860		3,231
River birch						
Black cherry	2,618	2,903		5,890	6,340	5,933
Black walnut	-,-	423				2,360
Butternut	2,959	4,851	253	579		3,473
Other hardwoods	1,445	1,269	1,496		542	175
Total	80,893	158,639	47,151	182,767	122,964	216,922
All species	84,224	158,639	54,936	195,053	139,178	218,247

Table 27.--Net volume of sawtimber on commercial forest land by species group and county, Southwest Unit, Wisconsin, 1983

	A11				C	ounty			
Species group	counties	Buffalo	Crawford	Dunn	Grant	Iowa	La Crosse	Lafayette	Pepin
Softwoods									
Jack pine	19,028	pa -m		5,163			13,865		
Red pine	73,260	2,993		19,251			30,121		_
White pine	57,982			7,207	6,298	14,234	14,283		65
White spruce									_
Black spruce	est de								_
Balsam fir						~ ~			_
Hemlock									_
Tamarack									_
Eastern redcedar	1,837	10.10		**	943				_
Northern white-cedar				***	10.10				-
Other softwoods									_
Total	152,107	2,993		31,621	7,241	14,234	58,269		654
	132,107	2,333		31,021	7,241	14,234	30,209		05.
dardwoods	1 027 655	06 054	83,487	85,681	153,370	100 576	67 007	E4 105	10.06
White oak	1,037,655	86,854				100,576	57,807	54,125	10,96
Select red oak	1,698,953	206,157	176,224	149,716	164,905	57,240	160,386	8,956	37,80
Other red oak	657,420	124,988	45,740	26,077	79,005	37,232	50,751	17,879	1,29
Select hickory	161,696	21,850	11,279		14,301	18,836	21,376	976	-
Other hickory	29,895	1,202	5,698	20 410	4,980	1,071	3,800	0.400	15 47
Basswood	387,042	11,516	28,736	30,418	39,368	16,282	13,225	8,483	15,47
Beech	2 060			0.500					-
Yellow birch	3,262	1 574	21 050	2,503	44 560	0.001			10 20
Hard maple	425,061	1,574	31,952	30,957	44,562	9,831	0.510		10,30
Soft maple	265,802	23,294	43,192	44,149	40,561	5,771	8,519		19,96
Elm	228,878	17,552	24,251	13,837	39,889	17,697	11,122	6,170	6,87
Black ash	30,886		1,137	5,688	4,908		1,710		4,22
White & green ash	131,000	9,678	21,499	21,057	11,165	3,617	10 767	4,516	4,98
Cottonwood	73,983	8,538	1,268	1,437	3,225	5,366	13,767		3,89
Willow	19,288		4,545	2,063		1,022			6,783
Hackberry	4,632								-
Balsam poplar	6,428	1,945	10 105	47.051	7 501	7 101	17 100		15.00
Bigtooth aspen	250,507	54,638	13,125	47,951	7,521	7,101	17,109		15,08
Quaking aspen	136,605	49,376	3,590	6,797	1,070		5,823	1,149	3,18
Paper birch	115,121	28,368	14,409	12,395	4,526	6,060	6,595		1,91
River birch	13,929	970	2,726		1,606	2,202	4,430		1,99
Black cherry	66,409	15,182	10 640	1,948	1,634	6,957	6,816	3,408	
Black walnut	59,651		10,643		25,426	10,696	7 400		1 (1
Butternut	60,829	1,611	7,198	5,939		2,852	7,402		1,61
Other hardwoods	22,074	2,455	881		2,622	2,460	3,128	***	1,32
Total	5,887,006	667,748	531,580	488,613	644,644	312,869	393,766	105,662	147,679
All species	6,039,113	670,741	531,580	520,234	651,885	327,103	452,035	105,662	148,333

 $\frac{1}{2}$ International $\frac{1}{4}$ -inch rule.

(Table 27 continued)

			C	ounty		
Species group	Pierce	Richland	St. Croix	Sauk	Trempealeau	Vernon
Softwoods						
Jack pine					~ -	
Red pine	13,479		3,243	4,173		
White pine				10,553		4,753
White spruce						
Black spruce			·			
Balsam fir						
Hemlock						
Tamarack						
Eastern redcedar				894		
Northern white-cedar						
Other softwoods						
Total	13,479		3,243	15,620		4,753
Hardwoods						
White oak	16,525	63,188	6,233	105,801	60,998	152,049
Select red oak	47,333	75,642	18,646	210,438	114,963	270,544
Other red oak	14,799	27,004	10,606	58,479	104,459	59,107
Select hickory		24,747		12,496	1,018	34,817
Other hickory	5,371	2,406		1,975		3,392
Basswood	34,615	54,653	9,999	34,883	4,647	84,738
Beech						01,700
Yellow birch				759		
Hard maple	88,301	111,002		12,693		83,889
Soft maple		22,511		33,827	17,556	6,456
Elm	13,704	32,325	3,283	9,005	4,966	28,204
Black ash			10,437	953		1,826
White & green ash	6,508	26,474	1,074	5,476	1,057	13,893
Cottonwood	8,205	9,505	819		8,021	9,940
Willow		819			4,056	3,310
Hackberry		4,632			1,000	
Balsam poplar					4.483	
Bigtooth aspen	6,636	21,226	11,528	31,448	15,619	1,522
Quaking aspen	3,423	4,730	30,845	18,473	8,141	1,522
Paper birch	4,917	1,610	5,773	1,183	27,373	
River birch	7,517	1,010	5,775	1,100	27,373	
Black cherry	1,324	2,906		6,732	13,130	6,372
Black walnut	1,524	2,900		0,752	15,150	12,886
Butternut	8,119	8,302		3,507		14,287
Other hardwoods	5,757	2,560	886	3,307		17,207
Total	265,537	496,242	110,129	548,128	390,487	783,922
All species	279,016	496,242	113,372	563,748	390,487	788,675

Table 28.--Net volume of growing stock on commercial forest land by species group and diameter class, Southwest Unit, Wisconsin, 1983

_
ب
eet
Ţ
U
<u>~</u>
Q
S
_
Þ
an
S
\overline{a}
ĕ
T
_
$\overline{}$
$\overline{}$

Species group						יומווברבו בומשש לוויכוובש מני מו במשני ווכי אוור	מים מים		1				
	All	5.0-	7.0-8.9	9.0- 10.9	11.0- 12.9	13.0- 14.9	. 15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0-	23.0-	29.0- 38.9	39.0+
Softwoods													
Jack pine	7,060	176	2,589	2,064	685	946	;	!	1 1	!	!	1	1
Red pine	67,514	27,583	27,107	7,553	2,907	853	294	596	909	315	!	;	;
White pine	14,305	1,513	1,753	963	2,865	546	917	704	830	881	3,333	1	1
White spruce	310	135	175	;	1	1 4	1	1	!	1	1	;	1
Black spruce		722	192	1	1	1	1 1	ţ	1	1	!	1	1
Balsam fir	194	;	194	1	}	1	1	1	ŧ	;	1	ļ	
Hemlock	8	•	;	;	;	!	;	!	!	!	1	;	;
Tamarack	:		1	1	1	•	1	1	.!	1	1	;	1
Eastern redcedar	1,479	1,159	1	160	1	160	1	}	1	;	1	;	!
Northern white-cedar	1	1	!	}	;	;	;	;	;	;	;	;	1
Other softwoods	;	;	-	1	1	-		-	1	-	-	:	•
Total	91,776	31,888	32,010	10,740	6,457	2,505	1,211	1,000	1,436	1,196	3,333		-
Hardwoods													
White oak	278,311	15,465	24,709	35,419	49,617	40,148	38,308	24,603	18,273	12,244	14,871	3,872	782
Select red oak	403,571	13,515	16,128	29,498	44,088	69,09	60,167	56,556	40,948	27,863	44,387	9,210	545
Other red oak	175,245	5,128	17,572	14,641	27,490	27,008	29,280	19,141	11,454	6,336	14,114	3,081	!
Select hickory	74,011	12,600	16,774	13,988	13,906	8,738	4,716	1,696	1,184	212	197	1	1
Other hickory	40,083	21,929	8,032	4,417	3,177	1,269	301	705	253	1	;	t	1
Basswood	124,839	6,371	17,701	21,447	19,680	16,516	12,885	10,457	6,464	4,529	4,922	3,004	863
Beech			1	1		1	-	1	1	-1		1	1
Yellow birch	1,263	1	113	442	1	427	281	1	i i	1		;	1
Hard maple	116,869	11,266	10,933	11,185	13,647	14,784	14,472	11,531	8,272	5,150	10,785	4,552	292
Soft maple	91,605	14,207	12,472	11,189	11,118	9,397	6,440	7,242	4,888	3,623	5,521	4,384	1,124
Elm	88,963	5,492	12,083	19,569	16,782	11,129	8,464	5,029	1,157	1,146	4,761	3,050	301
Black ash	14,133	3,225	2,761	2,330	2,577	266	1,420	614	441	1	199	!	1
White & green ash	44,283	5,412	6,256	7,565	6,751	6,018	6,094	3,166	373	924	1,724	;	;
Cottonwood	18,288	400	476	554	2,309	1,515	738	2,612	2,562	1,084	1,268	3,844	926
Willow	6,822	133	625	1,520	1,634	688	407	1,173	!	314	328	ŀ	ì
Hackberry.	1,635	569	256	1	581	529	;	1	1	:	;	;	1
Balsam poplar	1,466	!	;	;	•	1,047	419	1	:	;	.;	!	ŀ
Bigtooth aspen	87,754	6,474	11,583	14,984	24,301	13,556	10,317	4,750	1,101	688	1	1	1
Quaking aspen	79,237	18,683	16,239	16,114	16,543	6,837	2,966	1,104	751	1	;	1	1
Paper birch	91,251	19,503	28,409	20,839	11,841	6,504	2,903	1,022	230	1	;	;	1
River birch	5,940	1,191	930	800	810	675	892	1	299	343	1	1	1
Black cherry	47,829	9,564	9,038	17,417	5,556	3,724	1,074	1,456	!	;	;	1	1
Black walnut	16,233	663	1,963	3,276	3,804	3,510	620	972	527	657	241	1	
Butternut	21,628	1,979	4,784	3,914	3,816	3,114	3,089	318	1	ŀ	365	249	!
Other hardwoods	12,636	3,055	4,348	1,262	1,423	1,641	1	250	657	:	1	1	1
Total	1,843,895	176,524	224,185	252,370	281,451	240,009	206,253	154,397	99,834	65,113	103,683	35,246	4,830
All species	1,935,671	208,412	256,195	263,110	287,908	242,514	207,464	155,397	101,270	60,309	107,016	35,246	4,830

Table 29.--Net volume of sawtimber on commercial forest land by species group and diameter class, Southwest Unit, Wisconsin, 1983

]	Diameter class	(inches	at breast height	eight)			
	All	-0.6	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-	
Species group	classes	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	38.9	39.0+
Softwoods											
Jack pine	19,028	10,628	3,518	4,882	!	;	;	;	1	1	!
Red pine	73,260	43,294	16,487	4,827	1,665	1,699	3,470	1,818	!	,	!
White pine	57,982	3,820	13,042	2,738	4,932	3,865	4,670	5,092	19,823	1	1
White spruce	!	!		1	!	1	1	;	;	;	;
Black spruce	;	1	;	•	!	;	1	;	1	;	;
Balsam fir	}	8	1	;	!	!	}	;	!	;	;
Hemlock	;	ŀ	;	1	!	;	;	;	!	;	!
Tamarack	:	;	;	1	;	1	;	;	1	;	!
Eastern redcedar	1,837	894	;	943	-	1	1	ľ	1	1	1
Northern white-cedar	1	1	;	1	2	1	!	;	!	!	!
Other softwoods	-	:	1	-		:	:		1	;	:
Total	152,107	58,636	33,047	13,390	6,597	5,564	8,140	6,910	19,823	:	1
Hardwoods											
White oak	1,037,655	!	273,469	208,102	192,027	120,869	88,754	59,496	72,190	18,912	3,836
Select red oak	1,698,953	i	215,324	293,749	293,285	278,037	202,860	139,495	225,410	47,915	2,878
Other red oak	657,420	1	129,095	127,400	138,233	91,276	55,301	30,794	69,741	15,580	!
Select hickory	161,696	i	77,237	45,054	23,265	8,378	5,770	1,018	974		•
Other hickory	29,895	1	17,338	6,469	1,450	3,431	1,207	-	;	;	;
Basswood	387,042	!	94,294	78,923	62,203	51,240	32,209	22,713	25,119	15,695	4,646
Beech		1	1	1	1	1	;		1	;	;
Yellow birch	3,262	1	;	1,911	1,351	1	;	1	;	;	1
Hard maple	425,061	1	62,526	72,577	72,620	59,016	43,159	27,192	58,064	25,202	1,672
Soft maple	265,802	1	61,952	48,133	31,447	34,340	22,678	16,597	25,307	20,138	5,210
Elm	228,878	1	71,280	48,089	37,323	22,561	5,310	5,291	22,557	14,968	1,499
Black ash	30,886	1	13,434	3,262	7,728	3,162	2,286	!	1,014	;	;
White & green ash	131,000	1	39,339	31,719	30,503	15,306	1,721	4,397	8,015	1 2	;
Cottonwood	73,983	t 1	9,527	6,463	3,057	10,986	10,981	4,810	5,728	17,939	4,492
Willow	19,288	1	6,923	2,835	1,651	5,013	1	1,379	1,487	1	1
Hackberry	4,632	1	2,340	2,292	!	1	1	ľ	1	1	;
Balsam poplar	6,428	!	1	4,483	1,945	1	1	!	1	:	8
Bigtooth aspen	250,507	1	105,922	63,383	49,051	23,267	5,471	3,413	;	;	!
Quaking aspen	136,605	:	76,851	34,023	15,546	6,010	4,175	!	1	;	;
Paper birch	115,121	!	59,150	33,691	15,447	5,546	1,287	!	;	;	;
River birch	13,929	!	3,738	3,136	4,088	1	1,361	1,606	1	;	8
Black cherry	60,409	1	32,589	20,803	5,646	7,371	3	!	1	;	1
Black walnut	59,651	1	23,900	19,937	3,409	5,206	2,705	3,289	1,205	;	}
Butternut	60,829	1	22,730	17,187	16,175	1,654	!	1	1,856	1,227	;
Other hardwoods	22,074	1	7,898	8,999	1	1,405	3,772	1	1		-
Total	5,887,006	1	1,409,889	1,182,620	1,007,450	754,074	491,007	321,490	518,667	177,576	24,233
All species	6,039,113	58,636	1,442,936	1,196,010	1,014,047	759,638	499,147	328,400	538,490	177,576	24,233
1 /											

 $\frac{1}{2}$ /International $\frac{1}{4}$ -inch rule.

Table 30.--Net volume of growing stock on commercial forest land by species group and forest type, Southwest Unit, Wisconsin, 1983

					Forest type	!		
Species group	All types	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white- cedar
Softwoods	- VI							
Jack pine	7,060	5,571	1,250					
Red pine	67,514	1,137	56,641					
White pine	14,305	976	1,478	4,743				
White spruce	310	370	310					
Black spruce	914		914					
Balsam fir	194		194					
Hemlock	134		134					
Tamarack								
Eastern redcedar	1,479							
Northern white-cedar	1,479							
Other softwoods								
Total	91,776	7,684	60,787	4,743				
Hardwoods								
White oak	278,311							
Select red oak	403,571		1,072					
Other red oak	175,245	314	507					
Select hickory	74,011							
Other hickory	40,083							
Basswood	124,839							
Beech								
Yellow birch	1,263							
Hard maple	116,869			~~				
Soft maple	91,605							
Elm	88,963	307						
Black ash	14,133							
White & green ash	44,283							
Cottonwood	18,288			394				
Willow	6,822							
Hackberry	1,635	400 000						
Balsam poplar	1,466							
Bigtooth aspen	87,754							
Quaking aspen	79,237	343	952					
Paper birch	91,251							
River birch	5,940							
Black cherry	47,829		224					
Black walnut	16,233							
Butternut	21,628							
Other hardwoods	12,636		581					
Total				394				
	1,843,895	964	3,336					
All species	1,935,671	8,648	64,123	5,137				

(Table 30 continued on next page)

(Table 30 continued)

				Fores	t type			
		Oak-	Elm-ash-	Maple-		Paper		Non-
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotic	stocked
Softwoods								
Jack pine		239						~ ~
Red pine		8,998		738				
White pine		2,298		4.739	71			
White spruce								
Black spruce								
Balsam fir								
Hemlock								
Tamarack								
Eastern redcedar		1,060		419				
Northern white-cedar								
Other softwoods								
Total	***	12,595		5.896	71			
Hardwoods								
White oak		236,350	3,909	32,974	2.308	1.714		1,056
Select red oak		335.782		51.793	4.829	9,598	an un	497
Other red oak		162,643	1,234	7,388	1,509	499		1,151
Select hickory		62,128		9,244		2,639	40 40	-,101
Other hickory		23,962	442	14,624	1.055			
Basswood		47,258	947	75.173	589	541		331
Beech		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	~ =	70,170				
Yellow birch				1,001	262			
Hard maple		21,219		95,375		275		
Soft maple		16,753	52,413	21,561	180	698		
Elm		35,087	8,687	42,230	1,752	900		
Black ash		2,475	9,161	2,497	1,752	700		
White & green ash		9,743	8,612	23,312	2.436			180
Cottonwood		5,003	7,449	3,422	2,020			100
Willow		5,005	5,767	184	618			253
Hackberry		78	581	976	010			233
Balsam poplar		1.047	201	9/0		419		
Bigtooth aspen		51.964	154	12.970	17.827	4.839		
Quaking aspen		27,515	104	11,685	34,804	3,631		307
Paper birch		42,164	1,527	6,878	5,854	34,828		307
River birch		42,104 591		0,0/0	5,054	34,020		
		28,590	5,349 215	17,749	199	852		
Black cherry			215	3,443	199			456
Black walnut		12,334						
Butternut		13,260	4 077	8,115	220	140		253
Other hardwoods		2,620	4,977	3,979	330	149		4 404
Total		1,138,566	111,424	446,573	76,572	61,582		4,484
All species		1,151,161	111,424	452,469	76,643	61,582		4,484

Table 31.--Net volume of sawtimber on commercial forest land by species group and forest type, Southwest Unit, Wisconsin, 1983

				Fo	rest type			
	433					4.0. 4.		Northern
	A11	Jack	Red	White	Balsam	White	Black	white-
Species group	types	pine	pine	pine	fir	spruce	spruce	cedar
Softwoods								
Jack pine	19,028	18,139	889					
Red pine	73,260	4,173	47,913	40.00	~ ~			~-
White pine	57,982	5,231	5,600	14,283				
White spruce		***						
Black spruce								
Balsam fir								
Hemlock								
Tamarack			~-					
Eastern redcedar	1,837							
Northern white-cedar								
Other softwoods								
Total	152,107	27,543	54,402	14,283				
Hardwoods			,.,					• • • • • • • • • • • • • • • • • • • •
White oak	1,037,655							
Select red oak	1,698,953							M2 m
Other red oak	657,420	1,514	2,346					
Select hickory	161,696	1,517	2,540					
Other hickory	29,895							
Basswood	387,042							
Beech	307,042							
Yellow birch	3,262							
Hard maple	425,061							
Soft maple								
	265,802							
Elm Black och	228,878	1,357						
Black ash	30,886							
White & green ash	131,000		~-	1 700				
Cottonwood	73,983		-~	1,722				
Willow	19,288							
Hackberry	4,632							~ ~
Balsam poplar	6,428							
Bigtooth aspen	250,507							
Quaking aspen	136,605							
Paper birch	115,121							
River birch	13,929						e0 =0	
Black cherry	66,409		1,147					
Black walnut	59,651							
Butternut	60,829							
Other hardwoods	22,074		3,128					
Total	5,887,006	2,871	6,621	1,722				
All species	6,039,113	30,414	61,023	16,005				

1/International 1/4-inch rule.

(Table 31 continued on next page)

(Table 31 continued)

				Forest	type			
		0ak-	Elm-ash-	Maple-		Paper		Non-
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotic	stocked
Softwoods								
Jack pine								
Red pine		17,931		3,243				
White pine		8,692		24,176				
White spruce								
Black spruce								
Balsam fir								~~
Hemlock								
Tamarack								
Eastern redcedar				1,837				
Northern white-cedar								
Other softwoods								
Total		26,623		29,256				
Hardwoods								
White oak		875,456	8,805	139,163	7,113	4,215		2,903
Select red oak		1,439,902		202,564	18,920	35,034		2,533
Other red oak		608,151	4,075	29,679	6,484	2,486		2,685
Select hickory		131,051		23,270		7,375		
Other hickory		16,848		12,012	1,035			
Basswood		128,541	4,780	251,136	963			1,622
Beech	** ***							
Yellow birch				2,110	1,152			
Hard maple		72,142		352,919				
Soft maple		33,979	178,070	50.520		3,233		
Elm		93,825	33,211	95,389	4,333	763		
Black ash		8,306	18,761	3,819				
White & green ash		21,432	31,431	74,737	2,326			1,074
Cottonwood		21,378	32,008	13,689	5,186			
Willow			17,447	819				1,022
Hackberry			2,340	2,292				
Balsam poplar		4,483	2,0.0			1,945		
Bigtooth aspen		150,916	813	24,251	58,210	16,317		
Quaking aspen		52,183		20,592	49,189	14,641		
Paper birch		43,884	4,526	3,707	5.047	57,957		
River birch		2,723	11,206	5,707	3,047	57,557		
Black cherry		33,140	11,200	30,945		1,177		
Black walnut		50,257		8,117				1,277
Butternut		34,897		25,932				2,2//
Other hardwoods		5,551	6,313	6.174	908			
Total		3,829,045	353,786	1,373,836	160,866	145,143		13,116
All species		3,855,668	353,786	1,403,092	160,866	145,143		13,116
nii species		2,000,000	333,700	1,400,002	100,000	140,143		13,110

Table 32.--Net volume of growing stock on commercial forest land by species group and ownership class, Southwest Unit, Wisconsin, 1983 (In thousand cubic feet)

All National 7,060 67,514 67,514 67,514 67,305 67,14 67,305 67,14 67,305 67,14 67,10	Misc. federal	State	County & municipal	Indian	Forest	Farmer	Misc. priv corp.	Misc. priv indiv.
		State	municipal	Indian	industry	Farmer	corp.	indiv.
111 111 111 111 111 111 111 111	1111111111	11						25.525
111 175	1111111111	: :						25,525
114 110 110 110 114 117 111 111	111111111	1	988	1	!	5,683	491	25,525
111 111 111 111 111 111	11111111		1,137	;	1	37,197	3,655	
110 114 114 110 111 111 111 111	111111	1	ì	1	1	10,260	-	4,045
114	111111	1	;	1	;	310	;	;
76	11111	;	;	1	;	!	1	914
111	1111	;	;	1	;	1	!	194
76	: : :	1	1	1	!	!	1	1
76	1 1	į	1	ļ	;	!	!	1
76	;	;	;	;	1	1,319	1	160
76		;	;	;	;	;	1	!
76	!	;	;	1	1	;	!	!
111 771	1	;	2,023	1	-	54,769	4,146	30,838
771								
71	1,650	7,780	619	:	ļ	187,542	6,820	73,900
	!	!	1	1	1	291,720	15,233	96,618
14.0	!	711	136	1	-	124,323	5,787	44,288
	!	287	;	;	;	51,021	4,232	18,471
183	!	!	!	1	1	28,345	3,822	7,916
681	;	437	!	1	1	84,140	4,393	35,869
:	;	;	1	ł	1	;	!	!
.63	!	;	!	1	1	683	!	280
116,869	899	;	;	;	;	88,750	086	26,471
50	19,771	7,360	1	;	;	54,444	1,056	8,974
88,963	957	2,429	172	ļ	;	57,645	4,244	23,516
33	295	1,335	;	;	}	5,267	2,319	4,917
	2,433	1,963	265	;	;	28,202	2,134	8,954
18,288	2,402	864	;	1	;	11,877	367	2,778
	645	1	;	1	;	5,337	1	840
35	;	1	;	;	;	1,399	110	126
99	;	1	;	1	;	419	*	1,047
	!	1,662	;	1	-	65,054	3,680	17,358
.37	!	1	;	1	;	59,848	6,549	12,840
.51	;	798	-{	;	ŀ	63,810	5,232	21,411
040	642	1,172	1	1	2 8	1,314	2,435	377
62	ě	307	;	1	1	37,789	1,070	8,663
33	1	!	510	!	:	10,927	163	4,633
	;	335	1	:	3 8	15,109	2,337	3,847
36	4	:	137	1	;	10,856	1	1,643
1,843,895	29,463	27,440	2,171	1	1	1,285,821	72,963	426,037
1,935,671	29,463	27,440	4,194	;	1	1,340,590	77,109	456,875
	2,940 16,233 21,628 12,636 12,636 13,895		29,463	29,463 27,440	29,463 27,440		29,463 27,440	

Table 33.--Net volume of sawtimber on commercial forest land by species group and ownership class, Southwest Unit, Wisconsin, 1983

(In thousand board feet) $\frac{1}{2}$

					MO	Ownership class	ass			
	,	1	,		4				Misc.	Misc.
Species group	OWNErs	Forest	federal	State	county & municipal	Indian	industry	Farmer	corp.	jndiv.
Softwoods										
Jack pine	19,028	1	!	1	1	!	1	18,139	889	!
Red pine	73,260	1	1	1	4,173	1	1	53,986	6,184	8,917
White pine	57,982	!	!	1	!	1	!	38,099	1	19,883
White spruce	}	1	1	!	1	!	1	1	1	
Black spruce	;	;	1	1	1	!	;	;	1	:
Balsam fir	;	!	1	\$;	!	;	;	1	;
Hemlock	;	,	1	!	1	!	;	1	;	;
Tamarack	!	!	!	!	;	;	;	!	;	!
Eastern redcedar	1,837	;	1	1 8	;	1	;	943	!	894
Northern white-cedar	1	ì	;	1	1	8 8	;	•	;	;
Other softwoods	1	ţ	1	;	1	1	;	1	;	;
Total	152,107	!	1	1	4,173	i	:	111,167	7,073	29,694
Hardwoods										
White oak	1,037,655	!	6,314	28,247	2,630	;	;	700,564	28,274	271,626
Select red oak	1,698,953	1	1	;	1	;	;	1,234,119	71,412	393,422
Other red oak	657,420	1	1	3,538	1	ŧ	;	487,143	16,137	150,602
Select hickory	161,696	1	1	-	:	1	;	104,608	17,995	39,093
Other hickory	29,895	1	1	;	1	;	;	20,876	1,769	7,250
Basswood	387,042	-	!	2,067	;	1	;	274,141	16,593	94,241
Beech	1	1	3	!	*	1	1	!	!	:
Yellow birch	3,262	:	1	•	:	!	1	1,911	1	1,351
Hard maple	425,061	!	3,571	1	!	1	1	327,779	1	93,711
Soft maple	265,802	;	62,423	28,320	1	;	;	149,744	5,129	20,186
Ela .	228,878	!	2,770	9,972	774	1	1	153,079	7,988	54,295
Black ash	30,886	!	;	6,081	1	1	;	4,262	6,389	14,154
White & green ash	131,000	1	11,627	2,392	2,887	:	;	73,055	5,462	35,577
Cottonwood	73,983	*	9,940	3,779	:	!	;	47,565	1,653	11,046
MO I LM	19,288	1	2,599	!	;	!	;	14,743		1,946
Hackberry	4,632	1	*	;	1	1	;	4,632		1
Balsam poplar	6,428	:	;	* !	1	1	1	1,945	;	4,483
Bigtooth aspen	250,507	1	:	4,572	1	1	1	182,584	7,172	56,179
Quaking aspen	136,605	}	1	1	1	!	:	109,661	10,781	16,163
Paper birch	115,121	!	1	1,285	;	;	;	74,500	10,070	29,266
River birch	13,929	1	2,967	2,202	;	1 1	;	6,083	970	1,707
Black cherry	66,409	1	1	1,647	:	1	1	53,555	1	11,207
Black walnut	59,651	1	:	!	3,408	1	;	40,206	1,036	15,001
Butternut Office herein	60,829	1	1	1,803	1 ;	1	1	46,230	6,753	6,043
Uther nardwoods	52,0/4	8		:	799	1	1	20,394		881
	5,887,006	-	102,211	95,905	10,498	-		4,133,379	215,583	1,329,430
All species	6,039,113	1	102,211	95,905	14,671	1	1	4,244,546	222,656	1,359,124

1/International 44-inch rule.

Table 34.--Net volume of growing stock on commercial forest land by forest type and stand-age class, Southwest Unit, Wisconsin, 1983 (In thousand cubic feet)

							Stand-ag	stand-age class (years)	vears,					
Forest type	All ages	1-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	91-100 101-120 121-140	121-140	141+
Jack pine	8,648	1	:	;	2,715	5,933	}	1	•	;	!	!	1	:
Red pine	64,123	1	10,623	39,549	13,951	;	;	!	!	1	!	!	;	!
White pine	5,137	1	2,247	1	1	;	!	;	2,890	!	;	1	1	•
Balsam fir	1	•	1	ŀ	!	;	;	;	}	;	1	;	1	;
White spruce	1	1	1	1	!	1	!	;	;	;	1	1	:	1
Black spruce	;	1	;	1	1	1	!	!	;	1	;	1	;	;
Northern white-cedar	!	;	ł.	1	1	!	;	;	!	;	1	!		:
Tamarack	:	;	}	!		;	;	!	;	i i	1	*	1	;
Oak-hickory	1,151,161	35,128	15,397	25,633	33,630	137,170	123,999	98,866	113,650	165,816	121,097	137,112	112,225	31,438
Flm-ash-soft maple	111.424	8,156	3,207	4,305	7,697	8,101	14,419	9,987	17,956	16,377	8,410	12,809	1	1
Maple-birch	452,469	12,774	26,692	27,565	51,288	36,590	64,953	22,239	16,130	51,489	58,411	58,850	13,293	12,195
Aspen	76,643	2,052	8,214	10,020	9,193	15,142	17,939	11,002	:	-	3,081	1	ł	!
Paper birch		2,330	1,346	2,183	12,675	15,247	22,848	4,953	1	1.	1	!	•	1
Exotic	;	1	!	1	;	;	1	1	1	1	!	!	!	!
Nonstocked	4,484	4,484	1	-		1	1	1	;	,	!			:
All types	1,935,671 64,924	64,924	67,726	,726 109,255 131,149	131,149	218,183	244,158	147,047	150,626	244,158 147,047 150,626 233,682 190,999	190,999	208,771 125,518	125,518	43,633

Table 35.--Net volume of sawtimber on commercial forest land by forest type and stand-age class, Southwest Unit, Wisconsin, 1983

54,468 172,713 1.1 118,245 141+ 486,322 61,455 121-140 547,777 559,116 41,100 101 - 120816,333 216,117 495,778 31,103 236,534 91 - 100774,892 11,477 625,155 62,201 192,037 81-90 879,393 - [52,149 16,005 525,192 71-80 384,233 72,805 Stand-age class (years) 74,236 18,285 11,753 307,025 444,219 61-70 343,366 37,309 148,100 57,908 64,506 651,189 51-60 67,963 13,712 38,923 300,723 470,125 1 41 - 5019,552 31-40 10,862 40,707 11,272 93,615 20,735 18,010 231,992 111 36,791 51,578 2,960 77,943 25,248 2,613 20,316 180,658 21-30 48,868 10,508 87,318 9,464 159,799 1 1 -98,468 22,356 184,831 4,037 5,697 41,157 13,116 1 - 103,855,668 353,786 1,403,092 30,414 61,023 16,005 160,866 145,143 13,116 6,039,113 All ages Black spruce Northern white-cedar Oak-hickory Elm-ash-soft maple Maple-birch White spruce Paper birch Exotic Nonstocked White pine Balsam fir Forest type Jack pine Red pine All types **Famarack** Aspen

1/International 1/4-inch rule.

Table 36.--Net volume of growing stock on commercial forest land by forest type, stand-size class, and basal-area class, Southwest Unit, Wisconsin, 1983

Forest type and	A11		Bas	al-area cl	ass (square	feet per	acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Jack pine								
Sawtimber	6,625							
Poletimber	2,023							
Sapling & seedling								
All stands	8,648							
Red pine								
Sawtimber	7,934							
Poletimber	55,062							
Sapling & seedling	1,127		174				953	
All stands	64,123		174				953	
White pine								
Sawtimber	2,890				2,890		***	
Poletimber	2,247							
Sapling & seedling						mile spin		
All stands	5,137				2,890			
Balsam fir								
Sawtimber								
Poletimber								
Sapling & seedling	~-							
All stands								
White spruce								
Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
Black spruce								
Sawtimber					~~	~~	-	
Poletimber								
Sapling & seedling								
All stands								
Northern white-cedar								
Sawtimber								
Poletimber								~-
Sapling & seedling								
All stands								

(Table 36 continued on next page)

(Table 36 continued)

Forest type and		Basa	al-area cla	ss (square	feet per ac	re)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine							
Sawtimber		2,715			3,910		~~
Poletimber					2,023		
Sapling & seedling							
All stands	***	2,715			5,933		
Red pine							
Sawtimber						7,934	
Poletimber	3,411	7,433			12,128	6,018	26,072
Sapling & seedling							
All stands	3,411	7,433			12,128	13,952	26,072
White pine							
Sawtimber							
Poletimber				2,247			
Sapling & seedling							
All stands			AD 160	2,247			
Balsam fir							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
White spruce							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
Black spruce							
Sawtimber							
Poletimber		~~					
Sapling & seedling							
All stands							
Northern white-cedar							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands		~-					

(Table 36 continued on next page)

(Table 36 continued)

Forest type and	A11				ass (squar	e feet per	acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Tamarack								
Sawtimber		***						
Poletimber								
Sapling & seedling								
All stands								
Oak-hickory								
Sawtimber	892,212			3,863	5,555	14,214	30,117	42,185
Poletimber	204,070		1 (17	4 075	1,503	1,102	8,480	12,203
Sapling & seedling	54,879	144	1,617	4,975	6,128	2,981	10,431	6,946
All stands	1,151,161	144	1,617	8,838	13,186	18,297	49,028	61,334
lm-ash-soft maple								
Sawtimber	81,426				1,413	2,574	7,112	
Poletimber	17,320					0.751	6,633	
Sapling & seedling	12,678		1,700	2,959	1,513	2,751	1,540	
All stands	111,424		1,700	2,959	2,926	5,325	15,285	
Maple-birch								
Sawtimber	271,748			1,167	1,171	6,871	17,702	13,618
Poletimber	132,909	040			633	6,425	12,390	5,869
Sapling & seedling	47,812	243	2,658	6,124	7,026	15,733	8,838	4,248
All stands	452,469	243	2,658	7,291	8,830	29,029	38,930	23,73
Aspen								
Sawtimber	37,978		050				2,578	0.66
Poletimber	29,581		850		0.460	1,466	3,250	2,66
Sapling & seedling	9,084	271			2,462	5,836	515	
All stands	76,643	271	850		2,462	7,302	6,343	2,667
Paper birch								
Sawtimber	25,131					4 010	2,929	4,93
Poletimber	32,775				1 070	4,219		0.50
Sapling & seedling	3,676				1,079			2,597
All stands	61,582				1,079	4,219	2,929	7,532
Exotic								
Sawtimber								
Poletimber								
Sapling & seedling								
All stands	4-							
Nonstocked	4,484			180			1,560	692
All types								
Sawtimber	1,325,944			5,030	11,029	23,659	60,438	60,738
Poletimber	475,987		850		2,136	13,212	30,753	20,739
Sapling & seedling	129,256	658	6,149	14,058	18,208	27,301	22,277	13,79
Nonstocked	4,484			180			1,560	692
All stands	1,935,671	658	6,999	19,268	31,373	64,172	115,028	95,960

(Table 36 continued on next page)

(Table 36 continued)

Stand-size class 71-80 81-90 91-100 101-120 121-150 151-180 Tamarack Sawtimber Poletimber Sapling & seedling All stands		re)	feet per ac	ss (square	al-area cla	Bas		Forest type and
Sawtimber Company Co	-180 181+	151-180	121-150	101-120	91-100	81-90	71-80	
Poletimber								Tamarack
Sapling & seedling								Sawtimber
All stands								Poletimber
Oak-hickory Sawtimber 82,574 113,834 89,300 241,494 188,348 72,946 Poletimber 18,148 26,540 27,443 57,042 31,547 10,562 Sapling & seedling 2,490 3,837 3,403 7,824 4,103 All stands 103,212 144,211 120,146 306,360 23,998 83,508 Elm-ash-soft maple Sawtimber 2,402 14,903 7,243 23,887 15,974 5,918 Poletimber 2,990 - - - - Sapling & seedling - 2,215 All stands 5,392 14,903 7,243 31,584 18,189 5,918 Maple-birch 32,004 23,205 24,016 105,652 42,460 3,882 Poletimber 14,310 19,486 2,746 38,826 24,937 7,287 Sapling & seedling 2,942 -								Sapling & seedling
Sawtimber 82,574 113,834 89,300 241,494 188,348 72,946 Poletimber 18,148 26,540 27,443 57,042 31,547 10,562 Sapling & seedling 2,490 3,837 3,403 7,824 4,103 All stands 103,212 144,211 120,146 306,360 223,998 83,508 Elm-ash-soft maple Sawtimber 2,402 14,903 7,243 23,887 15,974 5,918 Poletimber 2,990 7,697 Sapling & seedling 7,697 All stands 5,392 14,903 7,243 31,584 18,189 5,918 Maple-birch 32,004 23,205 24,016 105,652 42,460 3,882 Poletimber 14,310 19,486 2,746 38,826 24,937 7,287 Sapling & seedling -2,829 8,599 <								All stands
Poletimber 18,148 26,540 27,443 57,042 31,547 10,562 31,1547 10,562 31,1547 33,837 3,403 7,824 4,103								Oak-hickory
Sapling & seedling 2,490 3,837 3,403 7,824 4,103	,946 7,782	72,946	188,348	241,494	89,300	113,834	82,574	Sawtimber
All stands 103,212 144,211 120,146 306,360 223,998 83,508 Elm-ash-soft maple	,562 9,500	10,562	31,547	57,042	27,443	26,540		Poletimber
Elm-ash-soft maple Sawtimber			4,103	7,824	3,403	3,837	2,490	Sapling & seedling
Sawtimber 2,402 14,903 7,243 23,887 15,974 5,918 Poletimber 2,990 7,697 2,215 All stands 5,392 14,903 7,243 31,584 18,189 5,918 daple-birch Sawtimber 32,004 23,205 24,016 105,652 42,460 3,882 Poletimber 14,310 19,486 2,746 38,826 24,937 7,287 All stands 49,256 42,691 26,762 144,478 67,397 11,169 Aspen Sawtimber 2,829 8,859 4,281 5,379 Sapling & seedling	,508 17,282	83,508	223,998	306,360	120,146	144,211	103,212	All stands
Poletimber 2,990								lm-ash-soft maple
Poletimber 2,990	,918	5,918	15,974	23,887	7,243	14,903	2,402	Sawtimber
All stands 5,392 14,903 7,243 31,584 18,189 5,918 Maple-birch Sawtimber 32,004 23,205 24,016 105,652 42,460 3,882 Poletimber 14,310 19,486 2,746 38,826 24,937 7,287 Sapling & seedling 2,942 All stands 49,256 42,691 26,762 144,478 67,397 11,169 Aspen Sawtimber 4,036 6,378 5,584 19,402 Poletimber 2,829 8,859 4,281 5,379 Sapling & seedling Sapling & seedling Poletimber 2,789 5,663 Sawtimber 7,244 2,268 2,664 3,083 13,297 Sapling & seedling Sapling & seedling Poletimber 7,244 2,268 2,664 3,083 13,297 Sapling & seedling Sapling & seedling All stands 10,033 7,931 2,664 3,083 13,297 Sapling & seedling				7,697			2,990	Poletimber
Maple-birch Sawtimber 32,004 23,205 24,016 105,652 42,460 3,882 Poletimber 14,310 19,486 2,746 38,826 24,937 7,287 Sapling & seedling 2,942 All stands 49,256 42,691 26,762 144,478 67,397 11,169 Aspen Sawtimber 4,036 6,378 5,584 19,402 Poletimber 2,829 8,859 4,281 5,379 Sapling & seedling All stands 6,865 6,378 8,859 9,865 24,781 Poletimber 2,789 5,663 Saytimber 7,244 2,268 2,664 3,083 13,297 Saytimber </td <td></td> <td></td> <td>2,215</td> <td></td> <td></td> <td></td> <td></td> <td>Sapling & seedling</td>			2,215					Sapling & seedling
Sawtimber 32,004 23,205 24,016 105,652 42,460 3,882 Poletimber 14,310 19,486 2,746 38,826 24,937 7,287 Sapling & seedling 2,942 All stands 49,256 42,691 26,762 144,478 67,397 11,169 Ispen 38,826 42,691 26,762 144,478 67,397 11,169 Ispen 38,829 42,691 26,762 144,478 67,397 11,169 Ispen 38,829 42,81 5,379	,918	5,918	18,189	31,584	7,243	14,903	5,392	All stands
Poletimber Sapling & seedling All stands 14,310 2,942								Maple-birch
Sapling & seedling 2,942 <t< td=""><td>,882</td><td>3,882</td><td>42,460</td><td>105,652</td><td>24,016</td><td>23,205</td><td>32,004</td><td>Sawtimber</td></t<>	,882	3,882	42,460	105,652	24,016	23,205	32,004	Sawtimber
Sapling & seedling 2,942 All stands 49,256 42,691 26,762 144,478 67,397 11,169 Aspen 300 6,378 5,584 19,402 Poletimber 2,829 8,859 4,281 5,379 Sapling & seedling All stands 6,865 6,378 8,859 9,865 24,781 Paper birch Sawtimber 2,789 5,663 Sawtimber 2,789 5,663 Sapling & seedling All stands 10,033 7,931 2,664 3,083 13,297 Exotic Sawtimber Sapling & seedling Sapling & seedling Sapling & seedling Sapling & seedling <td>.287</td> <td>7,287</td> <td>24,937</td> <td>38,826</td> <td>2,746</td> <td>19,486</td> <td>14,310</td> <td>Poletimber</td>	.287	7,287	24,937	38,826	2,746	19,486	14,310	Poletimber
Saytimber 4,036 6,378 5,584 19,402 Poletimber 2,829 8,859 4,281 5,379 Sapling & seedling All stands 6,865 6,378 8,859 9,865 24,781 Paper birch Sawtimber 2,789 5,663 Saytimber 7,244 2,268 2,664 3,083 13,297 Sapling & seedling All stands 10,033 7,931 2,664 3,083 13,297 Exotic Sawtimber Saytimber Sapling & seedling Saytimber Saytimber Saytimber Saytimber	·						2,942	Sapling & seedling
Sawtimber 4,036 6,378 5,584 19,402 Poletimber 2,829 8,859 4,281 5,379 Sapling & seedling All stands 6,865 6,378 8,859 9,865 24,781 Paper birch Sawtimber 2,789 5,663 Sapling & seedling Sapling & seedling All stands 10,033 7,931 2,664 3,083 13,297 Exotic Sawtimber Sawtimber Poletimber Sapling & seedling	,169	11,169	67,397	144,478	26,762	42,691	49,256	All stands
Sawtimber					·····			Aspen
Poletimber 2,829 8,859 4,281 5,379 Sapling & seedling			19,402	5,584		6,378	4,036	
Sapling & seedling All stands 6,865 6,378 8,859 9,865 24,781 Paper birch 2,789 5,663 Poletimber 7,244 2,268 2,664 3,083 13,297 Sapling & seedling All stands 10,033 7,931 2,664 3,083 13,297 Exotic Sawtimber Poletimber Saytimber 1,463 Sawtimber 123,805 166,698 120,559 376,617 270,094 90,680 Poletimber 48,932 55,727 41,712 113,176 89,311 23,867					8,859			
All stands 6,865 6,378 8,859 9,865 24,781 Paper birch Sawtimber 2,789 5,663 Poletimber 7,244 2,268 2,664 3,083 13,297 Sapling & seedling All stands 10,033 7,931 2,664 3,083 13,297 Exotic Sawtimber Poletimber Sapling & seedling Sapling & seedling Saytimber Saytimber Saytimber Saytimber 341 stands 589 All types Sawtimber 123,805 166,698 120,559 376,617 270,094 90,680 Poletimber 48,932 55,727 41,712 113,176 89,311 23,867							•	Sapling & seedling
Sawtimber 2,789 5,663 Poletimber 7,244 2,268 2,664 3,083 13,297 Sapling & seedling All stands 10,033 7,931 2,664 3,083 13,297 Exotic Sawtimber Poletimber Sapling & seedling All stands Nonstocked 1,463 589 All types Sawtimber 123,805 166,698 120,559 376,617 270,094 90,680 Poletimber 48,932 55,727 41,712 113,176 89,311 23,867			24,781	9.865	8,859	6.378	6.865	
Sawtimber 2,789 5,663 Poletimber 7,244 2,268 2,664 3,083 13,297 Sapling & seedling All stands 10,033 7,931 2,664 3,083 13,297 Exotic Sawtimber Poletimber Sapling & seedling All stands Honstocked 1,463 589 All types Sawtimber 123,805 166,698 120,559 376,617 270,094 90,680 Poletimber 48,932 55,727 41,712 113,176 89,311 23,867								Paper birch
Poletimber 7,244 2,268 2,664 3,083 13,297 Sapling & seedling </td <td> 8,815</td> <td></td> <td></td> <td></td> <td></td> <td>5,663</td> <td>2.789</td> <td>Sawtimber</td>	8,815					5,663	2.789	Sawtimber
Sapling & seedling All stands 10,033 7,931 2,664 3,083 13,297 Exotic Sawtimber Poletimber Sapling & seedling All stands Nonstocked 1,463 589 All types Sawtimber 123,805 166,698 120,559 376,617 270,094 90,680 Poletimber 48,932 55,727 41,712 113,176 89,311 23,867			13,297	3.083	2.664			
All stands 10,033 7,931 2,664 3,083 13,297 Exotic Sawtimber Sapling & seedling All stands 589 Sonstocked 1,463 589 Sawtimber 123,805 166,698 120,559 376,617 270,094 90,680 Poletimber 48,932 55,727 41,712 113,176 89,311 23,867			•	-	,		*	Sapling & seedling
Sawtimber	8,815		13.297	3.083	2,664	7,931	10.033	, ,
Sawtimber								
Poletimber						,		
All stands								
All stands								Sapling & seedling
Nonstocked 1,463 589								
All types Sawtimber 123,805 166,698 120,559 376,617 270,094 90,680 Poletimber 48,932 55,727 41,712 113,176 89,311 23,867				589			1.463	
Sawtimber 123,805 166,698 120,559 376,617 270,094 90,680 Poletimber 48,932 55,727 41,712 113,176 89,311 23,867								
Poletimber 48,932 55,727 41,712 113,176 89,311 23,867	,680 16,597	90.680	270.094	376.617	120,559	166,698	123,805	• .
Nonstocked 1,463 589					-	-		
All stands 179,632 226,262 165,674 498,206 365,723 114,547	.547 52,169	114.547	365 723		165 674	226 262		

Table 37.--Net volume of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class, Southwest Unit, Wisconsin, 1983

Forest type and	All		Ba	asal-area	class (squ	are feet per	acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Jack pine								
Sawtimber	26,241							
Poletimber	4,173							
Sapling & seedling								
All stands	30,414							
Red pine								
Sawtimber	33,249							
Poletimber	27,774							
Sapling & seedling								
All stands	61,023							
White pine								
Sawtimber	16,005				16,005			
Poletimber								
Sapling & seedling								
All stands	16,005				16,005			
Balsam fir								
Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
White spruce								
Sawtimber		~-						
Poletimber								
Sapling & seedling								
All stands								
Black spruce								
Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
Northern white-cedar								
Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
						(Table 37 c	ontinued on	next par

 $\frac{1}{4}$ International $\frac{1}{4}$ -inch rule.

(Table 37 continued)

Forest type and		Basa	al-area cla	ss (square	feet per ac	re)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine							
Sawtimber	na we	10,862			15,379		
Poletimber					4,173		
Sapling & seedling							
All stands		10,862			19,552		
Red pine							
Sawtimber						33,249	
Poletimber		7,073			7,458		13,243
Sapling & seedling							
All stands		7,073			7,458	33,249	13,243
White pine							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
Balsam fir							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
White spruce							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
Black spruce							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
Northern white-cedar							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
		· · · · · · · · · · · · · · · · · · ·					

(Table 37 continued on next page)

(Table 37 continued)

Forest type and	A11			asal-area	class (squ	are feet pe	r acre)	
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70
Tamarack								
Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
Oak-hickory								
Sawtimber	3,375,835			19,407	26,688	60,294	135,154	176,859
Poletimber	321,623				3,871	1,841	16,567	22,666
Sapling & seedling	158,210	966	5,400	13,182	18,315	10,751	34,532	14,062
All stands	3,855,668	966	5,400	32,589	48,874	72,886	186,253	213,587
Elm-ash-soft maple								
Sawtimber	299,601				4,734	10,040	26,713	
Poletimber	18,361						7,089	
Sapling & seedling	35,824		6,652	6,579	5,182	6,755	3,582	
All stands	353,786		6,652	6,579	9,916	16,795	37,384	
Maple-birch								
Sawtimber	1,004,702			4,679	5,798	29,554	62,414	53,461
Poletimber	230,176					12,068	17,438	7,966
Sapling & seedling	168,214	1,124	11,155	22,112	22,750	54,261	31,643	14,213
All stands	1,403,092	1,124	11,155	26,791	28,548	95,883	111,495	75,640
Aspen								
Sawtimber	113,451						7,897	
Poletimber	36,323		1,035			3,536	4,790	
Sapling & seedling	11,092				2,381	8,711		
All stands	160,866		1,035		2,381	12,247	12,687	
Paper birch						············		
Sawtimber	85,502						9.855	18,648
Poletimber	50,303					7,579		
Sapling & seedling	9,338				1,018			8,320
All stands	145,143				1,018	7,579	9,855	26,968
Exotic								
Sawtimber								
Poletimber								
Sapling & seedling								
All stands								
Nonstocked	13,116			1,074			5,274	3,329
All types								
Sawtimber	4,954,586			24,086	53,225	99.888	242,033	248,968
Poletimber	688,733		1.035		3,871	25,024	45,884	30,632
Sapling & seedling	382,678	2,090	23,207	41.873	49,646	80,478	69,757	36,595
Nonstocked	13,116	2,030	23,207	1,074			5,274	3,329
All stands	6,039,113	2,090	24,242	67,033	106,742	205,390	362,948	319,524
MII Stands	0,039,113	۷,090	44,242	07,033	100,742	200,390	302,940	313,324

(Table 37 continued)

Forest type and			al-area cl		feet per ac	re)	
stand-size class	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack				•			
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
Dak-hickory							
Sawtimber	310,591	452,847	338,732	870,720	671,464	281,919	31,160
Poletimber	23,281	26,789	58,381	91,449	56,314	3,562	16,902
Sapling & seedling	4,437	6,836	6,555	31,964	11,210		
All stands	338,309	486,472	403,668	994,133	738,988	285,481	48,062
lm-ash-soft maple							
Sawtimber .	9,940	54,045	29,964	86,746	61,859	15,560	
Poletimber				11,272			
Sapling & seedling				,	7,074		
All stands	9,940	54,045	29,964	98,018	68,933	15,560	
Maple-birch							
Sawtimber	114,427	90,507	98,191	393,196	140,778	11,697	
Poletimber	30,628	33,921	5,356	64,403	42,391	16,005	
Sapling & seedling	10,956						
All stands	156,011	124,428	103,547	457,599	183,169	27,702	
Aspen							
Sawtimber	14,878	21,973		3,578	65,125		
Poletimber	7.037		4,315	9,749	5,861		
Sapling & seedling							
All stands	21,915	21,973	4,315	13,327	70,986		
Paper birch							
Sawtimber	8,497	19,936					28,566
Poletimber	9,832	4,324	5,759	5,415	17,394		,
Sapling & seedling							
All stands	18,329	24,260	5,759	5,415	17,394		28,566
xotic							
Sawtimber							
Poletimber							
Sapling & seedling							
All stands							
Nonstocked	3,439						
ll types							
Sawtimber	458,333	650,170	466,887	1,354,240	954,605	342,425	59,726
Poletimber	70,778	72,107	73,811	182,288	133,591	19,567	30,145
Sapling & seedling	15,393	6,836	6,555	31,964	18,284		,
	3,439			,	,		
Nonstocked	3,439						

Table 38.--Net volume of sawtimber on commercial forest land by species group and butt log grade, Southwest Unit, Wisconsin, 1983

	A11			g grade	
Species group	grades	1	2	3	Tie and timber
Softwoods					
Jack pine	19,028	458	1,428	17,142	
Red pine	73,260			73,260	
White pine	57,982	22,207	18,254	17,521	
White spruce					
Black spruce					
Balsam fir					
Hemlock					
Tamarack					
Eastern redcedar	1,837			1,837	
Northern white-cedar					
Other softwoods					
Total	152,107	22,665	19,682	109,760	
Hardwoods					
White oak	1,037,655	40,616	307,218	567,994	121,827
Select red oak	1,698,953	341,148	537,039	768,729	52,037
Other red oak	657,420		110,002	495,536	51,882
Select hickory	161,696		43,502	92,797	25,397
Other hickory	29,895			29,895	
Basswood	387,042	88,897	63,495	225,122	9,528
Beech					
Yellow birch	3,262		685	2,228	349
Hard maple	425,061	56,759	106,456	246,465	15,381
Soft maple	265,802	52,012	32,962	145,494	35,334
Elm	228,878	43,356	51,805	112,698	21,019
Black ash	30,886			30,886	,
White & green ash	131,000		44,455	86,545	
Cottonwood	73,983	23,441	4.175	42,115	4,252
Willow	19,288		15,364	3,924	
Hackberry	4,632	906	574	2,536	616
Balsam poplar	6,428			6,428	
Bigtooth aspen	250,507		10,357	240.150	
Quaking aspen	136,605			136,605	
Paper birch	115,121		22,837	83,678	8,606
River birch	13,929	MR 400	,	13,929	
Black cherry	66,409			66,409	
Black walnut	59,651			59,651	
Butternut	60,829		12,729	48,100	
Other hardwoods	22,074		8,987	13,087	
Total	5,887,006	647,135	1,372,642	3,521,001	346,228
All species	6,039,113	669,800	1,392,324	3,630,761	346,228

 $[\]frac{1}{2}$ International 1/4-inch rule.

Table 39.--Net volume of short-log trees on commercial forest land by species group and diameter class, Southwest Unit, Wisconsin, 1983 (In thousand cubic feet)

				_	Diameter class	ss (inches	at	Dreast neight)			
Species group	All classes	9.0-	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0- 38.9	39.0+
J											
SDOOMILOS	ŝ										
Jack pine	1/0	1	1/0	!	!	!	!	1	!	!	!
Red pine	:	:	1	1	;	!	-	1	ł	1	!
White pine	-	;	1	;	!	!	!	1	!	!	1
White spruce	;	1	!	;		1	;	1	!	1	1
Black spruce	;	;	;	;	!	;	;	;	ţ	;	!
Balsam fir	;	;	;	;	;	;	1	;	;	1	1
Hemlock	;	;	;	;	;	•	1	;	;	1	1
Tamarack	;	;	;	;	;	;	1	;	;	;	!
Fastern redredar	;	;	;	;	;	;	!	;	;	;	1
Northern white-cedar	;	;	;	;	;	;	1	;	;	i	;
Other softwoods	;	;	;	;	;	;	!	;	;	;	;
Total	170	;	170		:	:	:	:	:	:	!
Handwoods											
White oak	32,644	;	4.286	7,484	6.056	3,723	2.614	3,421	3,489	1.571	;
Select red oak	24,646	1		3,309	5,650	2,250	2,817	2,762	5,257	2,601	;
Other red oak	20,934	;	436	2,696	5,030	4,792	1,637	1,886	3,990	467	1
Select hickory	1,724	;	438	310	752	224					1
Other hickory	246	;	246	1	+	ţ	t	1	;	t i	;
Basswood	5,076	1 8	1	1,373	630	619	522	216	482	205	1,029
Beech	:	!	1	;	1 1	1	;	;	1	!	1
Yellow birch	;	;	1	;		1 1	;	;	;	1	1
Hard maple	9,938	;	1	1,629	1,069	2,780	1,273	1,156	856	1,175	!
Soft maple	5,649	1	733	899	1,148	554	718	390	492	809	137
Elm	8,568	;	1,133	1,679	2,017	219	1,569	441	512	866	!
Black ash	257	;	1	257	•	8	1	1	1	1	!
White & green ash	2,020	1	215	!	573	442	233	ŀ	222	i	ł
Cottonwood	734	1	;	1	;	l l	1	î	473	1	261
Willow	788	;	194	!	338	!	!	!	256	!	;
Hackberry	;	;	;	:	;	1	;	;	1	1	-
Balsam poplar	:	1	-	E p	;	!		1	1	1	1
Bigtooth aspen	1,719	;	1	537	341	841	1	1	;	!	;
Quaking aspen	;	1	!	:	;	!	-	;	1	1	!
Paper birch	2,161	1	991	917	;	;	253	;	;	1	1
River birch	645	ŧ	ř	;	365	;	280	;	;	1	1
Black cherry	1,647	!	1	559	873	ļ	ŀ	215	1	;	1
Black walnut	478	1	200	;	1	278	1	1	1	1	1
Butternut	1,990	1	146	417	1,012	202	1	;	213	ľ	;
Other hardwoods	1,399	1	215	538	254	254	;	;	138	ł	;
Total	123,263		9,233	22,373	26,108	17,178	11,916	10,487	16,715	7,826	1,427
All species	123,433	1	9,403	22,373	26,108	17,178	11,916	10,487	16,715	7,826	1,427

Table 40.--Net volume of short-log trees on commercial forest land by species group and diameter class, Southwest Unit, Wisconsin, 1983 (In thousand board feet) $\frac{1}{2}$

					Diameter class	ass (inches	1	at breast beight)			
	All	0.6	11.0-	13.0-	15.0-	1	1	21.0-	23.0-		
Species group	classes	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	38.9	39.0+
Softwoods											
Jack pine	286	;	586	•	1	!	1	!	1	1	;
Red pine	;	1	;	î	•	;	!	:	1	*	;
White pine	:	;	;	!	!	!	;	!	!	;	;
White spruce	1	;	;	!	!	!	;	!	!	1	!
Black spruce	1	f	}	;	!	1	!	1	1	i	ï
Balsam fir	1	}	;	!	!	!	1	;	1	;	1
Hemlock	1	1	1	;	1	;	1	;	1	1	1
Tamarack	1	1	!	;	ļ	!	1	i	1	;	;
Eastern redcedar	!	1	1	ł	î	1	1	!	ŧ	8	;
Northern white-cedar	!	1	;	;	!	;	!	;	1	;	;
Other softwoods	-	-	:	1	1	:	1	1	1	1	:
Total	586	9	586	:	ī	1	:	1	;	;	:
Hardwoods											
White oak	86,141	;	12,390	20,198	15,981	9,513	6,614	8,625	8,839	3,981	ţ
Select red oak	55,877	1	1	7,308	12,501	5,061	6,369	6,329	12,182	6,127	;
Other red oak	47,614	;	096	996.5	11,293	10,835	3,730	4,369	9,345	1,116	;
Select hickory	4,581	1	1,173	921	1,909	578	1	1	1	•	!
Other hickory	889	;	688	!	;	;	1	;	:	•	!
Basswood	11,204	;	;	2,908	1,362	1,334	1,142	481	1,086	469	2,422
Beech	:	i	:	1	-	ŀ	ļ	;	1	1	ę 1
Yellow birch	1	1	1	1 1	1	1	;	1	-	;	;
Hard maple	24,768	!	1	3,890	2,589	6,820	3,182	2,946	2,219	3,122	;
Soft maple	14,910	1	2,131	1,836	3,066	1,439	1,833	966	1,225	2,033	352
Elm	21,817	1	2,751	4,143	5,012	552	4,066	1,157	1,373	2,763	!
Black ash	738	!	;	738	;	1	1	;	;	-	!
White & green ash	4,597	8	543	!	1,328	1,011	518	;	1,197	1	1
Cottonwood	2,451	;	1	!	1	;	1	;	1,538	1	913
Willow	2,385	1	559	1	1,002	!	1	1	824	1	!
Hackberry	1	;	;	1	;	1	1	į	1	1	;
Balsam poplar	*	;	1	;	;	2	;	1	!	!	!
Bigtooth aspen	2,890	;	;	874	574	1,442	1	1	•	1	;
Quaking aspen	:	;	;	;	;	;	1 1	1	1	1	1
Paper birch	5,886	1	2,654	2,495	1	1	737	1	}	1	;
River birch	2,121	;	1	1	1,190	1	931	1	;	1	;
Black cherry	4,245	!	!	1,522	2,196	1	8	527	ł	1	;
Black walnut	1,295	!	573	:	1	722	1	!	i	;	!
Butternut	5,362	!	515	1,190	2,640	499	1	3 7	518	;	!
Other hardwoods	5,028	1	815	1,885	968	806	1	ŝ	524	ŧ	;
Total	304,598	1	25,752	55,874	63,539	40,714	29,122	25,429	40,870	19,611	3,687
All species	305,184	:	26,338	55,874	63,539	40,714	29,122	25,429	40,870	19,611	3,687

1/International 1/4-inch rule.

Table 41.--Net annual growth of growing stock on commercial forest land by softwoods and hardwoods, Southwest Unit, Wisconsin, 1967 and 1982

(In thousand cubic feet)

Species	1967	1982
Softwoods	976	5,520
Hardwoods	36,748	44,709
All species	37,724	50,229

Table 42.--Net annual growth of growing stock on commercial forest land by species group and county, Southwest Unit, Wisconsin, 1982

	A11				С	ounty			
Species group	counties	Buffalo	Crawford	Dunn	Grant	Iowa	La Crosse	Lafayette	Pepin
Softwoods									
Jack pine	193			77			78		
Red pine	4,659	328		1,468		11	233		
White pine	508			46	33	63	89		8
White spruce	23	44 **							
Black spruce	38								
Balsam fir	3								
Hemlock				MR HID					
Tamarack									
Eastern redcedar	96				18				
Northern white-cedar					/				
Other softwoods .									
Total	5,520	328		1,591	51	74	400		8
Hardwoods									
White oak	5.072	307	439	339	780	659	315	154	68
Select red oak	8,644	1,119	819	977	739	365	770	40	201
Other red oak	4,184	629	530	437	561	153	148	85	7
Select hickory	1,927	237	347		158	162	234	9	
Other hickory	1,909	3	195	64	97	125	38	11	
Basswood	3,570	113	356	229	330	267	198	71	143
Beech									
Yellow birch	38			28					
Hard maple	3,102	21	433	222	306	94			55
Soft maple	2,740	110	516	575	136	73	70		92
Elm	-886	33	-217	17	-227	149	20	-118	-185
Black ash	465	mp ===	82	110	22	144	21		13
White & green ash	1,417	113	172	139	49	80		16	46
Cottonwood	474	67	3	-15	34	22	89		34
Willow	191		49	-43		-14	24		25
Hackberry	87	9			9		11		
Balsam poplar	62	17					***		
Bigtooth aspen	1,907	404	179	194	. 4	120	191		113
Quaking aspen	2,607	499	3	241	767	254	191	24	6
Paper birch	2,689	680	122	241	137	66	168		136
River birch	139	-3	3		97	32	9		17
Black cherry	2,221	372	57	25	289	206	101	108	14
Black walnut	438		69	4	158	104		21	
Butternut	809	15	-10	34	140	34	23		21
Other hardwoods	903	219	22		10	59	19		13
Total	44,709	4,964	4,169	3,818	4,596	3,154	2,640	421	819

(Table 42 continued on the next page)

(Table 42 continued)

			Cou	inty		
Species group	Pierce	Richland	St. Croix	Sauk	Trempealeau	Vernon
Softwoods						
Jack pine				38		
Red pine	72		1,072	180	1,295	
White pine				59	141	69
White spruce			23			
Black spruce				38		
Balsam fir				3		
Hemlock						
Tamarack						
Eastern redcedar				8	70	
Northern white-cedar						
Other softwoods						
Total	72		1,095	326	1,506	69
Hardwoods						
White oak	95	437	98	367	302	712
Select red oak	225	552	122	1,226	656	833
Other red oak	77	171	107	335	727	217
Select hickory		247	~-	205	73	255
Other hickory	272	642	11	178	66	207
Basswood	190	430	79	368	92	704
Beech						
Yellow birch			~ -	10		
Hard maple	655	648	26	137	400 500	505
Soft maple		205		735	168	60
Elm	-148	-88	-156	61	-3	-24
Black ash		18	55	-9	-12	21
White & green ash	156	221	104	106	7	208
Cottonwood	92	50	- 8		51	39
Willow		-7			157	
Hackberry		54		-4		8
Balsam poplar					45	
Bigtooth aspen	48	155	43	332	175	-51
Quaking aspen	50	-6	259 -	14	-37	342
Paper birch	85	130	328	40	406	150
River birch					-16	
Black cherry	102	87	-27	457	168	262
Black walnut		21				61
Butternut	255	235	5	14		43
Other hardwoods	54	65	239		30	173
Total	2,208	4,267	1,301	4,572	3,055	4,725
All species	2,280	4,267	2,396	4,898	4,561	4,794

Table 43.--Net annual growth of sawtimber on commercial forest land by species group and county, Southwest Unit, Wisconsin, 1982

	A11	······			· · · · · · · · · · · · · · · · · · ·	County			
Species group	counties	Buffalo	Crawford	Dunn	Grant	Iowa	La Crosse	Lafayette	Pepin
Softwoods	codiferes	Darraro	or awror a	Daim	ui aire	1044	La crosse	Larayette	тертп
Jack pine	951			311			640		
Red pine	6,865	187		2,882			2.151		
White pine	1,834	107		194	203	318	579		43
White spruce	1,034				203	310	5/5		43
Black spruce									
Balsam fir									
Hemlock									
Tamarack									
Eastern redcedar	105				63				
Northern white-cedar									
Other softwoods									
Total	9,755	187		3,387	266	318	3,370		43
Hardwoods									
White oak	26,203	1,630	1,816	2,046	4,563	2,726	1,299	882	225
Select red oak	42,851	4,829	3,643	4,062	3,665	1,681	4,548	208	963
Other red oak	19,558	2,742	1,449	850	2,734	572	1,243	484	92
Select hickory	6,446	730	461		489	759	613	13	40 10
Other hickory	2,165	. 13	306		78	23	253		
Basswood	15,119	442	1,894	975	1,125	890	671	157	490
Beech									
Yellow birch	85			68	-	~-			
Hard maple	12,036	105	912	1,157	1,521	211		`	285
Soft maple	7,818	669	1,384	1,638	666	115	234		283
Elm	-3,154	1,047	-1,152	81	-672	524	886	-651	-1,278
Black ash	1,111		40	345	284		29		-29
White & green ash	7,112	1,629	634	779	425	81		54	194
Cottonwood	2,143	253	14	-68	148	104	236		124
Willow	1,055		935	-183		29			111
Hackberry	251								
Balsam poplar	428	130							
Bigtooth aspen	6,719	1,523	515	1,440	198	334	~297	~~	798
Quaking aspen	7,099	2,322	187	381	71		215	77	246
Paper birch	5,870	1,444	634	578	176	352	108		136
River birch	266	6	21		17	38	113		142
Black cherry	3,868	696		150	25	240	227	116	172
Black walnut	3,057		297		1,906	371			
Butternut	3,200	-46	132	301	1,900	56	294		33
Other hardwoods	1,631	139	876	301	63	176	294 66		102
								1,340	2,917
Total	172,937	20,303	14,998	14,600	17,482	9,282	10,738		
All species	182,692	20,490	14,998	17,987	17,748	9,600	14,108	1,340	2,960

 $[\]frac{1}{I}$ International $\frac{1}{4}$ -inch rule.

(Table 43 continued)

	County							
Species group	Pierce	Richland	St. Croix	Sauk	Trempealeau	Vernon		
Softwoods								
Jack pine					~~			
Red pine	237		1,147	261				
White pine				284	40.40	213		
White spruce					~~			
Black spruce								
Balsam fir								
Hemlock								
Tamarack								
Eastern redcedar				42				
Northern white-cedar								
Other softwoods								
Total	237		1,147	587		213		
Hardwoods								
White oak	292	1,707	134	3,966	1,485	3,432		
Select red oak	1,469	2,362	837	6,039	3,560	4,985		
Other red oak	392	1,001	469	1,616	4,583	1,331		
Select hickory		1,061		1,324	19	977		
Other hickory	238	112		994		148		
Basswood	965	1,837	1,230	1,170	246	3,027		
Beech								
Yellow birch				17				
Hard maple	2,720	2,500	123	260		2,242		
Soft maple		965		983	786	95		
E1m ·	223	-685	-429	-268	-393	-387		
Black ash			458	-48		32		
White & green ash	1,338	1,385	30	28	28	507		
Cottonwood	435	237	28		197	435		
Willow		-35	<u>-</u> -		198			
Hackberry		316		-65				
Balsam poplar					298			
Bigtooth aspen	218	766	518	400	555	-249		
Quaking aspen	190	66	1,924	1,049	371			
Paper birch	333	47	354	19	1,779	-90		
River birch					-71			
Black cherry	19	133		207	1,609	446		
Black walnut						483		
Butternut	1,445	417		139		429		
Other hardwoods	131	62	16					
Total	10,408	14,254	5,692	17,830	15,250	17,843		
All species	10,645	14,254	6,839	18,417	15,250	18,056		

Table 44.--Net annual growth of growing stock on commercial forest land by ownership class and softwoods and hardwoods, Southwest Unit, Wisconsin, 1982

		Growing sto	ock	Sawtimber			
Ownership class	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods	
	Th	ousand cubic	feet	Tho	usand board	feet $\frac{1}{}$	
National Forest							
Miscellaneous federal	258		258	1,253		1,253	
State	369		369	1,957		1,957	
County and municipal	89	77	12	1,690	261	1,429	
Indian		~~					
Forest industry					~ =		
Farmer	33,586	2,471	31,115	123,556	6,139	117,417	
Misc. private-corp.	2,157	189	1,968	8,071	1,332	6,739	
Misc. private-indiv.	13,770	2,783	10,987	46,165	2,023	44,142	
All owners	50,229	5,520	44,709	182,692	9,755	172,937	

 $[\]frac{1}{4}$ International $\frac{1}{4}$ -inch rule.

Table 45.--Net annual growth of growing stock on commercial forest land by species group and type, Southwest Unit, Wisconsin, 1982

		Forest type						
								Northern
	A11	Jack	Red	White	Balsam	White	Black	white-
Species group	types	pine	pine	pine	fir	spruce	spruce	cedar
Softwoods								
Jack pine	193	145	39					
Red pine	4,659	39	4,188					
White pine	508	29	16	230				
White spruce	23		23					
Black spruce	38		38				aa -00	
Balsam fir	3		3					
Hemlock Procedure					~-			~-
Tamarack				49.48				
Eastern redcedar	96							~-
Northern white-cedar								
Other softwoods				-a on				
Total	5,520	213	4,307	230				
Hardwoods								
White oak	5,072				~			
Select red oak	8,644		28					
Other red oak	4,184	5	8					
Select hickory	1,927					40.00		
Other hickory	1,909							
Basswood	3,570							
Beech								
Yellow birch	38							
Hard maple	3,102							
Soft maple	2,740							
Elm	-886	13						
Black ash	465							
White & green ash	1,417							
Cottonwood	474			8				
Willow	191			0				
Hackberry	87							
Balsam poplar	62							
Bigtooth aspen	1,907							
		13	-27					
Quaking aspen Paper birch	2,607							
	2,689							
River birch	139							
Black cherry	2,221		2		40 40			
Black walnut	438							
Butternut	809		10					
Other hardwoods	903		12					
Total	44,709	31	23	88	#E 149			
All species	50,229	244	4,330	238				

(Table 45 continued on next page)

(Table 45 continued)

				Forest	type			
		Oak-	Elm-ash-	Maple-		Paper		Non-
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotic	stocked
Softwoods								
Jack pine		9						
Red pine		406		26				
White pine		91		134	8			
White spruce								
Black spruce								
Balsam fir								
Hemlock								
Tamarack							No. on	
Eastern redcedar		70		26				
Northern white-cedar								
Other softwoods								
Total		576		186	8	00 to		
Hardwoods								
White oak		4,300	165	524	39	28		16
Select red oak		6,980	40 10	1,340	66	221		9
Other red oak		3,926	49	129	27	7		33
Select hickory		1,611		215		101		
Other hickory		990	19	839	61			
Basswood		1,477	34	2,004	27	19		9
Beech								
Yellow birch				33	5			
Hard maple		649		2,444		9		
Soft maple		736	1,329	645	14	16		
Elm		-80	-792	80	26	-39		-94
Black ash		57	343	65				
White & green ash		356	251	726	77			7
Cottonwood		124	169	95	78			
Willow			149	11	24			7
Hackberry		9	30	48				
Balsam poplar		45		~~		17		
Bigtooth aspen		596	10	478	764	59		
Quaking aspen		818		307	1,470	40		-14
Paper birch		1,230	51	236	132	1,040		
River birch		5	134					
Black cherry		1,271	7	908		33		
Black walnut		328		98				12
Butternut		438		366				5
Other hardwoods		248	275	343	19	6		
Total		26,114	2,223	11,934	2,829	1,557		-10
All species		26,690	2,223	12,120	2,837	1,557		-10

(In thousand board feet) $\frac{1}{}$

					Forest ty	ре		
	A11	Jack	Red	White	Balsam	White	Black	Northern
Species group	types	pine	pine	pine	fir	spruce	spruce	white-ceda
Softwoods								
Jack pine	951	899	52					
Red pine	6,865	261	5,000					
White pine	1,834	168	84	579				
White spruce								
Black spruce							***	
Balsam fir					**			
Hemlock	***					~~		
Tamarack								
Eastern redcedar	105							
Northern white-cedar								
Other softwoods								
Total	9,755	1,328	5,136	579				
	9,755	1,320	5,130	5/9				
Hardwoods White oak	26,203							
Select red oak	42,851							
Other red oak	19,558	27	36					
Select hickory	6,446		30					
Other hickory							-	
Basswood	2,165							
Beech	15,119				AG MB			
Yellow birch	85							
Hard maple	12,036							
Soft maple	7,818	104						
Elm	-3,154	104			~ ~			
Black ash	1,111			~~				
White & green ash	7,112							
Cottonwood	2,143			36				
Willow	1,055							
Hackberry	251							
Balsam poplar	428							
Bigtooth aspen	6,719							
Quaking aspen	7,099							
Paper birch	5,870				~~			
River birch	266					*** ***		
Black cherry	3,868		6				~ -	
Black walnut	3,057							
Butternut	3,200	***						
Other hardwoods	1,631		66					
Total	172,937	131	108	36				
All species	182,692	1,459	5,244	615				

 $[\]frac{1}{I}$ International 1/4-inch rule.

(Table 46 continued on next page)

(Table 46 continued)

				Fores	t type			
		0ak-	Elm-ash-	Maple-		Paper		Non-
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotic	stocked
Softwoods								
Jack pine								
Red pine		457		1,147				
White pine		362		641				
White spruce								
Black spruce		ac as						
Balsam fir								
Hemlock								
Tamarack								
Eastern redcedar				105				
Northern white-cedar								
Other softwoods								
Total		819		1,893				
Hardwoods								
White oak		22,085	29	3,773	113	169		34
Select red oak		35,726		5,903	576	599		47
Other red oak		17,953	151	994	233	36		128
Select hickory		5,569		619		258		
Other hickory		1,583		559	23			
Basswood		5,852	174	8,088	958			47
Beech								
Yellow birch				59	26			
Hard maple		2,288		9,748				
Soft maple		1,227	4,975	1,543		73		
Elm		1,135	-2,589	-1,937	640	-273		-234
Black ash		241	742	128	***			
White & green ash		964	1,250	3,649	1,219			30
Cottonwood		580	987	403	137			
Willow			986	40				29
Hackberry			156	95				
Balsam poplar		298				130		
Bigtooth aspen		3,210	51	885	2,150	423		
Quaking aspen		2,389		1,960	1,953	797		
Paper birch		1,653	176	63	177	3,801		
River birch		74	192					
Black cherry		1,327		2,496		39		
Black walnut		1,654		1,374				29
Butternut		1,148		2,052				
Other hardwoods		230	1,137	156	42			
Total		107,186	8,417	42,650	8,247	6,052		110
All species		108,005	8,417	44,543	8,247	6,052		110

Table 47.--Net annual growth of growing stock on commercial forest land by forest type, stand-size class, and basal-area class, Southwest Unit, Wisconsin, 1982

(In thousand cubic feet)

Forest type and	Δ11						Basal	area class		(square feet per	acre)				
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70		81-90	91-100	101-120	121-150	151-180	181+
Jack pine Sawtimber	167	1	;	;	;	;	1	!	;	7.0	!	!	97	1	:
Poletimber	77	;	;	;	;	;	;	1	!	:	;	1	77	į	*
Sapling & seedling	-	1		!	,	9 0	;		9 8	1	;	8 0	1	1	!
All stands	244	-	:	1	:	-	-		-	70	:	1	174	-	:
Red pine															
Sawtimber	259	8	1	!	;	1	1	!	!	;	!	!	;	259	1
Poletimber	3,462	;	1 1	1	;	!	1 0	;	218	400	!	1	1,070	855	919
Sapinng & seeding	609	:	1/4	-	:	1	435	:	5	8	:	;	:	:	:
All stands	4,330	1	174	1	1	;	435	1	218	400	i	-	1,070	1,114	919
White pine															
Sawtimber	26	į	1	;	6	1	1	1	!	;	!	!	!	1	!
Poletimber	141	;	;	1	;	1	1	1	I	;	;	141	1	;	!
Sapling & seedling	1	1		!	;	;	1	1	!	!	}	!	1	!	!
All stands	238	1	;	;	97	1	1	;	;	:	;	141	!	1	:
Balsam fir															
Sawtimber	1	;	;	;	;	1	!	į	1	ļ	;	1	1	;	;
Poletimber	1	1		1	;	;	1	!	1	1	!	ł	1	1	!
Sapling & seedling	;	;	:	1	;	:	;	1		-	-	-	-	-	:
All stands	*	,	;	;	1	1	2	:	1	ŧ	;	1	-	-	t i
White spruce															
Sawtimber	1	!	1	1	1	!	ł	!	!	;	i	1	1	;	;
Poletimber	1	;	;	t	î	;	;	!	!	;	;	;	;	;	;
Sapling & seedling	:		:	1	1	;	:	;	:	:	:	;	:	;	:
All stands	;	:	1		1	9	1	1	1	;	1	1	. 1	1	1
Black spruce															
Sawtimber	;	1	;	!	;	;	;	ŧ	;	!	1	9	į	1	* *
Poletimber	1	;	;	1	1	1	1	;	1	ı	!	i	1	ľ	;
Sapling & seedling	:	;	1	1	-	1	1	!	1	!	!	9	;		;
All stands		1	1	1	t i	1	;	;	1	1	1	-	1	;	1
Northern white-cedar															
Sawtimber	;	1	1	1	;	!	;	;	1	ļ	1	1	1	;	1
Poletimber	\$ 8	;	i i	!	1	;	!	;	1	1	1	!	ŧ	1	!
sapiing & seedling		:	:	:	:		:	:	:	:	-	:	:	:	:
All stands	;	;	;	1	:	8	;	1	;	;	:	}	-	1	:

(Table 47 continued on next page)

(Table 47 continued)

Forest type and	A1.1						Basal	area class	s (square	feet per	acre)				
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack															
Sawtimber	1	1	1	;	1	1	1	1	;	!	į	1	;	;	;
Poletimber	!	!	1	1	1	1	6	;	!	1	!	!	;	1	;
Sapling & seedling	:	:	:	:	:	:	1	-	1	:		1	1	1	:
All stands	-	:	-		1	1	1	:	1	9 5	!	1	1	1	:
Oak-hickory															
Sawtimber	17,650	;	;	135	168	351	687	857	1,546	2,554	1,650	4,959	3,480	1,136	127
Poletimber	6,964	;	1	I	101	151	425	460	738	887	771	1,884	839	402	306
Sapling & seedling	2,076	6	09	231	181	135	498	284	19	274	150	113	122	1	; ;
All stands	26,690	6	9	366	450	637	1,610	1,601	2,303	3,715	2,571	936,9	4,441	1,538	433
Elm-ash-soft maple															
Sawtimber	950	1	1	;	16	-31	215	1	39	281	198	85	113	34	:
Poletimber	710	1	1	1	!	!	215	!	137	-	1	358	;	;	;
Sapling & seedling	563	1	100	150	58	29	109	1	1	!	1	1	79	;	;
All stands	2,223	1	100	150	74	36	539	:	176	281	198	443	192	34	:
Maple-birch															
Sawtimber	5,744	1	1	11	!	132	394	282	797	530	314	2,202	944	72	;
Poletimber	4,909	1	1	1	56	210	716	64	471	780	87	1,384	1,007	164	;
Sapling & seedling	1,467	2	135	339	358	346	188	42	54	!	-	1	!	1	:
All stands	12,120	5	135	416	384	688	1,298	388	1,322	1,310	401	3,586	1,951	236	1
Aspen															
Sawtimber	748	;	1	;	;	1	70	1	41	207	;	257	173	:	;
Poletimber	1,185	1	445	;	!	20	148	40	41	!	319	70	72	!	;
Sapling & seedling	904	17	1	1	73	615	199	:	-	1		1	1	!	;
All stands	2,837	17	445	7	73	999	417	40	82	207	319	327	245	1	;
Paper birch															
Sawtimber	371	!	1	;	1 1	:	29	63	36	87	1	;	;	;	118
Poletimber	1,089	;	1	;	;	290	1	!	232	29	69	89	342	1	;
Sapling & seedling	97	:		1	40	-	-	57	;	1	!	;	*	1	1
All stands	1,557	;	1	1	40	290	29	120	568	154	69	89	342	:	118
Exotic															
Sawtimber	1	1	!	;	!	!	1	!	1	!	;	;	;	1	;
Poletimber	1	;	:	;	ŧ	;	;	;	;	!	!	1	;	1	1
Sapling & seedling	-	!	1	:	-	*	;	!	;	1	1	1	1	;	•
All stands	-	1	-	;	1	1	;	1	:	:	1	:	!	:	:
Nonstocked	-10	1	;	7	1	:	-30	-12	6	1	:	16	:	:	:
All types															
Sawtimber	25,986	1	1 :	212	281	452	1,433	1,202	2,459	3,729	2,162	7,503	4,807	1,501	245
Carling & coodling	18,53/	15	445	1 0	127	701	1,504	564	1,837	2,134	1,246	3,926	3,407	1,421	1,225
Nonstocked	-10	1 1	h 1	7	01/	1,103	1,429	383 -12	<i>ა</i> თ	ħ/7	120	113	107	; ;	; ;
All stands	50,229	31	914	939	1.118	2.316	4.336	2.137	4.378	6.137	3.558	11.558	8.415	2,922	1.470
												- 2 2 2 2 2		-1,1	2016

Table 48.--Net annual growth of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class, Southwest Unit, Wisconsin, 1982

(In thousand board feet)1/

Forest type and	All										the short of the short of the short				
S	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine															
Sawtimber	1,198	1	ļ	î	;	1	1	î	1	531	1	!	299	1	1
Poletimber	261	;	!	1	1	!	;	!	;	3	;	;	261	;	1
Sapling & seedling	;	:	-	1	3 2	1	1		;	-	1	!	1	-	•
All stands	1,459	-	ì	1	1	:	1		;	531	1	1	928	-	1
Red pine															
Sawtimber	2,217	:	*	1	1	i	;	!	i i	ţ	Ī	!	1	2,217	1
Poletimber	3,027	;	;	;	1	!	1	-	1	1,332	1	!	1,285	!	410
Sapling & seedling_	-	;	:	:	;	1	1		-	!	1	1	1	•	
All stands	5,244	8	5 2	9	1	1	1	1	1	1,332	1	1	1,285	2,217	410
White pine															
Sawtimber	615	:	1	1	615	!	1	1	1	1	;	;	1	1	1
Poletimber	1	;	1	;	1	;	1	1	1	;	*	;	1	1	!
Sapling & seedling	!	;	!	!	1	1	1	;	i	î	!	1	ţ	1	!
All stands	615	1	1	1	615	1	2 9	!	:	1	;	1	1	1	1
Balsam fir															
Sawtimber	1	;	1	ì	!	ţ	I i	;	1	!	!	;	!	1	;
Poletimber	1	;	1	1	;	!	1	\$;	1	;	;	1	Į. \$	1
Sapling & seedling			1	;	:	1	-	-	!		-	-	6	***	-
All stands	ŧ	9 1	;	1	1	!	1	;	1	1	1	!	1	8 9	1
White spruce															
Sawtimber	1	;	;	;	ŀ	ŧ	1	1	î	;	!	1	8	;	!
Poletimber	1	1	1	;	1	;	;	1	!	1	1	1 8	}	;	-
Sapling & seedling		1	;	7	!	1	;	1	1	!		1	1	1	-
All stands	1	;	i	;	1	!	;	1	1	1	1 2	-	1	:	:
Black spruce															
Sawtimber	1	;	;	9	1	1	;	i	;	;	1	1	1	;	1
Poletimber	!	;	1	1	;	1	;	•	;	;	1	i	1	;	!
Sapling & seedling_	1	;	;	2 0	:	1	;	ľ	1 1	!	1	1	;	1.	;
All stands	1	ţ	1 1	;	;	!	1 2	1	1	;	1	1	!	!	1
Northern white-cedar															
Sawtimber	!	;	;	1	!	!	;	1	1	!	1	!	!	1	!
Poletimber	1	ŀ	1	i	i	!	1	!	1	1	!	1	1	!	!
Saping & seeding	1	1	1	;	1	1	1		-		1	-			1
All stands	!	Î	1	ì	!	1	;	1	1	;	1	3	!	1	1

(Table 48 continued)

Forest type and	All						Basal	area class	s (square	e feet per	acre)				
stand-size class	classes	0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack															
Sawtimber	i i	1	1	!	1	!	1	!	1	1 8	1	!	1	1	•
Sanling & seedling	1 1	1 1	1 1	1 1	1 1	\$ 9	1	1	;	1	;	•	1	!	;
All ctando													;		
550000													:	:	:
Oak-hickory	100				C		0		0	4	(4		(1
Sawtimber	89, I 29	!	!	/35	932	1,959	2,537	4,951	9,683	14,512	8,979	24,095	14,814	5,210	722
Conline Proceding	12,280		210	1 200	228	40	43	1,145	899	4/1	2,580	3,839	2,135	130	971
Saping & Securing	0,230	04	010	1,382	543	47C	186	069	04	334	199	683	306	1	:
All stands	108,005	64	816	2,117	1,733	2,523	3,571	6,786	10,415	15,317	11,758	28,617	17,255	5,340	1,693
Elm-ash-soft maple															
Sawtimber	5,111	;	!	1	180	69	851	1	435	1,407	1,213	537	572	-153	;
Poletimber	510	;	1	!	1	;	220	:	1	1	!	290	!	!	1
Sapling & seedling	2,796	;	363	569	293	1,661	9/	1	*	!	;	1	134	ł	;
All stands	8,417	;	363	269	473	1,730	1,147	:	435	1,407	1,213	827	706	-153	:
Maple-birch															
Sawtimber	26,542	1	1	312	125	465	2,399	726	3,118	2,549	2,647	9,386	4.275	540	!
Poletimber	12,094	!	;	1	;	120	4,095	-947	656	1,414	242	2,997	2,791	726	;
Sapling & seedling	5,907	25	541	671	1,178	1,749	1,340	263	140	. 1	1	1	1	1	;
All stands	44,543	25	541	983	1,303	2,334	7,834	42	3.914	3,963	2.889	12,383	7.066	1.266	:
Aspen															
Sawtimber	4,771	!	1	ì	;	1	1,287	1	398	979	i	-118	2,225	1	1
Poletimber	2,343	;	23	!	;	187	835	i i	268	1	251	400	379	1	!
Sapling & seedling	1,133	:	-	1	20	1,113	1	1	-	-	-	;	1	;	1
All stands	8,247	-	23	!	20	1,300	2,122	1	999	979	251	282	2,604	1	
Paper birch															
Sawtimber	2,782	1	ř	!	;	;	342	763	291	299	;	1	!	;	724
Poletimber	3,062	1	;	1	;	528	;	;	1,122	125	258	119	910	1	1
Sapling & seedling	208	;	!	;	19	1		189	-	1	1	1	1	:	!
All stands	6,052	:	1	ŧ	19	528	342	952	1,413	787	258	119	910	:	724
Exotic															
Sawtimber	;	!	1	;	;	1	8	;	1	1	Ī	!	;	;	1
Poletimber	1	;	!	1	;	!	;	1	1	!	1	;	1	1	;
Sapling & seedling	:	:		-	;	:	;	;	!	1	ł	1	1	;	;
All stands	1	1	-	:	:	1	1	1	:	:	;	;	:	:	:
Nonstocked	110	1	1	30	;	:	-57	71	99	:	:	1	:	:	:
All types Sawtimber	132,365		1	1 047	1 852	2 493	7 416	6 440	13 025	20 640	12 030	32 000	22 553	7 014	1 446
Poletimber	33,577	1	23	1	258	875	5,193	198	2,714	3,342	3,331	7,645	7,761	956	1,381
Sapling & seedling Nonstocked	16,640 110	88	1,720	2,322	2,053	5,047	2,407	1,142	204	334	199	683	440	}	
All stands	182,692	89	1,743	3,399	4,163	8,415	14,959	7.851	16.909	24.316	16.369	42.228	30, 754	8.670	2 827
							777677	1322	10000	219747	10000	76966	+0 / 600	2/262	6.3

Table 49.--Timber removals¹/ from growing stock on commercial forest land by species group and county, Southwest Unit, Wisconsin, 1982

(In thousand cubic feet)

	A11							Cc	County						
Species group	counties	Buffalo	Buffalo Crawford	Dunn	Grant	Iowa	La Crosse	Lafayette	Pepin	Pierce	Richland St	. Croix	Sauk T	Trempealeau	Vernon
Softwoods															
Jack pine	315	1	;	230	1	1	က	;	1	;	;	;	82	1	;
Red pine	1,648	—	;	1,247	;	!	20	;	1	2	;	;	226	152	;
White pine	230	1	;	117	-	2/	2/	1	15	1	;	;	25	53	19
White spruce	;	;	;	;	;	1;	i ;	;	!	;	!	;	;	;	;
Black spruce	1	1	;	1	;	;	;	:		;	;	;	:	;	1
Balsam fir	;	!	;	1	ì	;	;	;	;	;	;	;	:	;	!
Hemlock	;	!	;	1	;	ţ	;	;	1	!	;	;	1	ļ	;
Tamarack	;	;	i	;	!	;	;	!	1	;	;	;	;	;	;
Northern white-cedar	ar	1	;	1	;	;	{	;	ļ	!	1	1	;	;	;
Other softwoods	1	!	1	1	1	;	;	;	•	;	1	;	1	;	;
Total	2,193	-	•	1,594	1	/2	23		15	2	9	:	333	205	19
Hardwoods															
White oak	3,972	361	283	258	703	348	208	54	141	72	214	25	534	339	432
Select red oak	10,627	1,585	761	996	645	384	818	က	462	247	463	195	1,849	988	1,261
Other red oak	4,981	696	300	335	459	323	389	24	14	82	192	58	392	1,068	376
Hickory	231	36	6	8	1	10	24	:	!	80	2		28	20	51
Basswood	1,293	144	33	191	61	28	19	7	54	246	06	35	222	82	87
Beech	1	1	1	- }	;	1	;	;	1	;	1	1.	;	;	;
Yellow birch	39	1	;	56	;	;	!	;	E E	i	1	;	13	-	ţ
Hard maple	1,234	36	71	214	44	13	1	;	89	248	219	ł	129	1	192
Soft maple	1,208	156	62	152	73	14	219	;	62	1	49	;	190	131	100
Elm	1,729	161	79	200	258	261	45	-	29	169	131	168	80	43	74
Ash	411	49	28	72	17	10	10	1	22	32	85	9	24	14	42
Cottonwood	85	24	3	10	11	1	Н	;	4	18	, 1	1	1	7	9
Balsam poplar	!	;	;	1	1	1	;	;	i	;	!	1 2	!	;	1
Bigtooth aspen	1,229	163	19	124	6	က	88	1	45	9	09	9	417	. 269	20
Quaking aspen	999	164	က	52	13	က	43	1	15	10	œ	23	36	163	30
Paper birch	287	140	9	9	4	ł	6	;	15	က	1	49	15	33	7
Black walnut 3/	66	1	12	1	37	35	!	1	1	ı	12	;	1	1	2
Other hardwoods 2/	438	141	8	10	6	48	52		10	1	6	7	56	. 82	34
Total	28,429	4,129	1,677	2,624	2,344	1,480	1,925	85	971	1,142	1,538	573	3,988	3,239	2,714
All species	30,622	4,130	1,677	4,218	2,345	1,480	1,948	85	986	1,144	1,538	573	4,321	3,444	2,733

 $\frac{1}{2}$ /Removals in 1982 are trend-level removals. $\frac{2}{2}$ /Less than 500 cubic feet. $\frac{3}{4}$ /Includes black cherry and butternut.

Table 50.--Timber removals from sawtimber on commercial forest land by species group and county, Southwest Unit, Wisconsin, 1982 (In thousand board feet) $\overline{1}/$

	A11							ن	County						
Species group	counties	Buffalo Crawford	Crawford	Dunn	Grant	Іома	La Crosse	Lafayette	Pepin	Pierce	Richland St.	. Croix	Sauk Ti	Trempealeau	Vernon
Softwoods															
Jack pine	354	1	1	350	1	1	4	1	!	1	1	ŧ	;	1	1
Red pine	1,464	2	1	1,202	1	1	37	Î	;	e	1	î	217	1	;
White pine	854	İ	1	580	2	—	1	;	84	4 5	:	;	98	;	16
White spruce	1	;	;	;	;	1	;	;	;	;	;	;	!	;	;
Black spruce	1	1	;	;	;	1	;	;	1	1	!	!	;	;	!
Balsam fir	;	1	;	;	;	;	1	1	ł	;	;	1	;	1	;
Hemlock	1	1	1	;	;	;	ŧ	î	;	;	;	į	;	;	!
Tamarack	-	1	!	î	1 1) †	;	ļ	-	1	;	;	;	;	!
Northern white-cedar	ar	1	;	;	;	;	;	1	!	;	;	1	;	;	;
Other softwoods]	1	1	;	;	1	1	1	1	1	1	;	;	{	!
Total	2,672	5	9 2	2,132	5	-	42	1	84	m	1	:	303	:	97
Hardwoods															
White oak	18,124	1,488	1,352	1,206	3,393	1,697	1,025	287	009	312	1,109	90	1,918	1,574	2.073
Select red oak	49,484	7,745	3,999	5,175	3,065	1,883	4,406	16	2,040	1,122	2,290		6,009	4,956	6,405
Other red oak	21,004	4,550	1,067	1,015	1,693	1,375	1,630	81	9	400	893		1,853	4,574	1,583
Hickory	1,027	172	44	1	7	48	112	;	1	31	23		290	66	201
Basswood	5,216	999	137	920	274	133	94	4	217	1,177	429	36	390	321	418
Beech	1	1	ì	!	1	;	1	1	;	1	1	ì	1	!	1
Yellow birch	2	ŧ	î	_	;	!	;	;	1	;	;	;	1	!	;
Hard maple	6,206	119	361	1,119	211	71	;	;	316	1,326	1,181	;	467	:	1,035
Soft maple	3,545	623	5	423	169	21	571	1	140	;	86	;	514	544	437
Elm	6,436	492	309	921	1,002	737	195	5	209	775	494	439	305	208	345
Ash	1,875	113	135	330	82	49	20	;	85	154	470	26	108	68	205
Cottonwood	406	116	11	48	48	1	5	ì	16	16	6	;	;	30	25
Balsam poplar	1	1	;	;	;	;	;	;	;	;	;	1	1	;	
Bigtooth aspen	4,032	811	63	089	52	15	301	;	174	38	300	31	288	1,159	120
Quaking aspen	1,804	714	7	162	14	ţ	82	;	15	36	23	71	204	476	!
Paper birch	495	134	17	24	es	1	41	;	39	17	;	22	37	161	;
Black walnut 2,	338	1	58	;	179	91	;	;	;	1	;	;	ļ	;	10
Other hardwoods=/	1,245	301	37	20	37	133	170	4	33	က	42	30	119	255	31
Total	121,239	18,044	7,602	12,074	10,229	6,254	8,682	397	3,946	5,488	7,361	1,346 1	12,503	14,425	12,888
All species	123,911	18,049	7,602	14,206	10,234	6,255	8,724	397	4.030	5,491	7,361	1.346	12,806	14.425	12,985
												ı			

 $\frac{1}{2}/\mathrm{International}$ $\frac{1}{4}-\mathrm{inch}$ rule, $\frac{2}{4}/\mathrm{Includes}$ black cherry and butternut.

Table 51.--Growing-stock average annual removals on commercial forest land by species group and county, Southwest Unit, Wisconsin, 1967-1982

(In thousand cubic feet per year)

	All							ن	County						
Species group	counties	Buffalo Crawford	Crawford	Dunn	Grant	Iowa	La Crosse l	Crosse Lafayette	Pepin	Pierce	Richland St.	. Croix	Sauk T	Trempealeau	Vernon
Softwoods															
Jack pine	;	1	;	1	;	i	:	•	;	;	i	;	ŀ	;	1
Red pine	1	1	!	1	1	1	1	;	;	;	;	;	!	;	;
White pine	1	;	1	•	ļ	;	:	;	1	;	;	ł	1	;	!
White spruce	:	;	;	1	1	;	*	1	!	;	;	!	ŧ	;	1
Black spruce	1	;	;	1	1	;	1	!	;	1	;	ļ	i	ł	;
Balsam fir	;	:	1	1	ļ		;	ļ	ļ	1	:	1	8	;	;
Homlock		1													
Tamanack		:			1	i i	!	1	l i	t I	;	i I	1	;	!
Iallarack	:	!	ļ	1	;	1	:	ŀ	î î	1		-	1	1	!
Northern white-cedar Other softwoods	dar	: :	; ;	! !	1 }	; ;	: :	; ;	1 1	1 1	; ;	: :	: :	; ;	1 1
Total	:	- 1	;	:	1	;		;	;	:	-	:	:	:	1
Hardwoods															
White oak	2,427	46	45	73	353	154	56	;	45	1	49	;	920	439	247
Select red nak	10 176	1 479	290	30.00	432	98	1 001		336	330	2	126	4 612	300	FOB
Other red oak	2,576	475	268	587	7 !	3 ;	171	:	2 1	5 1		204	328	316	227
Hickory	60	40)	. 1			4 4			1	: 1		73	24	101
Paccino	1 255	P		222	1	}	}	!	1				7 1		120
Dasswood	CC7 *T	1	1	767	!	l	:	;		547	101	31	5/4	-	۲/
Reech	1	!	;	!	1	!	:	1	1	1	:	8 2	1	;	!
Yellow birch	44	;	;	!	1 2	1	-	:	!	i	8 8	1	44	;	t I
Hard maple	1,270	1	1	1	213	;	!	;	;	;	;	921	136	;	!
Soft maple	817	400	;	117	;	ì	8	;	;	!	;	ţ	300	;	!
Elm .	1,575	89	1	108	268	227	115	1	;	130	283	281	53	;	42
Ash	237	30	1	!	1	40	3 2	1	;	53	54	:	: 1	1	9
Cottonwood	73	!	;	:	1	;	!	;	1	: :	73	;	;	ļ	:
Willow	24	24	;	;	;	1	;	;	;	1	:	;	;	!	1
Hackberry	51	1	;	1	!		;	;	;	!	51	1	;	ł	;
Balsam poplar	1	;	;	1	}	1 1	;	;	;	!	;	1	1	ł	ļ
Bigtooth aspen	764	;	1	88	;	;	1	;	;	8	214	1	399	ļ	62
Quaking aspen	86	!	1	98	:	1	;	!	¦	!		1	; ;	;	! ;
Paper birch	176	128	;	!	1	ļ	:	;	;	!	;	48	;		;
River birch	99	99	1	1	;	;	;	;	;	!	;	2	!	ł	1
Black cherry	54	!	ł	;	1	1	;	1	;	1	;	1	ļ	31	23
Black walnut	1	1	;	1	1	1	;	;	;	1	;	;	;	;	1
Butternut	!	1	1	1	1	i	1	ł	;	!	!	1	1	1	1
Other hardwoods	8	-	-	;	1	;	ţ	;	;	!	!	;	1	;	00
Total	21,772	2,756	612	1,860	1,266	507	1,433	:	381	99/		1,611	7,409	1,086	1,260
All species	21,772	2,756	612	1.860	1.266	507	1.433	:	381	766	825		7.409	1.086	1.260
						,			4000			1	20.6	49000	- 3

Table 52.--Sawtimber average annual removals on commercial forest land by species group and county, Southwest Unit, Wisconsin, 1967-1982 (In thousand board feet per year) $^{1/2}$

Species group counties Softwoods Jack pine White pine White spruce Black spruce Balsam fir Hamlock Tamarack Northern white-cedar Other softwoods White oak Select red oak Hickory Basswood Softwoods Counties Active Counties Counti	Buffalo Crawford 7,411 1,504 1,534 1,267 204	Crawford	Dunn 	Grant	Iowa 	La Crosse L	Crosse Lafayette	Pepin	Pierce	Richland S	St. Croix	Sauk Tr	Trempealeau	Vernon
ne ine ine oruce fir white-cedar oftwoods red oak	7,411	1,504	2,888	1111	1 1	;								:
ine ine oruce fir white-cedar oftwoods fed oak	7,411	1,504	2,888	1 1 1 1	: :	;								1
ine oruce fir white-cedar oftwoods red oak	7,411	1,504	2,888	1 1 1	1		1	1	;	;	;	1	;	
ine oruce fir white-cedar oftwoods _ ak red oak	7,411	1,504	2,888	: :		;	1	;	!	;	;	;	1	!
oruce fir fir white-cedar oftwoods ak red oak	7,411	1,504	371	;	1	;	;	:	t I	;	!	;	:	!
fir n white-cedar oftwoods ak red oak	7,411	1,504	371		!	;	1	;	!	;	;	;	ł	1
fir white-cedar oftwoods sk red oak ed oak	7,411	1,504	371	;	!	;	;	;	;	;	;	;	;	!
white-cedar oftwoods - ak red oak	7,411	1,504	371	1	;	;	;	;	!	ţ	1	;		1
oftwoods	7,411	1,504	371 2,888	;	ł	ŀ	1		1	1		1	1	
oftwoods oftwoods ak red oak	7,411	1,504	371 2,888	;	;	;	i	1		: ;	: :	! !	; ;	; ;
oftwoodsak ak red oak ed oak	7,411	1,504	371	;	;	;	;	;	1	;	1	:	1	;
ak red oak ed oak	7,411	1,504	371	;	1	;	:	1	;	;	;	;	1	ł
ak red oak ed oak	7,4111,534	1,504	371	;	:	1	:	;	:	:	:	:	:	;
d oak oak	7,4111,534	1,504	371											
d oak oak	7,411 1,534 204	1,504	2,888	1,758	749	279	1	221	1	237	;	3,556	2,334	1.154
	1,534	1,267		2,189	424	5,458	1 1	1,694	1,701	;	1	9,394	1,291	2,504
	204	î Î	2,825	1	5 9	835	;	;	1	!	592	1,549	1,553	477
	1		!	:	!	;	;	;	;	;	1	236	;	;
		1	1,139	!	;	;	;	;	1,228	494	1 1	2,021	;	354
Beech	1	1	;	1	ŧ	;	;	ļ	1	;	1	1	1	1
Yellow birch	1	ì	t F	;	!	;	1 1	;	;	;	;	;	;	1
	1	1	1	1,136	:	1	9	;	;	1	4,608	509	;	;
: maple	1	1	628	1	;	;	;	:	!	;		1,516	;	1
	1	;	474	1,249	266	508	-	ł	591	1,234	1,114	234	;	ţ
Ash 1,090	1	;	;	1	216	;	;	I	270	324		1	1	280
poo ₁	1	1	i	1	;	1	1	;	;	310	!	;	;	1
	!	;	;	1	;	1	;	1	ì	;	!	;	;	;
Hackberry 233	!	;	1	!	1	;	ŧ	;	1	233	1	;	;	1
	!	;	;	;	1 2	!	1	j	;	;		;	;	!
Bigtooth aspen 1,767	!	;	453	!	1		1	;	;	1,027	!	ŧ	;	287
Quaking aspen	!	1	!	!	;	;	!	1	1	1 8		1	;	;
aper birch	1	1	;	1	;	1	1 0	1	;	;	;	;	!	;
River birch	1	!	!	1	;	1	;	1	;	;	1	;	;	;
Black cherry	!	1	;	ŀ	1	i	1 1	!	;	;	;	1	;	!
Black walnut	F	1	!	!	;	1	;	1	;	;	1	1	ł	1
Butternut	!	;	;	!	8	}	;	1	;	:	;	1	;	i
Other hardwoods	1		-	!	ŀ	1	;	;	1	;	;	;	!	;
Total 91,623	9,149	2,771	8,778	6,332	2,386	7,080	, :	1,915	3,790	3,859	6,314 2	29,015	5,178	5,056
All species 91.623	9,149	2.771	8.778	6.332	2.386	7.080	1	1 915	3 790	3 859		29 015	£ 178	5 056

 $\frac{1}{2}/I$ nternational 1/4-inch rule.

Table 53.--Timber removals from growing stock and sawtimber on commercial forest land by species group, Southwest Unit, Wisconsin, 1967 and 1982

	Growing	g stock	Sawt	imber
Species group	1967	1982	1967	1982
	Thousand	cubic feet	Thousand h	oard feet $\frac{1}{}$
Softwoods	modsund	CODIC ICCC	modsund b	oura rece
Jack pine	55	315	121	354
Red pine	37	1,648	57	1,464
White pine	171	230	984	854
White spruce	NO 401			
Black spruce				
Balsam fir				
Hemlock				
Tamarack	1			
Northern white-cedar				
Other softwoods	1			
Total	265	2,193	1,162	2,672
Hardwoods				
White oak	3,819	3,972	10,310	18,124
Select red oak	9,703	10,627	38,247	49,484
Other red oak	3,589	4,981	10,921	21,004
Hickory	1,192	231	1,394	1,027
Basswood	1,816	1,293	6,305	5,216
Beech		-,		0,21
Yellow birch	8	39	51	2
Hard maple	1,972	1,234	7,128	6,206
Soft maple	1,036	1,208	1,871	3,545
Elm	2,309	1,729	5,842	6,436
Ash	610	411	1,379	1,875
Cottonwood	215	85	642	406
Balsam poplar	3		2	
Bigtooth aspen	815	1,229	1,179	4,032
Quaking aspen	1,327	566	2,179	1,804
Paper birch	634	287	621	495
Black walnut	258	99	1,446	338
Other hardwoods 2/	279	438	1,246	1,245
	29,585	28,429	90,763	121,239
Total		30,622	91,925	123,911

Table 54.--Timber removals from growing stock and sawtimber on commercial forest land by item and species category, Southwest Unit, Wisconsin, 1982

			Growing stock	g stock					Sawt	Sawtimber		
	A11		0ther			Other Other	All		Other			Other
Item	species	Pine	softwoods	Aspen	0ak	hardwoods	species	Pine	softwoods Aspen	Aspen	Oak	hardwoods
	1	1	- Thousand cubic feet-	ubic feet-	1	1 1	1	1	- Thousand board feet	hard feet 1/	1	1
Roundwood products												
Pulpwood ² /	1,274	1,028	1	32	124	06	1,363	1,035	;	61	152	115
Saw logs	17,851	265	;	581	13,505	3,500	93,830	1,028	1	2,670	71,977	18,155
Fuelwood	2,909	1	1	112	1,576	1,221	8,170	1	;	302	4,457	3,411
Posts	666	770	1	91	138	1	889	415	1	178	296	;
Veneer logs	518	;	;	3/	432	98	3,341	1	ì	1	2,790	550
Poles	:	1	:	1	1	;	1	;	ī	;	1	*
Other	709	1	-	422	94	193	3,710	1	;	2,005	90/	666
Total	24,260	2,063	1	1,238	15,869	5,090	111,303	2,478	:	5,217	80,378	23,230
Logging residue	2,642	130	:	162	1,854	496	7,279	194	8	392	5,252	1,441
Other removals	3,720	1	;	395	1,857	1,468	5,329	:	:	227	2,982	2,120
All removals	30,622	2,193	1	1,795	19,580	7,054	123,911	2,672	i	5,836	88,612	26,791

 $\frac{1}{2}/International$ 1/4-inch rule. $\frac{2}{2}/Includes$ particleboard and waferboard bolts. $\frac{3}{2}/Less$ than 500 cubic feet.

Table 55.--Annual mortality of growing stock on commercial forest land by softwoods and hardwoods, Southwest Unit, Wisconsin, 1967 and 1982

(In thousand cubic feet)

Species	1967	1982
Softwoods	188	114
Hardwoods	7,219	16,889
Total	7,407	17,003

Table 56.--Annual mortality of growing stock on commercial forest land by species group and cause,
Southwest Unit, Wisconsin, 1982

(In thousand cubic feet)

Species group						Cau	se		
Softwoods Jack pine 59 59 Red pine	Species aroup		Insects	Disease	Fire	Animals	Weather	Suppression	Unknown and other
Second S		causes	11130003	Discuse		7417111013	Neuditer	очррт сээтол	and other
Red pine		50							50
White spruce 2 33 White spruce 2 2 Balsam fir 3 3 Hemlock <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>									
White spruce 2									
Balsam fir 3 2 Balsam fir 3 <				1					
Balsam fir 3									2
Hemlock									
Tamarack		_							
Eastern redcedar									um on
Northern white-cedar									
Other softwoods 99 Hardwoods White oak 874 47 2 64 12 749 Select red oak 2,197 118 32 293 2 1,752 Other red oak 1,183 16 159 1,008 Select hickory 111 39 72 Other hickory 79 79 Beech 79 Beech									
Total 114									
Hardwoods White oak 874 47 2 64 12 749 Select red oak 2,197 118 32 293 2 1,752 Other red oak 1,183 16 159 1,008 Select hickory 111 39 72 Other hickory 79 31 7 347 Beech 31 7 347 Beech 31 16 31 7 347 Beech 31 16 73 242 Soft maple 331 16 73 242 Soft maple 407 4 28 375 Elm 6,187 19 5,146 69 23 930 Black ash 43 43 White & green ash 146 22 2 15 107 Cottonwood 80 15 107 Cottonwood 80 178 Hardwoods Nillow 112 3 178 Blasam poplar 178 Bigtooth aspen 1,845 102 78 1,665 Quaking aspen 1,777 156 9 56 1,556 Paper birch 335 66 41 42 186 River birch 68 2 78 Black walnut 79 11 15 2 270 Black walnut 79 12 15 2 270 Black walnut 79 12 15 2 270 Black walnut 79 11 17 Butternut 290 99 17 Butternut 290 99 17 Butternut 290 99 17 Butternut 290 99 19 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944									
White oak 874 47 2 64 12 749 Select red oak 2,197 118 32 293 2 1,752 Other red oak 1,183 16 159 1,008 Select hickory 79 39 72 Other hickory 79 77 Other hickory 79 77 Other hickory 79 77 78 Beech	Total	114	14	1					99
Select red oak 2,197 118 32 293 2 1,752 Other red oak 1,183 16 159 1,008 Select hickory 111 39 72 Other hickory 79 79 Basswood 394 27 3 17 347 Beech <									
Other red oak 1,183 16 159 1,008 Select hickory 711 39 72 Other hickory 79 72 Basswood 394 27 3 17 73 73 <t< td=""><td>White oak</td><td></td><td></td><td></td><td>2</td><td></td><td></td><td></td><td></td></t<>	White oak				2				
Select hickory 111 39 72 Other hickory 79 79 Basswood 394 27 3 17 79 Beech	Select red oak			118		32		2	
Other hickory 79 79 Basswood 394 27 3 17 347 Beech </td <td>Other red oak</td> <td>1,183</td> <td></td> <td>16</td> <td></td> <td></td> <td>159</td> <td></td> <td></td>	Other red oak	1,183		16			159		
Basswood 394 27 3 17 347 Beech <td>Select hickory</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>39</td> <td></td> <td></td>	Select hickory						39		
Beech	Other hickory	79							
Yellow birch 3 33 </td <td>Basswood</td> <td>394</td> <td></td> <td>27</td> <td></td> <td>3</td> <td>17</td> <td></td> <td>347</td>	Basswood	394		27		3	17		347
Hard maple 331 16 73 242 Soft maple 407 4 28 375 Elm 6,187 19 5,146 69 23 930 Black ash 43 15 107 Cottonwood 80 2 15 107 Cottonwood 80 2 15 107 Hackberry 17 109 Hackberry 17 17 Balsam poplar 17 Bigtooth aspen 1,845 102 78 1,665 Quaking aspen 1,777 156 9 56 1,556 Paper birch 335 66 41 42 186 River birch 68 2 66 Black cherry 299 12 15 2 270 Black walnut 79 1 1 1 1 77 Butternut 290 99 191 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944	Beech								
Soft maple 407 4 28 375 Elm 6,187 19 5,146 69 23 930 Black ash 43 69 23 930 White & green ash 146 22 2 15 107 Cottonwood 80 2 15 107 Willow 112 3 2 180 Hackberry 17 190 Hackberry 17 17 Balsam poplar 17 Bigtooth aspen 1,845 102 78 1,665 Paper birch	Yellow birch	3							3
Soft maple 407 4 28 375 Elm 6,187 19 5,146 69 23 930 Black ash 43 43 White & green ash 146 22 2 15 107 Cottonwood 80 2 78 Willow 112 3 109 Hackberry 17 109 Hackberry 17 109 Hackberry 17 17 Balsam poplar 17 Bigtooth aspen 1,845 102 78 1,665 Quaking aspen 1,777 156 9 56 1,556 Paper birch <td>Hard maple</td> <td>331</td> <td></td> <td>16</td> <td></td> <td></td> <td>73</td> <td></td> <td>242</td>	Hard maple	331		16			73		242
Black ash 43 43 White & green ash 146 22 2 15 107 Cottonwood 80 2 78 Willow 112 3 109 Hackberry 17 109 Hackberry 17 109 Hackberry 17 109 Hackberry 17 109 Bigtooth aspen 1,845 102 78 1,665 Quaking aspen 1,777 156 9 56 1,556 Paper birch 68 2 </td <td>Soft maple</td> <td>407</td> <td></td> <td>4</td> <td></td> <td></td> <td>28</td> <td></td> <td>375</td>	Soft maple	407		4			28		375
Black ash 43 43 White & green ash 146 22 2 15 107 Cottonwood 80 2 78 Willow 112 3 109 Hackberry 17 109 Hackberry 17 109 Hackberry 17 109 Balsam poplar	Elm .	6.187	19	5.146			69	23	930
Cottonwood 80 2 78 Willow 112 3 109 Hackberry 17 17 Balsam poplar 17 Bigtooth aspen 1,845 102 78 1,665 Quaking aspen 1,777 156 9 56 1,556 Paper birch 335 66 41 42 186 River birch 68 2 66 Black cherry 299 12 15 2 270 Black walnut 79 1 1 191 Other ha	Black ash	43							43
Cottonwood 80 2 78 Willow 112 3 109 Hackberry 17 17 Balsam poplar	White & green ash	146		22	2			15	107
Hackberry 17 17 Balsam poplar Bigtooth aspen 1,845 102 78 1,665 Quaking aspen 1,777 156 9 56 1,556 Paper birch 335 66 41 42 186 River birch 68 2 66 Black cherry 299 12 15 2 270 Black walnut 79 1 1 7 Butternut 290 99 191 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944		80					2		78
Balsam poplar <td>Willow</td> <td>112</td> <td></td> <td>3</td> <td></td> <td>~</td> <td></td> <td></td> <td>109</td>	Willow	112		3		~			109
Balsam poplar <td>Hackberry</td> <td>17</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>17</td>	Hackberry	17							17
Bigtooth aspen 1,845 102 78 1,665 Quaking aspen 1,777 156 9 56 1,556 Paper birch 335 66 41 42 186 River birch 68 2 66 Black cherry 299 12 15 2 270 Black walnut 79 1 1 77 Butternut 290 99 191 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944									
Quaking aspen 1,777 156 9 56 1,556 Paper birch 335 66 41 42 186 River birch 68 2 66 Black cherry 299 12 15 2 270 Black walnut 79 1 1 77 Butternut 290 99 191 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944		1.845		102			78		1,665
Paper birch 335 66 41 42 186 River birch 68 2 66 Black cherry 299 12 15 2 270 Black walnut 79 1 1 77 Butternut 290 99 191 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944					an 10	9			1,556
River birch 68 2 66 Black cherry 299 12 15 2 270 Black walnut 79 1 1 77 Butternut 290 99 191 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944						_		42	186
Black cherry 299 12 15 2 270 Black walnut 79 1 1 77 Butternut 290 99 191 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944									66
Black walnut 79 1 1 77 Butternut 290 99 191 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944									
Butternut 290 99 191 Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944									
Other hardwoods 32 7 1 2 22 Total 16,889 19 5,842 6 60 922 96 9,944									
Total 16,889 19 5,842 6 60 922 96 9,944									
									
	All species	17,003	33	5,843	6	60	922	96	10,043

Table 57.--Annual mortality of sawtimber on commercial forest land by species group and cause, Southwest Unit, Wisconsin, 1982

(In thousand board feet) $\frac{1}{}$

					Cau	se		
	A11							Unknown
Species group	causes	Insects	Disease	Fire	Animals	Weather	Suppression	and othe
Softwoods								
Jack pine	99							99
Red pine								
White pine	187	53	4					130
White spruce								
Black spruce								
Balsam fir								
Hemlock		~ ~		~~	~ ~			
Tamarack								
Eastern redcedar	1							1
Northern white-cedar								
Other softwoods								
Total	287	53	4					230
Hardwoods								
White oak	2,197		113		2	292		1,790
Select red oak	9,405		444	~~	159	1,432	4	7,366
Other red oak	4,303		62			677		3,564
Select hickory	260		2			5		253
Other hickory	6	6						
Basswood	1,298		133		5			1,160
Beech								
Yellow birch	4							4
Hard maple	896		81			347		468
Soft maple	1.065		15			119		931
Elm	20,754	82	16,288			247		4,137
Black ash	144		´					144
White & green ash	376		114					262
Cottonwood	177					6		171
Willow	321		11					310
Hackberry	73							73
Balsam poplar			~-	~-				
Bigtooth aspen	4,838	-,-	249			371		4,218
Quaking aspen	1,982		47			192		1,743
Paper birch	477		2			125		350
River birch	102			3				99
Black cherry	238		49					189
Black walnut	276		9		8			259
Butternut	475		123					3 52
Other hardwoods	31		13					18
Total	49,698	88	17,755	3	174	3,813	4	27,861
All species	49,985	141	17,759	3	174	3,813	4	28,091

 $[\]frac{1}{2}$ International $\frac{1}{4}$ -inch rule.

Table 58.--Annual mortality of growing stock and sawtimber on commercial forest land by county and softwoods and hardwoods, Southwest Unit, Wisconsin, 1982

		Growing stock	,		Sawtimber	
	All			All		
County	species	Softwoods	Hardwoods	species	Softwoods	Hardwoods
	1	Thousand cubic feet	feet	Th	Thousand board feet	feet_1/
Buffalo	1,771	:	1,771	5,510	}	5,510
Crawford	1,754	:	1,754	4,922	:	4,922
Dunn	1,614	52	1,562	4,772	66	4,673
Grant	1,579	1	1,579	4,609	•	4,609
Iowa	515	20	495	1,569	119	1,450
La Crosse	1,445	18	1,427	3,462	!	3,462
Lafayette	344	:	344	1,364	1	1,364
Pepin	290	3 1	290	2,333	2	2,331
Pierce	872	;	872	2,742		2,742
Richland	1,346	;	1,346	4,327	!	4,327
St. Croix	702	2	700	1,347	!	1,347
Sauk	1,888	20	1,868	5,176	53	5,123
Trempealeau	919	1	919	2,593	!	2,593
Vernon	1,664	2	1,662	5,259	14	5,245
All counties	17,003	114	16,889	49,985	287	49,698

1/International 1/4-inch rule.

Table 59.--Annual mortality of growing stock and sawtimber on commercial forest land by ownership class and softwoods and hardwoods, Southwest Unit, Wisconsin, 1982

		Growing stock	, k	,	Sawtimber	
	A11			A11		
Ownership class	species	Softwoods	Softwoods Hardwoods	species	Softwoods	Hardwoods
		Thousand cubic feet -	feet	Thc	Thousand board feet $\frac{1}{2}$	feet_1/
National Forest	;	1	;	1		1
Miscellaneous federal	687	ŧ	687	2.004	1 1	2000
State	466	;	466	1 340		1,000
County and municipal	39	;	30	150		1,049
Indian	: :	!		CC 1	ļ	601
Forest industry		: 1	8 0	1	1 2	!
	(1 1	1	1
rarmer	11,961	80	11,881	36,702	229	36,473
Misc. private-corp.	626	m	623	1,363	2	1,358
Misc. private-indiv.	3,224	31	3,193	8,408	53	8,355
All owners	17,003	114	16,889	49,985	287	49,698

1/International 1/4-inch rule.

Table 60.--Output of timber products by product, softwoods and hardwoods, and source of material, Southwest Unit, Wisconsin, 1981

	Standard				Roundwood products	products			
Product	units	Т	Total	Growing	ng stock	Non-grow	Non-growing stock	Plant	Plant byproducts
		No. of	Thousand	No. of	Thousand	No. of	Thousand	No. of	Thousand
P. 1		units	cubic feet	units	cubic feet	units	cubic feet	units	cubic feet
Softwoods	Standard <u>2</u> /	20,933	1,648	13,059	1,028	7,457	587	417	33
Total		72,750	5,725	16,340	1,274	8,270	648	48,140	3,803
Saw logs Softwoods	Thousand3/	4,002	682	1,555	265	2,447	417		
Hardwoods	board feet	108,379	18,957	100,541	17,586	7,838	1,371	1	
Total		112,381	19,639	102,096	17,851	10,285	1,788	1	1
Veneer logs Softwoods	Thousand3/	!	;	9 8	1	1	!	4	1
Hardwoods	board feet	3,566	574	3,218	518	348	99	!	•
Total		3,566	574	3,218	518	348	99		
Fuelwood Softwoods	Standard ² /	5,439	382			2,969	209	2,470	173
Hardwoods	cords	415,455	29,056	41,599	2,909	320,735	22,429	53,121	3,718
Total		420,894	29,438	41,599	2,909	323,704	22,638	55,591	3,891
Posts Softwoods	Thousand	1,104	1.134	750	770	354	364		
Hardwoods	pieces	367	367	229	229	138	138	1	1
Total		1,471	1,501	979	666	492	502		
Poles Softwoods	Pieces	;	1	1	;	•	i	:	:
Hardwoods		1	:	•	3 9	:		;	1
Total		1	-	:	}	1		;	:
Other 4/									
Softwoods	Thousand	105 3 075	105	700	2002	1 90	1 00	105	105
Total		3,180	3,180	709	709	26	26	2,445	2,340
All products Softwoods	Thousand		3,951		2,063	8	1,577		311
Hardwoods	cubic feet	8	56,106	1	22,197	:	24,081	!	9,828
Total		1	60,057	ē .	24,260	-	25,658	B E	10,139

 $\frac{1}{2}/\ln \log \log n$ and plant byproducts used for particleboard and waferboard. $\frac{2}{2}/128$ cubic feet; includes wood, bark, and air space.

 $\frac{3}{4}$ International 1/4-inch rule.

4/Other (industrial production) includes cabin logs, charcoal wood, shingle bolts, pilings, etc.

Table 61.--Output of roundwood products by product, softwoods and hardwoods, and source of material, Southwest Unit, Wisconsin, 1981

(In thousand cubic feet)

Product and	A11		Growing-stock	trees	Rough and	Salvable	Other
species group	sources	Total	Sawtimber	Poletimber	rotten trees	dead trees	sources
Industrial products							
Saw logs							
Softwoods	682	265	252	13	35	104	278
Hardwoods	18,957	17,586	16,087	1,499	309	666	396
Subtotal	19,639	17,851	16,339	1,512	344	770	. 674
Veneer logs and bolts							
Softwoods							
Hardwoods	574	518	518		56		
Subtotal	574	518	518		56		
Pulpwood1/	4 045	4 000	47.0	***			
Softwoods	1,615	1,028	475	553	83	155	349
Hardwoods	307	246	75	171	11	6	44
Subtotal	1,922	1,274	550	724	94	161	393
Cooperage							
Softwoods Hardwoods	107	94	 94		8		 5
Subtotal	107	94	94		8		5
Piling Softwoods							
Hardwoods							
Subtotal							
Poles							
Softwoods			***				
Hardwoods							
Subtotal							
Mine timbers (Round)							
Softwoods							
Hardwoods							
Subtotal							
Posts (Round and split)							
Softwoods	1,134	770	205	565	46		318
Hardwoods	367	229	96	133	69		69
Subtotal	1,501	999	301	698	115		387
Other							
Softwoods	40 40	***					
Hardwoods	628	615	447	168	5	4	. 4
Subtotal	628	615	447	168	5	4	4
All industrial products							
Softwoods	3,431	2,063	932	1,131	164	259	945
Hardwoods	20,940	19,288	17,317	1,971	458	676	518
Total	24,371	21,351	18,249	3,102	622	935	1,463
Fuelwood							
Softwoods	209		4 000			29	180
Hardwoods	25,338	2,909	1,801	1,108	576	10,084	11,769
Total	25,547	2,909	1,801	1,108	576	10,113	11,949
All products							
Softwoods	3,640	2,063	932	1,131	164	288	1,125
Hardwoods	46,278	22,197	19,118	3,079	1,034	10,760	12,287
Total	49,918	24,260	20,050	4,210	1,198	11,048	13,412

 $[\]underline{1}^{\prime}$ Includes particleboard and waferboard bolts.

Table 62.--Timber products from roundwood by species group and product, Southwest Unit, Wisconsin, 1981

Species group	All products	Pulp	wood ¹ /	Saw 1	ogs	Veneer	logs
	Thousand	Standard	Thousand	Thousand	Thousand	Thousand	Thousand
	cubic feet	cords 2/	cubic feet	board feet3/	cubic feet	board feet 3/	cubic feet
Softwoods							
Jack pine	491	5,243	412	109	23		
Red pine	2,344	13,626	1,077	486	81		
White pine	792	1,584	122	3,404	578		
White spruce	1	12	1				
Black spruce	1	22	1	1	4/		
Balsam fir	11	29	2		-=		
Hemlock						***	
Tamarack							
Northern white-cedar	4/			2	4/		
Other softwoods			~~				
Total	3,640	20,516	1,615	4,002	682		
Hardwoods							
White oak	6,165	533	42	16,389	2,868	172	26
Select red oak	13,692	1,005	79	44,824	7,852	1,926	314
Other red oak	6,016	441	35	19,697	3,450	847	138
Hickory	445			1,000	178		
Basswood	1,240	149	12	5,958	1,063	171	28
Beech							
Yellow birch	6			5	1		
Hard maple	2,047	313	24	6,752	1,125	132	19
Soft maple	1,245	341	24	2,773	492	75	12
Elm	9,459	406	28	3,981	709	136	21
Ash	976	121	7	1,726	303	. 57	8
Cottonwood	140	26	2	421	74	49	8
Balsam poplar	14			81	14		
Bigtooth aspen	1,517	303	21	2,006	348	1	4/
Quaking aspen	1,030	206	15	1,361	236		
Paper birch	423	206	16	256	42		
Black walnut c/	187	600 600		484	83	40 46	
Other hardwoods 5/	1,676	44	2	665	119		
Total	46,278	4,094	307	108,379	18,957	3,566	574
All species	49,918	24,610	1,922	112,381	19,639	3,566	574

(Table 62 continued on next page)

 $[\]frac{1}{2}$ Includes particleboard and waferboard bolts.

 $[\]frac{2}{128}$ cubic feet; includes wood, bark, and air space.

 $[\]frac{3}{4}$ International ¼4-inch rule. $\frac{4}{2}$ Less than 500 cubic feet.

 $[\]frac{5}{I}$ ncludes butternut and black cherry.

Species group	Fue	lwood	Po	sts	Po	les	Other products
	Standard	Thousand	Thousand	Thousand	Pieces	Thousand	Thousand
	cords 2/	cubic feet	pieces	cubic feet		cubic feet	cubic feet
Softwoods							
Jack pine	795	56					
Red pine	732	52	1,104	1,134			
White pine	1,307	92					
White spruce						·	
Black spruce							
Balsam fir	135	9					
Hemlock							
Tamarack							,
Northern white-cedar							
Other softwoods							
Total	2,969	209	1,104	1,134			
Hardwoods							
White oak	41,634	2,910	213	212		-÷	107
Select red oak	77,772	5,441	6	6		,	
Other red oak	34,174	2,391	2	2			
Hickory	3,800	267					
Basswood	1,978	137					
Beech							
Yellow birch	89	5					
Hard maple	12,565	879					
Soft maple	8,620	603					114
Elm	124,334	8,701					
Ash	9,425	658					
Cottonwood	834	56					
Balsam poplar	~						
Bigtooth aspen	11,563	809	87	88			251
Quaking aspen	7,847	549	59	59			171
Paper birch	4,789	333					32
Diank unlaut	1,489	104					
Other hardwoods 5/	21,421	1,495		**			60
Total	362,334	25,338	367	367			735
All species	365,303	25,547	1,471	1,501			735

 $[\]frac{2}{128}$ cubic feet; includes wood, bark, and air space.

Table 63.--Volume of primary plant residue by use and type of residue, Southwest Unit, Wisconsin, 1981

(In thousand cubic feet)

			Wood re	sidue				
	To	tal	Coa	rse ¹ /	Fi	ne ^{2/}	Ba	rk3/
Use	Softwoods	Hardwoods	Softwoods	Hardwoods	Softwoods	Hardwoods	Softwoods	Hardwoods
Fiber products4/	21.4	2,757.0	21.4	2,508.7		248.3	1.0	142.7
Charcoal		75.6		75.6			~-	48.8
Industrial fuel	31.8	1,856.7	28.2	857.6	3.6	999.1	32.9	1,789.9
Domestic fuel	141.1	1,861.8	139.1	1,856.2	2.0	5.6	17.3	511.2
Miscellaneous <u>5</u> /	105.2	2,264.4	0.2	283.9	105.0	1,980.5	16.5	1,182.6
Not used $\frac{6}{}$	0.9	92.2	0.6	14.9	0.3	77.3	54.7	90.7
Total	300.4	8,907.7	189.5	5,596.9	110.9	3,310.8	122.4	3,765.9

 $[\]frac{1}{S}$ Suitable for chipping such as slabs, edgings, veneer cores, etc.

 $[\]frac{5}{I}$ Includes butternut and black cherry.

 $[\]frac{2}{N}$ Not suitable for chipping such as sawdust, veneer clippings, etc.

 $[\]frac{3}{2}$ Does not include bark disposal at pulpmills.

 $[\]frac{4}{7}$ For manufacture of pulp, hardboard, or roofing felt.

 $[\]frac{5}{\text{Livestock}}$ bedding, mulch, small dimension, and specialty items.

^{6/}Includes residue burned as waste.

Table 64.--All live tree biomass on commercial forest land by species group and forest type, Southwest Unit, Wisconsin, 1983

(In green tons)

	All					White	100	Nosthons
Species diods	types	Jack pine	Red pine	White pine	Balsam fir	Spruce	Spruce	white-cedar
J-0.6 00.000	27.							
Softwoods								
Jack pine	520,177	416,504	71,771	!	1		1	!
Red nine	2.865.422	43, 937	2,435,019	;		;	;	1
(C + + + + + + + + + + + + + + + + + +	170 077	20 570	003 03	201 601				
שוו כע ליווע	T/0644/	610,60	060,000	400,407	ŧ	:	•	!
White spruce	41,524	1	41,524	1	:	:	;	;
Black spruce	26,523	1	26,523	!	;	*	;	;
Balsam fir	7,715	1	7,715	!	;	;	;	1
700)) 1					
Hem LOCK	1	1	1	:	;	1		:
Tamarack	1	1	1	1	;	1	;	;
Factorn redcedar	153,209	;	3.606	;	!	;	;	;
Market 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	000		9					
Northern White-Cedar	;	1	1	•	1	1	;	!
Other softwoods	1	!	*	1	1	1	;	!
Total	4,359,441	500,020	2,654,856	284,604		-		
Handwoods								
White con	24 550 472							
מיין שיין איין ריין איין איין איין איין איין א	20 120 020		03 250		•	1	1	•
פוברר ובת סמא	20,430,020		00,000	:	!	:	D	1
Other red oak	16,007,682	197,211	141,958	:		;	1	;
Select hickory	5,656,922	1	;	!	:	1	1	1
Other hickory	3,177,805	!	;	1	;	;	;	;
Basswood	7,240,955	;	;	;	;	;	;	;
Reach		1		1	-			
70000	166 10							
TELLOW DITCH	167,10	6	!	!	;	1	1	!
nard slapte	0,100,477	1	:	1 ;	:	ľ		,
Soft maple	5,919,8/4	1	:	6,289	;	8 8	;	!
r m	7,000,204	15,595	-	1	:	!	!	:
Black ash	844,652	:	1		;	:	;	1
White & green ash	2,611,359	:	1	1	;	;	;	;
Cottonwood	972,010	1	:	19,235	;	;	;	;
Willow	586,467	;	;		;	:	;	;
Hackberry	125, 287	;	;	1		:		;
Ralsam nonlar	58 140	1		1	1	ļ		
Rictooth aspen	4 038 565							
	1,000,000	000	000		;			:
duaking aspen	4,185,978	13,938	100,200	!	:	;	1	:
Paper Dirch	2,6/2,265	:	1,593	1	:	:	!	:
River birch	388,485	:	1	;	;	*	1	:
Black cherry	3,745,657	1	11,064	1	;	1	1	;
Black walnut	1,020,873	;	1	•	:	1	;	:
Butternut	2,051,221	;	:	1	;	;	;	;
Other hardwoods	1,842,965	;	180,428	:	;	1	!	;
Noncommercial species	3,423,765	;		;	*	1 0	;	;
Total	138,348,131	226.744	518.601	25.524	:	:	;	:
All coories	21/2 707 679	N2C 2CC	2 173 457	210 120				
אוו אוברובא	145,/0/,3/2	40/607/	3,1/3,43/	310,128				-

(Table 64 continued)

				Forest type	type			
		0ak-	Elm-ash-	Maple-		Paper		
Species group	Tamarack	hickory	soft maple	birch	Aspen	birch	Exotics	Nonstocked
Softwoods								
Jack pine	;	31,902	;	;	;	1	;	:
Red pine	1	357,868	1	28,598	;	i	;	;
White pine	!	113,842	;	216,780	2,705	;	1 1	18,663
White spruce	8	1	;	;	;	;	1	;
Black spruce	:	;	1	;	1		;	:
Balsam fir	i i	;	3 9	;	;	!	ę \$;
Hemlock	ŧ	;	;	*	;	*	!	;
Tamarack	!	1	1	;	1	;	;	!
Eastern redcedar	8 0	62,761	1	78,938	2,792	5,112	1	;
Northern white-cedar	1	1	1	!	;	;	;	;
Other softwoods	8 5	3 7	;	;	;	3	;	;
Total	!	566,373	:	324,316	5,497	5,112	:	18,663
Hardwoods								
White oak	;	20,919,132	325,157	2,449,968	379,469	278,814	!	206,932
Select red oak	1	23,703,289	1	3,452,473	322,693	699,782	ī	169,225
Other red oak	1	14,278,842	108,991	614,856	215,483	41,937	i	408,404
Select hickory	1	4,677,483	2,461	702,678	8,222	239,702	1	26,376
Other hickory	1	2,003,766	40,641	1,033,759	86,526	8	!	13,113
Basswood	•	2,815,868	48,698	4,244,160	86,809	22,894	!	22,526
Beech	:	1	1	!	;	1	;	;
Yellow birch	!	12,424	1	54,766	14,041	1	1	8 8
Hard maple	1	1,680,228	1	6,915,472	33,038	46,024	£	27,715
Soft maple	8	1,301,310	3,132,836	1,420,534	11,092	38,674	!	9,139
Elm	1	2,611,396	796,593	3,184,878	196,725	149,567	;	45,450
Black ash	1	157,859	518,746	166,537	1,510	1	!	;
White & green ash		620,967	556,259	1,303,710	122,242	!	;	8,181
Cottonwood	!	256,782	367,356	184,604	144,033	;	!	!
Willow	1	19,617	394,180	9,290	50,044	:	Į.	113,336
Hackberry	1	29,407	40,268	55,612	;	6	1	1
Balsam poplar	1	39,502	1	2,842	1	15,796	ţ	1
Bigtooth aspen	1	2,445,737	13,868	560,615	792,155	226,190	;	1
Quaking aspen	8	1,550,288	*	547,855	1,782,192	179,121	1	12,384
Paper birch	1	2,741,607	93,230	578,017	295,773	1,965,045	;	1
River birch	8	52,570	335,915	1	;	1	1	1
Black cherry	1	2,211,046	13,903	1,352,996	57,497	74,837	1	24,314
Black walnut	1	754,226	1	232,011	1	3 8	I	34,636
Butternut	1	1,156,107	30,597	809,759	15,358	E E	1	39,400
Other hardwoods	1	630,090	500,810	372,202	88,313	45,120	1	26,002
Noncommercial species	1	2,007,294	30,361	1,299,373	29,904	52,709	i i	4,124
Total	1	88,676,837	7,350,870	31,548,967	4,733,119	4,076,212	1	1,191,257
All species	1	89,243,210	7,350,870	31,873,283	4,738,616	4,081,324	:	1,209,920

Table 65.--All live tree biomass by species group and tree biomass component, Southwest Unit, Wisconsin, 1983

(In green tons)

		Biomass component					
		All live	Growing	g stock	C	ull	
	A11	1- to 5-inch		Tops and		Tops and	
Species group	components	trees	Boles	limbs	Boles	limbs	
Softwoods							
Jack pine	520,177	66,916	223,787	95,745	93,642	40,087	
Red pine	2,865,422	214,153	1,834,164	788,509	19,991	8,605	
White pine	744,871	222,370	350,164	149,218	18,068	5,051	
White spruce	41,524	31,673	6,989	2,862		-,	
Black spruce	26,523		18,686	7,837			
Balsam fir	7,715		5,423	2,292			
Hemlock	7,715		3,423				
Tamarack							
Eastern redcedar	153,209	27,592	28,419	11,538	74,215	11,445	
Northern white-cedar	155,205	27,372	20,419	11,550	74,215	11,770	
Other softwoods							
		562,704	2 467 622	1 050 001	205,916	65,188	
Total	4,359,441	502,704	2,467,632	1,058,001	205,910	05,100	
lardwoods	04 550 470	611 167	11 100 001	4 750 000	5 553 000	0.005.011	
White oak	24,559,472	611,167	11,402,621	4,752,393	5,557,380	2,235,911	
Select red oak	28,430,820	403,281	15,854,701	6,756,767	3,821,310	1,594,761	
Other red oak	16,007,682	221,275	7,137,276	3,017,199	3,978,569	1,653,363	
Select hickory	5,656,922	415,764	3,018,411	1,276,569	672,043	274,135	
Other hickory	3,177,805	570,219	1,641,070	696,462	206,704	63,350	
Basswood	7,240,955	501,012	3,618,829	1,537,650	1,132,372	451,092	
Beech				~ ~			
Yellow birch	81,231		48,518	20,289	8,721	3,703	
Hard maple	8,702,477	415,593	4,175,573	1,779,182	1,640,852	691,277	
Soft maple	5,919,874	570,686	2,806,205	1,199,092	954,335	389,556	
Elm	7,000,204	771,413	3,199,818	1,326,108	1,214,702	488,163	
Black ash	844,652	97,594	460,619	192,795	66,130	27,514	
White & green ash	2,611,359	237,768	1,402,008	597,478	269,971	104,134	
Cottonwood	972,010	4,840	629,184	266,032	50,977	20,977	
Willow	586,467	31,765	241,495	100,812	156,418	55,977	
Hackberry	125,287	29,624	59,335	24,479	8,422	3,427	
Balsam poplar	58,140	2,842	38,502	16,796			
Bigtooth aspen	4,038,565	227,177	2,469,653	1,074,817	185,926	80,992	
Quaking aspen	4,185,978	400,344	2,230,923	960,499	421,986	172,226	
Paper birch	5,675,265	766,248	2,860,276	1,215,486	591,807	241,448	
River birch	388,485	42,610	188,066	79,676	54,599	23,534	
Black cherry	3,745,657	355,211	1,673,041	712,983	732,668	271,754	
Black walnut	1,020,873	8,580	565,352	240,510	144,766	61,665	
Butternut	2,051,221	55,973	751,946	320,931	649,106	273,265	
Other hardwoods	1,842,965	335,960	441,683	184,875	632,931	247,516	
Noncommercial species	3,423,765	333,300	441,005	104,075	3,079,722	344.043	
Total	138,348,131	7,076,946	66,915,105	28,349,880	26,232,417	9,773,783	
							
All species	142,707,572	7,639,650	69,382,737	29,407,881	26,438,333	9,838,971	

Table $66.\text{---Sampling errors} \frac{1}{}'$ for estimates smaller than the Unit totals of volume, net growth, removals, and area of commercial forest land, Southwest Unit, Wisconsin, 1983

Sampling	Commercial		Growing sto	ck		Sawtimber	
error	forest land	Inventory	Growth	Removals	Inventory	Growth	Removals
	Thousand						2/
Percent	acres	<u>-Tho</u>	usand cubic	feet	<u>-Tho</u> t	usand board	feet
1	299.1	24,168,264	1,626,313	35,432,994	100,373,122	5,368,599	98,463,036
2	74.8	6,042,066	406,578	8,858,248	25,093,280	1,342,150	24,615,759
3	33.2	2,685,363	180,701	3,936,999	11,152,569	596,511	10,940,33
4	18.7	1,510,517	101,645	2,214,562	6,273,320	335,537	6,153,940
5	12.0	966,731	65,053	1,417,320	4,014,925	214,744	3,938,52
10	3.0	241.683	16,263	354,330	1,003,731	53,686	984,630
15	1.3	107.415	7,228	157.480	446,103	23,860	437,61
20	0.7	60.421	4.066	88,582	250,933	13,421	246,158
25	0.5	38,669	2,602	56,693	160,597	8,590	157,54
50	0.1	9,667	651	14,173	40,149	2,147	39,38
100	0.0	2,417	163	3,543	10,037	537	9,840

 $[\]frac{1}{2}$ At the 68-percent probability level.

Table 67.--Sampling errors for county totals of growing-stock volume, net growth, removals, and area of commercial forest land, Southwest Unit, Wisconsin, 1983

(Percent of estimate)

	Commercial	G	rowing stock	
County	forest land	Inventory	Growth	Removals
Buffalo	1.26	10.81	17.66	110.93
Crawford	1.34	12.07	19.67	239.02
Dunn	1.33	11.58	17.61	132.71
Grant	1.27	11.76	18.18	164.39
Iowa	1.48	15.75	23.33	264.08
La Crosse	1.57	13.82	24.00	154.29
Lafayette	2.82	30.41	61.22	1/
Pepin	2.37	24.54	43.84	306.82
Pierce	1.72	17.24	25.95	212.40
Richland	1.37	13.14	21.45	209.01
St. Croix	2.03	20.68	24.76	140.19
Sauk	1.28	11.16	17.31	67.43
Trempealeau	1.43	13.97	20.17	172.84
Vernon	1.22	10.90	18.69	166.97
All counties	0.39	3.65	5.74	39.38

 $[\]frac{1}{T}$ There were no average annual removals for this county.

^{2/}International 1/4-inch rule.

Raile, Gerhard K.

Timber Resource of Wisconsin's Southwest Survey Unit, 1983. Resour. Bull. NC-87. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1985. 88 p.

The timber resource of the Southwest Wisconsin Survey Unit increased 29 percent in commercial forest area and increased 52 percent in growing-stock volume between 1968 and 1983. Highlights and statistics from the fourth inventory of this unit are presented for area, volume, growth, mortality, removals, utilization, and biomass.

KEY WORDS: Statistics, area, volume, growth, mortality, removals.

